



# Web Services ReliableMessaging Policy Assertion (WS-RM Policy)

Working Draft 087, April 24, 2006

## Document identifier:

wsrmp-1.1-spec-wd-087

## Location:

## Editors:

Doug Davis, IBM <dug@us.ibm.com>

Anish Karmarkar, Oracle <Anish.Karmarkar@oracle.com>

Gilbert Pilz, BEA <gilbert.pilz@bea.com>

Ümit Yalçinalp, SAP <umit.yalcinalp@sap.com>

## Contributors:

TBD

## Abstract:

This specification describes a domain-specific policy assertion for WS-ReliableMessaging [WS-RM] that can be specified within a policy alternative as defined in WS-Policy Framework [WS-Policy].

By using the XML [XML], SOAP [SOAP 1.1], [SOAP 1.2] and WSDL [WSDL 1.1] extensibility models, the WS\* specifications are designed to be composed with each other to provide a rich Web services environment. This by itself does not provide a negotiation solution for Web services. This is a building block that is used in conjunction with other Web service and application-specific protocols to accommodate a wide variety of policy exchange models.

## Status:

This document is a work in progress and will be updated to reflect issues as they are resolved by the Web Services Reliable Exchange (WS-RX) Technical Committee.

## Table of Contents

28		
29	1 Introduction.....	3
30	1.1 Goals and Requirements.....	3
31	1.1.1 Requirements.....	3
32	1.2 Notational Conventions.....	3
33	1.3 Namespace.....	3
34	1.4 Compliance.....	4
35	2 RM Policy Assertions.....	5
36	2.1 Assertion Model .....	5
37	2.2 Normative Outline.....	5
38	2.3 Assertion Attachment.....	6
39	2.4 Assertion Example.....	6
40	3 Security Considerations.....	8
41	4 References.....	9
42	4.1 Normative.....	9
43	4.2 Non Normative.....	9
44	A. Acknowledgments.....	11
45	B. XML Schema.....	12
46	C. Revision History.....	14
47	D. Notices.....	16

# 1 Introduction

This specification defines a domain-specific policy assertion for reliable messaging for use with WS-Policy [WS-Policy] and WS-ReliableMessaging [WS-RM].

## 1.1 Goals and Requirements

### 1.1.1 Requirements

### 1.2 Notational Conventions

The keywords "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in RFC 2119 [KEYWORDS].

This specification uses the following syntax to define normative outlines for messages:

- The syntax appears as an XML instance, but values in italics indicate data types instead of values.
- Characters are appended to elements and attributes to indicate cardinality:
  - "?" (0 or 1)
  - "\*" (0 or more)
  - "+" (1 or more)
- The character "|" is used to indicate a choice between alternatives.
- The characters "[" and "]" are used to indicate that contained items are to be treated as a group with respect to cardinality or choice.
- An ellipsis (i.e. "...") indicates a point of extensibility that allows other child, or attribute, content. Additional children and/or attributes MAY be added at the indicated extension points but MUST NOT contradict the semantics of the parent and/or owner, respectively. If an extension is not recognized it SHOULD be ignored.
- XML namespace prefixes (See Section [Namespace](#)) are used to indicate the namespace of the element being defined.

### 1.3 Namespace

The XML namespace [XML-ns] URI that MUST be used by implementations of this specification is:

<http://docs.oasis-open.org/ws-rx/wsrmp/200602>

Dereferencing the above URI will produce the Resource Directory Description Language [RDDL 2.0] document that describes this namespace.

Table 1 lists the XML namespaces that are used in this specification. The choice of any namespace prefix is arbitrary and not semantically significant.

The following namespaces are used in this document:

80 *Table 1*

Prefix	Namespace	Specification
wsdl	<a href="http://schemas.xmlsoap.org/wsdl/">http://schemas.xmlsoap.org/wsdl/</a>	<a href="#">[WSDL 1.1]</a>
wsp	<a href="http://schemas.xmlsoap.org/ws/2004/09/policy">http://schemas.xmlsoap.org/ws/2004/09/policy</a>	<a href="#">[WS-Policy]</a>
wsrmp	<a href="http://docs.oasis-open.org/ws-rx/wsrmp/200602">http://docs.oasis-open.org/ws-rx/wsrmp/200602</a>	This specification.
wsu	<a href="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd</a>	WS-Security-Utility Schema

## 81 **1.4 Compliance**

82 An implementation is not compliant with this specification if it fails to satisfy one or more of the MUST or  
 83 REQUIRED level requirements defined herein. A SOAP Node MUST NOT use the XML namespace  
 84 identifier for this specification (listed in Section [Namespace](#)) within SOAP Envelopes unless it is compliant  
 85 with this specification.

86 Normative text within this specification takes precedence over normative outlines, which in turn take  
 87 precedence over the XML Schema [\[XML-Schema Part1\]](#), [\[XML-Schema Part2\]](#) descriptions.

## 2 RM Policy Assertions

WS-Policy Framework [WS-Policy] and WS-Policy Attachment [WS-PolicyAttachment] collectively define a framework, model and grammar for expressing the requirements, and general characteristics of entities in an XML Web services-based system. To enable an RM Destination and an RM Source to describe their requirements for a given Sequence, this specification defines a single RM policy assertion that leverages the WS-Policy framework.

### 2.1 Assertion Model

The RM policy assertion indicates that the RM Source and RM Destination MUST use WS-ReliableMessaging [WS-RM] to ensure reliable delivery of messages. Specifically, the WS-ReliableMessaging protocol determines invariants maintained by the reliable messaging endpoints and the directives used to track and manage the delivery of a Sequence of messages.

### 2.2 Normative Outline

The normative outline for the RM assertion is:

```
<wsrmp:RMAssertion [wsp:Optional="true"]? ... >
...
</wsrmp:RMAssertion>
```

The following describes additional, normative constraints on the outline listed above:

/wsrmp:RMAssertion

A policy assertion that specifies that WS-ReliableMessaging [WS-RM] protocol MUST be used for a Sequence.

/wsrmp:RMAssertion/@wsp:Optional="true"

Per WS-Policy [WS-Policy], this is compact notation for two policy alternatives, one with and one without the assertion. The intuition is that the behavior indicated by the assertion is optional, or in this case, that WS-ReliableMessaging MAY be used.

/wsrmp:RMAssertion/{any}

This is an extensibility mechanism to allow different (extensible) types of information, based on a schema, to be passed.

/wsrmp:RMAssertion/@{any}

This is an extensibility mechanism to allow different (extensible) types of information, based on a schema, to be passed.

## 2.3 Assertion Attachment

The RM policy assertion is allowed to have the following Policy Subjects [WS-PolicyAttachment]:

- [Endpoint Policy Subject](#)
- [Message Policy Subject](#)

[WS-PolicyAttachment](#) defines a set of WSDL/1.1 [WSDL 1.1] policy attachment points for each of the above Policy Subjects. Since an RM policy assertion specifies a concrete behavior, it MUST NOT be attached to the abstract WSDL policy attachment points.

The following is the list of WSDL/1.1 elements whose scope contains the Policy Subjects allowed for an RM policy assertion but which MUST NOT have RM policy assertions attached:

- [wsdl:message](#)
- [wsdl:portType/wsdl:operation/wsdl:input](#)
- [wsdl:portType/wsdl:operation/wsdl:output](#)
- [wsdl:portType/wsdl:operation/wsdl:fault](#)
- [wsdl:portType](#)

The following is the list of WSDL/1.1 elements whose scope contains the Policy Subjects allowed for an RM policy assertion and which MAY have RM policy assertions attached:

- [wsdl:port](#)
- [wsdl:binding](#)
- [wsdl:binding/wsdl:operation/wsdl:input](#)
- [wsdl:binding/wsdl:operation/wsdl:output](#)
- [wsdl:binding/wsdl:operation/wsdl:fault](#)

If the RM policy assertion appears in a policy expression attached to a [wsdl:binding](#) as well as to the individual [wsdl:binding](#) level message definitions([wsdl:binding/wsdl:operation/wsdl:input](#), [wsdl:binding/wsdl:operation/wsdl:output](#), [wsdl:binding/wsdl:operation/wsdl:fault](#)), the parameters in the former MUST be used and the latter ignored.

If the RM policy assertion appears in a policy expression attached to a [wsdl:port](#) as well as to the other allowed WSDL/1.1 elements, the parameters in the former MUST be used and the latter ignored.

If an RM policy assertion is attached to any of:

- [wsdl:binding/wsdl:operation/wsdl:input](#)
- [wsdl:binding/wsdl:operation/wsdl:output](#)
- [wsdl:binding/wsdl:operation/wsdl:fault](#)

then an RM policy assertion, specifying [wsp:Optional=true](#) MUST be attached to the corresponding [wsdl:binding](#) or [wsdl:port](#), indicating that the endpoint supports WS-RM. Any messages, regardless of whether they have an attached Message Policy Subject RM policy assertion, MAY be sent to that endpoint using WS-RM. Additionally, the receiving endpoint MUST NOT reject any message belonging to a Sequence, simply because there was no Message Policy Subject RM policy assertion attached to that message. There might be certain RM implementations that are incapable of applying RM QoS semantics on a per-message basis. In order to ensure the broadest interoperability, when an endpoint decorates its

WSDL with RM policy assertions using Message Policy Subject, it must also be prepared to accept that all messages sent to that endpoint might be sent within the context of an RM Sequence, regardless of whether the corresponding wsdl:input, wsdl:output or wsdl:fault had an attached RM policy assertion.

Rather than turn away messages that were unnecessarily sent with RM semantics, the receiving endpoint described by the WSDL must accept these messages.

By attaching an RM policy assertion that specifies wsp:Optional="true" to the corresponding endpoint that has attached RM policy assertions at the Message Policy Subject level, the endpoint is describing the above constraint in policy.

In the case where an optional RM Assertion applies to an output message, there is no requirement on the client to support an RMD implementation

Because the RM policy assertion indicates endpoint behavior over an RM Sequence, the assertion has Endpoint Policy Subject [WS-PolicyAttachment].

WS-PolicyAttachment defines three WSDL [WSDL 1.1] policy attachment points with Endpoint Policy Subject:

•-----wsdl:portType—A policy expression containing the RM policy assertion **MUST NOT** be attached to a wsdl:portType; the RM policy assertion specifies a concrete behavior whereas the wsdl:portType is an abstract construct.

•-----wsdl:binding—A policy expression containing the RM policy assertion **SHOULD** be attached to a wsdl:binding.

•-----wsdl:port—A policy expression containing the RM policy assertion **MAY** be attached to a wsdl:port.

If the RM policy assertion appears in a policy expression attached to both a wsdl:port and its corresponding wsdl:binding, the parameters in the former **MUST** be used and the latter ignored.

An RM policy assertion allows for extensibility as defined in Section 2.2. Because the WSRM specification allows an RM Sequence to span multiple WSDL ports and/or endpoints, implementations or specifications that make use of this capability should be aware that doing so may create situations in which multiple policies containing extended RM policy assertions may apply to the same RM Sequence. The means and mechanisms for collating and resolving conflicts between RM policy assertions attached to multiple wsdl:bindings and/or wsdl:ports that participate in a single RM Sequence is not defined by this specification. Users/creators of extended RM policy assertions are encouraged to consider and address any possible conflicts in the content and semantics of the RM policy assertion extensions.

## 2.4 Assertion Example

Table 2 lists an example use of the RM policy assertion.

Table 2: Example policy with RM policy assertion

```
(01) <wsdl:definitions
(02)   targetNamespace="example.com"
(03)   xmlns:tns="example.com"
(04)   xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
(05)   xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy"
(06)   xmlns:wsrmp="http://docs.oasis-open.org/ws-rx/wsrmp/200602"
(07)   xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-
wss-wssecurity-utility-1.0.xsd">
(08)
(09)   <wsp:UsingPolicy wsdl:required="true" />
(10)
```

```

200 (11) <wsp:Policy wsu:Id="MyPolicy" >
201 (12)   <wsrmp:RMAssertion/>
202 (13)   <!-- omitted assertions -->
203 (14) </wsp:Policy>
204 (15)
205 (16) <!-- omitted elements -->
206 (17)
207 (18) <wsdl:binding name="MyBinding" type="tns:MyPortType" >
208 (19)   <wsp:PolicyReference URI="#MyPolicy" />
209 (20)   <!-- omitted elements -->
210 (21) </wsdl:binding>
211 (22)
212 (23)</wsdl:definitions>

```

213 Line (09) in Table 2 indicates that WS-Policy [WS-Policy] is in use as a required extension.

214 Lines (11-14) are a policy expression that includes a RM policy assertion (Line 12) to indicate that WS-  
215 ReliableMessaging [WS-RM] must be used.

216 Lines (18-21) are a WSDL [WSDL 1.1] binding. Line (19) indicates that the policy in Lines (11-14) applies  
217 to this binding, specifically indicating that WS-ReliableMessaging must be used over all the messages in  
218 the binding.

### 219 **3 Security Considerations**

220 It is strongly RECOMMENDED that policies and assertions be signed to prevent tampering.

221 It is RECOMMENDED that policies SHOULD NOT be accepted unless they are signed and have an  
222 associated security token to specify the signer has proper claims for the given policy. That is, a relying  
223 party shouldn't rely on a policy unless the policy is signed and presented with sufficient claims to pass the  
224 relying parties acceptance criteria.

225 It should be noted that the mechanisms described in this document could be secured as part of a SOAP  
226 message using WS-Security [[WSS](#)] or embedded within other objects using object-specific security  
227 mechanisms.

## 4 References

### 4.1 Normative

#### [KEYWORDS]

S. Bradner, "Key words for use in RFCs to Indicate Requirement Levels," RFC 2119, Harvard University, March 1997.

#### [SOAP 1.1]

W3C Note, "SOAP: Simple Object Access Protocol 1.1" 08 May 2000.

#### [SOAP 1.2]

W3C Recommendation, "[SOAP Version 1.2 Part 1: Messaging Framework](#)" June 2003.

#### [URI]

T. Berners-Lee, R. Fielding, L. Masinter, "Uniform Resource Identifiers (URI): Generic Syntax," RFC 3986, MIT/LCS, U.C. Irvine, Xerox Corporation, January 2005.

#### [WS-RM]

OASIS WS-RX Technical Committee Draft, "Web Services Reliable Messaging (WS-ReliableMessaging)," September 2005.

#### [WS-Policy]

D. Box, et al, "Web Services Policy Framework (WS-Policy)," September 2004.

#### [WS-PolicyAttachment]

D. Box, et al, "Web Services Policy Attachment (WS-PolicyAttachment)," September 2004.

#### [WSDL 1.1]

W3C Note, "Web Services Description Language (WSDL 1.1)," 15 March 2001.

#### [XML]

W3C Recommendation, "[Extensible Markup Language \(XML\) 1.0 \(Second Edition\)](#)", October 2000.

#### [XML-ns]

W3C Recommendation, "Namespaces in XML," 14 January 1999.

#### [XML-Schema Part1]

W3C Recommendation, "XML Schema Part 1: Structures," 2 May 2001.

#### [XML-Schema Part2]

W3C Recommendation, "XML Schema Part 2: Datatypes," 2 May 2001.

### 4.2 Non Normative

#### [RDDDL 2.0]

Johnathan Borden, Tim Bray, eds. "[Resource Directory Description Language \(RDDDL\) 2.0](#)," January 2004

260 **[WSS]**

261 OASIS Web Services Security: SOAP Message Security 1.0 (WS-Security 2004)", Chris Kaler, Phillip  
262 Hallam-Baker, Ronald Monzillo, eds, OASIS Standard 200401, March 2004.

## 263 A. Acknowledgments

264 This document is based on initial contribution to OASIS WS-RX Technical Committee by the following  
265 authors: Stefan Batres, Microsoft (Editor), Ruslan Bilorusets, BEA, Don Box, Microsoft, Luis Felipe  
266 Cabrera, Microsoft, Derek Collison, TIBCO Software, Donald Ferguson, IBM, Christopher Ferris, IBM  
267 (Editor), Tom Freund, IBM, Mary Ann Hondo, IBM, John Ibbotson, IBM, Lei Jin, BEA, Chris Kaler,  
268 Microsoft, David Langworthy, Microsoft, Amelia Lewis, TIBCO Software, Rodney Limprecht, Microsoft,  
269 Steve Lucco, Microsoft, Don Mullen, TIBCO Software, Anthony Nadalin, IBM, Mark Nottingham, BEA,  
270 David Orchard, BEA, Shivajee Samdarshi, TIBCO Software, John Shewchuk, Microsoft, Tony Storey,  
271 IBM.

272 The following individuals have provided invaluable input into the initial contribution:

273 Keith Ballinger, Microsoft, Allen Brown, Microsoft, Michael Conner, IBM, Francisco Curbera, IBM, Steve  
274 Graham, IBM, Pat Helland, Microsoft, Rick Hill, Microsoft, Scott Hinkelman, IBM, Tim Holloway, IBM, Efim  
275 Hudis, Microsoft, Johannes Klein, Microsoft, Frank Leymann, IBM, Martin Nally, IBM, Peter Niblett, IBM,  
276 Jeffrey Schlimmer, Microsoft, Chris Sharp, IBM, James Snell, IBM, Keith Stobie, Microsoft, Satish Thatte,  
277 Microsoft, Stephen Todd, IBM, Sanjiva Weerawarana, IBM, Roger Wolter, Microsoft.

278 The following individuals were members of the committee during the development of this specification:

279 TBD

## B. XML Schema

A normative copy of the XML Schema [XML-Schema Part1, XML-Schema Part2] description for this specification may be retrieved from the following address:

<http://docs.oasis-open.org/ws-rx/wsrmp/200602/wsrmp-1.1-schema-200602.xsd>

The following copy is provided for reference.

```
<?xml version="1.0" encoding="UTF-8"?>
<!--
OASIS takes no position regarding the validity or scope of any
intellectual property or other rights that might be claimed to pertain to
the implementation or use of the technology described in this document or
the extent to which any license under such rights might or might not be
available; neither does it represent that it has made any effort to
identify any such rights. Information on OASIS's procedures with respect
to rights in OASIS specifications can be found at the OASIS website.
Copies of claims of rights made available for publication and any
assurances of licenses to be made available, or the result of an attempt
made to obtain a general license or permission for the use of such
proprietary rights by implementors or users of this specification, can be
obtained from the OASIS Executive Director.
OASIS invites any interested party to bring to its attention any
copyrights, patents or patent applications, or other proprietary rights
which may cover technology that may be required to implement this
specification. Please address the information to the OASIS Executive
Director.
Copyright (c) OASIS Open 2002-2006. All Rights Reserved.
This document and translations of it may be copied and furnished to
others, and derivative works that comment on or otherwise explain it or
assist in its implementation may be prepared, copied, published and
distributed, in whole or in part, without restriction of any kind,
provided that the above copyright notice and this paragraph are included
on all such copies and derivative works. However, this document itself
does not be modified in any way, such as by removing the copyright notice
or references to OASIS, except as needed for the purpose of developing
OASIS specifications, in which case the procedures for copyrights defined
in the OASIS Intellectual Property Rights document must be followed, or
as required to translate it into languages other than English.
The limited permissions granted above are perpetual and will not be
revoked by OASIS or its successors or assigns.
This document and the information contained herein is provided on an
"AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION
HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF
MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
-->
<xs:schema xmlns:tns="http://docs.oasis-open.org/ws-rx/wsrmp/200602"
xmlns:xs="http://www.w3.org/2001/XMLSchema"
targetNamespace="http://docs.oasis-open.org/ws-rx/wsrmp/200602"
elementFormDefault="qualified" attributeFormDefault="unqualified">
  <xs:element name="RMAssertion">
    <xs:complexType>
      <xs:sequence>
        <xs:any namespace="##other" processContents="lax" minOccurs="0"
maxOccurs="unbounded"/>
      </xs:sequence>
      <xs:anyAttribute namespace="##any" processContents="lax"/>
    </xs:complexType>
  </xs:element>
</xs:schema>
```

336  
337

```
</xs:element>  
</xs:schema>
```

## C. Revision History

Revision	Date	By Whom	What
<a href="#">wd-01.doc</a>	<a href="#">2005-07-06</a>	<a href="#">Ümit Yalçinalp</a>	<a href="#">Initial version created based on submission by the authors.</a>
<a href="#">1.0-wd-01.swx</a>	<a href="#">2005-09-01</a>	<a href="#">Ümit Yalçinalp</a>	<a href="#">Reformatted using Open Office</a>
<a href="#">1.1-wd-01.swx</a>	<a href="#">2005-09-18</a>	<a href="#">Ümit Yalçinalp</a>	<a href="#">Applied resolution i001</a> <a href="#">Applied resolution i015/16 (doc identifier)</a> <a href="#">Partial application of i017, final yyyy/mm required, changed doc URI to TBD pending yyyy/mm</a> <a href="#">Deleted original copyright section</a>
<a href="#">1.1-wd-01.swx</a>	<a href="#">2005-10-02</a>	<a href="#">Anish Karmarkar</a>	<a href="#">Applied resolution of i013 + minor editorial changes + fixed resolution of i017</a>
<a href="#">1.1-wd-01.swx</a>	<a href="#">2005-10-04</a>	<a href="#">Ümit Yalçinalp</a>	<a href="#">Applied actual value for yyyy/mm.</a> <a href="#">Added resolution of i009</a>
<a href="#">1.1-wd-01.swx</a>	<a href="#">2005-10-06</a>	<a href="#">Ümit Yalçinalp</a>	<a href="#">Editorial fixes suggested by Anish</a> <a href="#">Updated wd draft date to October 6th</a>
<a href="#">1.1-wd-01.swx</a>	<a href="#">2005-10-19</a>	<a href="#">Ümit Yalçinalp</a>	<a href="#">Editorial change to remove .swx suffix from doc id.</a>
<a href="#">wd-02</a>	<a href="#">2005-11-03</a>	<a href="#">Gilbert Pilz</a>	<a href="#">Start wd-02 by changing title page from cd-01.</a>
<a href="#">wd-02</a>	<a href="#">2005-11-30</a>	<a href="#">Gilbert Pilz</a>	<a href="#">i072 – editorial nits</a>
<a href="#">wd-02</a>	<a href="#">2005-11-30</a>	<a href="#">Gilbert Pilz</a>	<a href="#">i074 - Use of [tcShortName] in artifact locations namespaces, etc</a>
<a href="#">wd-02</a>	<a href="#">2005-12-01</a>	<a href="#">Gilbert Pilz</a>	<a href="#">Updated fix to i074 to remove trailing '/' from wsrmp namespace.</a>
<a href="#">wd-02</a>	<a href="#">2005-12-01</a>	<a href="#">Anish Karmarkar</a>	<a href="#">Applied resolution for i022</a>
<a href="#">wd-02</a>	<a href="#">2005-12-01</a>	<a href="#">Anish Karmarkar</a>	<a href="#">Applied resolution for i024</a>
<a href="#">wd-02</a>	<a href="#">2005-12-01</a>	<a href="#">Anish Karmarkar</a>	<a href="#">Applied resolution for i054</a>
<a href="#">wd-02</a>	<a href="#">2005-12-01</a>	<a href="#">Anish Karmarkar</a>	<a href="#">Applied resolution of i073</a>
<a href="#">wd-2</a>	<a href="#">2005-12-05</a>	<a href="#">Anish Karmarkar</a>	<a href="#">Applied resolution of i055</a>
<a href="#">wd-2</a>	<a href="#">2005-12-05</a>	<a href="#">Ümit Yalçinalp</a>	<a href="#">Changed fixed date in footer to current date</a>
<a href="#">wd-3</a>	<a href="#">2005-12-21</a>	<a href="#">Doug Davis</a>	<a href="#">Added i050</a>
<a href="#">wd-3</a>	<a href="#">2005-12-23</a>	<a href="#">Ümit Yalçinalp</a>	<a href="#">i057 resolution</a>
<a href="#">wd-3</a>	<a href="#">2005-12-23</a>	<a href="#">Ümit Yalçinalp</a>	<a href="#">Changed the ref to WS-RM to the WS-RX committee.</a>

Revision	Date	By Whom	What
			<a href="#">draft instead of original version</a> <a href="#">Fixed Dug's email address</a>
<a href="#">wd-3</a>	<a href="#">2005-12-23</a>	<a href="#">Ümit Yalçınalp</a>	<a href="#">I060 resolution</a>
<a href="#">wd-03</a>	<a href="#">2005-12-27</a>	<a href="#">Gilbert Pilz</a>	<a href="#">Remove schema example and put it in its own artifact (wsrmp-1.1-schema-200510.xsd). Convert source file to OpenDocument format. Make line numbers all the same style.</a>
<a href="#">wd-03</a>	<a href="#">2005-12-28</a>	<a href="#">Anish Karmarkar</a>	<a href="#">Included a section link to c:\temp\wsrmp-1.1-schema-200510.xsd</a>
<a href="#">wd-03</a>	<a href="#">2006-01-04</a>	<a href="#">Gilbert Pilz</a>	<a href="#">Fixed formatting of included section.</a>
<a href="#">wd-03</a>	<a href="#">2006-01-05</a>	<a href="#">Gilbert Pilz</a>	<a href="#">Fix closing tag of normative outline for RMAssertion.</a>
<a href="#">wd-04</a>	<a href="#">2006-11-11</a>	<a href="#">Doug Davis</a>	<a href="#">Minor tweaks/typos</a>
<a href="#">wd-05</a>	<a href="#">2006-01-23</a>	<a href="#">Gilbert Pilz</a>	<a href="#">Start wd-05 by accepting all changes from wd-04</a>
<a href="#">wd-06</a>	<a href="#">2006-01-23</a>	<a href="#">Doug Davis</a>	<a href="#">Minor typos found by Marc</a>
<a href="#">wd-06</a>	<a href="#">2006-02-14</a>	<a href="#">Doug Davis</a>	<a href="#">Issue 075 resolution</a>
<a href="#">wd-06</a>	<a href="#">2006-02-14</a>	<a href="#">Doug Davis</a>	<a href="#">Issues 086, 087 resolutions</a>
<a href="#">wd-06</a>	<a href="#">2006-02-15</a>	<a href="#">Gilbert Pilz</a>	<a href="#">Issue 088; added link for namespace URI; added text describing link; added non-normative reference for RDDL 2.0</a>
<a href="#">wd-06</a>	<a href="#">2006-02-17</a>	<a href="#">Anish Karmarkar</a>	<a href="#">Removed a sentence in section 2.1 that talked about RM assertion parameters, as there aren't any.</a>
<a href="#">wd-06</a>	<a href="#">2006-02-17</a>	<a href="#">Anish Karmarkar</a>	<a href="#">Change the namespace to 200602.</a>
<a href="#">wd-07</a>	<a href="#">2006-02-22</a>	<a href="#">Doug Davis</a>	<a href="#">Accept all changes to create new WD</a> <a href="#">Minor typo fixed – thanks to Paul Cotton</a>
<a href="#">wd-07</a>	<a href="#">2006-02-23</a>	<a href="#">Doug Davis</a>	<a href="#">Added missing namespace table entries - MarcG</a>
<a href="#">wd-07</a>	<a href="#">2006-03-08</a>	<a href="#">Doug Davis</a>	<a href="#">Issue 097 applied</a>
<a href="#">wd-08</a>	<a href="#">2006-04-11</a>	<a href="#">Doug Davis</a>	<a href="#">Issue 021 applied</a>
<a href="#">wd-08</a>	<a href="#">2006-04-24</a>	<a href="#">Gilbert Pilz</a>	<a href="#">Misc cleanups prior to publishing to TC.</a>
Revision	Date	By Whom	What
<a href="#">wd-01.doc</a>	<a href="#">2005-07-06</a>	<a href="#">Ümit Yalçınalp</a>	<a href="#">Initial version created based on submission by the authors.</a>
<a href="#">1.0-wd-01.swx</a>	<a href="#">2005-09-01</a>	<a href="#">Ümit Yalçınalp</a>	<a href="#">Reformatted using Open Office</a>
<a href="#">1.1-wd-01.swx</a>	<a href="#">2005-09-18</a>	<a href="#">Ümit Yalçınalp</a>	<a href="#">Applied resolution i001</a>

Revision	Date	By Whom	What
			Applied resolution i015/16 (doc identifier) Partial application of i017, final yyyy/mm required, changed doc URI to TBD pending yyyy/mm Deleted original copyright section
1.1-wd-01.swx	2005-10-02	Anish Karmarkar	Applied resolution of i013 + minor editorial changes + fixed resolution of i017
1.1-wd-01.swx	2005-10-04	Ümit Yalçinalp	Applied actual value for yyyy/mm. Added resolution of i009
1.1-wd-01.swx	2005-10-06	Ümit Yalçinalp	Editorial fixes suggested by Anish Updated wd-draft date to October 6th
1.1-wd-01.swx	2005-10-19	Ümit Yalçinalp	Editorial change to remove .swx suffix from doc id
wd-02	2005-11-03	Gilbert Pilz	Start wd-02 by changing title page from cd-01.
wd-02	2005-11-30	Gilbert Pilz	i072 — editorial nits
wd-02	2005-11-30	Gilbert Pilz	i074 — Use of [tcShortName] in artifact locations- namespaces, etc
wd-02	2005-12-01	Gilbert Pilz	Updated fix to i074 to remove trailing '/' from wsrmp-namespace.
wd-02	2005-12-01	Anish Karmarkar	Applied resolution for i022
wd-02	2005-12-01	Anish Karmarkar	Applied resolution for i024
wd-02	2005-12-01	Anish Karmarkar	Applied resolution for i054
wd-02	2005-12-01	Anish Karmarkar	Applied resolution of i073
wd-2	2005-12-05	Anish Karmarkar	Applied resolution of i055
wd-2	2005-12-05	Ümit Yalçinalp	Changed fixed date in footer to current date
wd-3	2005-12-21	Doug Davis	Added i050
wd-3	2005-12-23	Ümit Yalçinalp	i057 resolution
wd-3	2005-12-23	Ümit Yalçinalp	Changed the ref to WS-RM to the WS-RX committee-draft instead of original version Fixed Dug's email address
wd-3	2005-12-23	Ümit Yalçinalp	i060 resolution
wd-03	2005-12-27	Gilbert Pilz	Remove schema-example and put it in its own artifact (wsrmp-1.1-schema-200510.xsd). Convert source file to OpenDocument format. Make line numbers all the same style.
wd-03	2005-12-28	Anish Karmarkar	Included a section link to c:\temp\wsrmp-1.1-schema-

Revision	Date	By Whom	What
			200510.xsd
wd-03	2006-01-04	Gilbert Pilz	Fixed formatting of included section.
wd-03	2006-01-05	Gilbert Pilz	Fix closing tag of normative outline for RMAssertion.
wd-04	2006-11-11	Doug Davis	Minor tweaks/types
wd-05	2006-01-23	Gilbert Pilz	Start wd-05 by accepting all changes from wd-04
wd-06	2006-01-23	Doug Davis	Minor types found by Marc
wd-06	2006-02-14	Doug Davis	Issue 075 resolution
wd-06	2006-02-14	Doug Davis	Issues 086, 087 resolutions
wd-06	2006-02-15	Gilbert Pilz	Issue 088; added link for namespace URI; added text describing link; added non-normative reference for RDDL 2.0
wd-06	2006-02-17	Anish Karmarkar	Removed a sentence in section 2.1 that talked about RM assertion parameters, as there aren't any.
wd-06	2006-02-17	Anish Karmarkar	Change the namespace to 200602.
wd-07	2006-02-22	Doug Davis	Accept all changes to create new WD Minor type fixed — thanks to Paul Cotton
wd-07	2006-02-23	Doug Davis	Added missing namespace table entries — MarcG
wd-07	2006-03-08	Doug Davis	Issue 097 applied

## D. Notices

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS's procedures with respect to rights in OASIS specifications can be found at the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementors or users of this specification, can be obtained from the OASIS Executive Director.

OASIS invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights which may cover technology that may be required to implement this specification. Please address the information to the OASIS Executive Director.

Copyright (C) OASIS Open (2006). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to OASIS, except as needed for the purpose of developing OASIS specifications, in which case the procedures for copyrights defined in the OASIS Intellectual Property Rights document must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.