



Biometric Identity Assurance Services (BIAS) SOAP Profile, Version 1.0

Committee Draft 01

04 November 2011

Specification URIs:

This Version:

- <http://docs.oasis-open.org/bias/soap-profile/v1.0/biasprofile-1.0-cd-01.pdf> (authoritative)
- <http://docs.oasis-open.org/bias/soap-profile/v1.0/biasprofile-1.0-cd-01.doc>
- <http://docs.oasis-open.org/bias/soap-profile/v1.0/biasprofile-1.0-cd-01.html>

Previous Version:

- <http://docs.oasis-open.org/bias/soap-profile/v1.0/biasprofile-1.0-wd-07.pdf>
- <http://docs.oasis-open.org/bias/soap-profile/v1.0/biasprofile-1.0-wd-07.doc>
- <http://docs.oasis-open.org/bias/soap-profile/v1.0/biasprofile-1.0-wd-07.html>

Latest Version:

- <http://docs.oasis-open.org/bias/soap-profile/v1.0/biasprofile-1.0.pdf>
- <http://docs.oasis-open.org/bias/soap-profile/v1.0/biasprofile-1.0.doc>
- <http://docs.oasis-open.org/bias/soap-profile/v1.0/biasprofile-1.0.html>

Technical Committee:

OASIS Biometric Identity Assurance Services (BIAS) Integration TC

Chair(s):

Cathy Tilton, Daon

Editor(s):

Matthew Swayze and Cathy Tilton, Daon

Related Work:

This specification is related to:

- ANSI INCITS 442-2008, Biometric Identity Assurance Services (BIAS)

Declared XML Namespace(s):

<http://docs.oasis-open.org/bias/ns/bias-1.0/>

Abstract:

This document specifies a SOAP profile that implements the BIAS abstract operations specified in INCITS 442 as SOAP messages.

Status:

This document was last revised or approved by the OASIS BIAS TC on the above date. The level of approval is also listed above. Check the "Latest Version" or "Latest Approved Version" location noted above for possible later revisions of this document.

Technical Committee members should send comments on this specification to the Technical Committee's email list. Others should send comments to the Technical Committee by using the "Send A Comment" button on the Technical Committee's web page at <http://www.oasis-open.org/committees/bias/>.

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the

Intellectual Property Rights section of the Technical Committee web page (<http://www.oasis-open.org/committees/bias/ipr.php>).

The non-normative errata page for this specification is located at <http://www.oasis-open.org/committees/bias/>.

Notices

Copyright © OASIS® 2009. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The names "OASIS", "BIAS" are trademarks of OASIS, the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <http://www.oasis-open.org/who/trademark.php> for above guidance.

Table of Contents

1	Introduction	7
1.1	Purpose/Scope	7
1.2	Overview	7
1.3	Background.....	7
1.4	Relationship to Other Standards	7
1.5	Terminology	8
1.6	References.....	9
1.6.1	Normative References.....	9
1.6.2	Non-Normative References.....	10
2	Design Concepts and Architecture (non-normative)	12
2.1	Philosophy	12
2.2	Context.....	12
2.3	Architecture.....	12
3	Data dictionary.....	15
3.1	Documentation Conventions.....	15
3.2	Common Elements	16
3.2.1	ApplicationIdentifier	16
3.2.2	ApplicationUserIdentifier	16
3.2.3	BaseBIRType	16
3.2.4	BIASBiometricDataType.....	16
3.2.5	BIASFaultCode.....	16
3.2.6	BIASFaultDetail	17
3.2.7	BIASIdentity	18
3.2.8	BIASIDType.....	18
3.2.9	BinaryBIR	18
3.2.10	BiographicDataItem.....	19
3.2.11	BiographicDataSet.....	19
3.2.12	BiographicData.....	20
3.2.13	BiometricDataElementType.....	21
3.2.14	BiometricDataList.....	21
3.2.15	CandidateList.....	21
3.2.16	CandidateType	22
3.2.17	CapabilityList.....	22
3.2.18	CapabilityName	22
3.2.19	CapabilityType.....	23
3.2.20	CBEFF_BIR_List.....	23
3.2.21	CBEFF_BIR_Type.....	24
3.2.22	Classification	24
3.2.23	ClassificationAlgorithm.....	24
3.2.24	ClassificationData.....	25
3.2.25	EncounterList.....	25
3.2.26	FusionDecision.....	25
3.2.27	FusionInformationList.....	25

3.2.28	FusionInformationType.....	25
3.2.29	FusionResult.....	26
3.2.30	FusionScore	26
3.2.31	GenericRequestParameters.....	26
3.2.32	InformationType	26
3.2.33	ListFilterType	27
3.2.34	MatchType.....	27
3.2.35	ProcessingOptionsType	27
3.2.36	ProductID.....	27
3.2.37	QualityData.....	27
3.2.38	ResponseStatus	28
3.2.39	ReturnCode	28
3.2.40	Score	28
3.2.41	TokenType.....	28
3.2.42	URI_BIR	29
3.2.43	VendorIdentifier	29
3.2.44	Version	29
3.2.45	VersionType	29
3.2.46	XML_BIR	29
4	BIAS Messages	31
4.1	Primitive Operations	31
4.1.1	AddSubjectToGallery	31
4.1.2	CheckQuality	32
4.1.3	ClassifyBiometricData	34
4.1.4	CreateSubject.....	36
4.1.5	DeleteBiographicData	37
4.1.6	DeleteBiometricData	38
4.1.7	DeleteSubject	39
4.1.8	DeleteSubjectFromGallery	40
4.1.9	GetIdentifySubjectResults	42
4.1.10	IdentifySubject.....	44
4.1.11	ListBiographicData	46
4.1.12	ListBiometricData	49
4.1.13	PerformFusion	53
4.1.14	QueryCapabilities	55
4.1.15	RetrieveBiographicInformation	57
4.1.16	RetrieveBiometricInformation	59
4.1.17	SetBiographicData	60
4.1.18	SetBiometricData	62
4.1.19	TransformBiometricData	64
4.1.20	UpdateBiographicData	65
4.1.21	UpdateBiometricData	67
4.1.22	VerifySubject	69
4.2	Aggregate Operations.....	71
4.2.1	Enroll	71

4.2.2 GetEnrollResults	72
4.2.3 GetIdentifyResults	74
4.2.4 GetVerifyResults	76
4.2.5 Identify	78
4.2.6 RetrieveInformation	80
4.2.7 Verify	81
5 Message structure and rules	84
5.1 Purpose and constraints	84
5.2 Message requirements	85
5.3 Handling binary data.....	86
5.3.1 Base64 encoding.....	86
5.3.2 Use of XOP.....	86
5.4 Discovery	86
5.5 Identifying operations.....	87
5.5.1 Operation name element.....	87
5.5.2 WS-Addressing Action	87
5.6 Security	88
5.6.1 Use of SSL 3.0 or TLS 1.0	88
5.6.2 Data Origin Authentication	89
5.6.3 Message Integrity	89
5.6.4 Message Confidentiality	89
5.6.5 CBEFF BIR security features	89
5.6.6 Security Considerations	89
5.6.7 Security of Stored Data	90
5.6.8 Key Management	90
5.7 Use with other WS* standards.....	90
5.8 Tailoring	90
6 Error handling	91
6.1 BIAS operation return codes.....	91
6.2 SOAP fault codes	91
7 Conformance	92
Annex A. XML Schema	93
Annex B. Use Cases (non-normative)	177
B.1 Verification Use Case.....	177
B.2 Asynchronous Verification.....	178
B.3 Primitive Verification.....	179
B.4 Identification Use Case	180
B.5 Biometric Enrollment	181
B.6 Primitive Enrollment	182
Annex C. Samples (non-normative)	183
C.1 Create Subject Request/Response Example.....	183
C.2 Set Biographic Data Request/Response Example	185
C.3 Set Biometric Data Request/Response Example	186
Annex D. Acknowledgements	188
Annex E. Revision History.....	189

1 Introduction

2 1.1 Purpose/Scope

3 This Organization for the Advancement of Structured Information Standards (OASIS) Biometric Identity
4 Assurance Services (BIAS) profile specifies how to use the eXtensible Markup Language (XML) [[XML10](#)]
5 defined in ANSI INCITS 442-2008 – Biometric Identity Assurance Services [[INCITS-BIAS](#)] to invoke
6 Simple Object Access Protocol (SOAP) -based services that implement BIAS operations. These SOAP-
7 based services enable an application to invoke biometric identity assurance operations remotely in a
8 Services Oriented Architecture (SOA) infrastructure.

9 Not included in the scope of BIAS is the incorporation of biometric authentication as an integral
10 component of an authentication or security protocol. (However, BIAS services may be leveraged to
11 implement biometric authentication in the future.)

12 1.2 Overview

13 In addition to this introduction, this standard includes the following:

- 14 • Clause 2 presents the design concepts and architecture for invoking SOAP-based services that
15 implement BIAS operations.
- 16 • Clause 3 presents the namespaces necessary to implement this profile, INCITS BIAS data
17 elements, and identifies relationships to external data definitions.
- 18 • Clause 4 specifies the content of the BIAS messages.
- 19 • Clause 5 presents the BIAS message structure, as well as rules and considerations for its
20 application.
- 21 • Clause 6 presents information on error handling.
- 22 • Clause 7 specifies conformance requirements.
- 23 • Annexes include the OASIS BIAS XML schema/sample Web Service Definition Language
24 (WSDL), use cases, sample code, acknowledgements, and the revision history of this profile.

25 1.3 Background

26 In late 2005/early 2006, a gap was identified in the existing biometric standards portfolio with respect to
27 biometric services. The Biometric Identity Assurance Services standard proposal was for a collaborative
28 effort between government and private industry to provide a services-based framework for delivering
29 identity assurance capabilities, allowing for platform and application independence. This standard
30 proposal required the attention of two major technical disciplines: biometrics and service architectures.
31 The expertise of both disciplines was required to ensure the standard was technically sound, market
32 relevant, and achieved widespread adoption. The International Committee for Information Technology
33 Standards (INCITS) M1 provided the standards leadership relevant to biometrics, defining the “taxonomy”
34 of biometric operations and data elements. OASIS provided the standards leadership relevant to service
35 architectures with an initial focus on web services, defining the schema and SOAP messaging.

36 The driving requirements of the BIAS standard proposal were to provide the ability to remotely invoke
37 biometric operations across an SOA infrastructure; to provide business level operations without
38 constraining the application/business logic that implements those operations; to be as generic as possible
39 – technology, framework, & application domain independent; and to provide basic capabilities that can be
40 used to construct higher level, aggregate/composite operations.

41 1.4 Relationship to Other Standards

42 This OASIS BIAS profile comprises a companion standard to ANSI INCITS 442-2008 – Biometric Identity
43 Assurance Services, which defines the BIAS requirements and taxonomy, specifying the identity

44 assurance operations and the associated data elements. This OASIS BIAS profile specifies the design
45 concepts and architecture, data model and data dictionary, message structure and rules, and error
46 handling necessary to invoke SOAP-based services that implement BIAS operations.
47 Together, the BIAS standard and the BIAS profile provide an open framework for deploying and remotely
48 invoking biometric-based identity assurance capabilities that can be readily accessed across an SOA
49 infrastructure.
50 This relationship allows the leveraging of the biometrics and web services expertise of the two standards
51 development organizations. Existing standards are available in both domains and many of these
52 standards will provide the foundation and underlying capabilities upon which the biometric services
53 depend.

54 **1.5 Terminology**

55 The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD
56 NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described
57 in [RFC2119].

58 The following additional terms and definitions are used:

59 Note: The terms and definitions specified in INCITS (InterNational Committee for Information Technology
60 Standards) (Project 1823-D) also apply to this Standard.

61
62 BIAS operation and data element names are not defined here, but in their respective sections.
63

64 **BIAS** Biometric Identity Assurance Services
65

66 **BIR** Biometric Information Record
67

68 **ESB** Enterprise Service Bus
69

70 **HTTP** HyperText Transfer Protocol
71

72 **HTTPS** HyperText Transfer Protocol over SSL or HTTP Secure
73

74 **IRI** Internationalized Resource Identifier
75

76 **SOA** Service-Oriented Architecture
77

78 **SOAP** Simple Object Access Protocol
79

80 **SSL** Secure Sockets Layer
81

82 **TLS** Transport Layer Security
83

84 **UDDI** Universal Description, Discovery, and Integration
85

86 **URI** Uniform Resource Identifier
87

88 **VPN** Virtual Private Network
89

90 **WSDL** Web Services Description Language
91

92 **WSS** Web Services Security
93

94 **XML** eXtensible Markup Language
95

96
97

98 **CBEFF**
99 Common Biometric Exchange Formats Framework - data elements and BIR formats specified in
100 ISO/IEC 19785-1
101 **BIAS implementation**
102 software entity that is capable of creating, processing, sending, and receiving BIAS messages
103 **BIAS endpoint**
104 runtime entity, identified by an endpoint URI/IRI, capable of sending and receiving BIAS
105 messages, and containing a running BIAS implementation
106 **BIAS message**
107 message that can be sent from a BIAS endpoint to another BIAS endpoint through a BIAS link
108 channel
109 **BIAS request message**
110 BIAS message conveying a request for an action to be performed by the receiving BIAS endpoint
111 **BIAS response message**
112 BIAS message conveying a response to a prior BIAS request message

113 1.6 References

114 1.6.1 Normative References

- 115 **[RFC2119]** S. Bradner, *Key words for use in RFCs to Indicate Requirement Levels*, IETF
116 RFC 2119, March 1997.
117 <http://www.ietf.org/rfc/rfc2119.txt>
- 118 **[CBEFF]** ISO/IEC 19785, Information technology – Common Biometric Exchange Formats
119 Framework – Part 1: Data element specification & Part 3: Patron format
120 specifications
121 <http://www.iso.org>
- 122 **[DATE-TIME]** ISO 8601:2004, Data elements and interchange formats — Information
123 interchange — Representation of dates and times
124 <http://www.iso.org>
- 125 **[INCITS-BIAS]** ANSI INCITS 442-2008, Biometric Identity Assurance Services (BIAS), May 2008
126 <http://www.incits.org>
- 127 **[IRI]** M. Duerst, et al, Internationalized Resource Identifiers, W3C RFC3987, January
128 2005
129 <http://www.ietf.org/rfc/rfc3987.txt>
- 130 **[SOAP11]** Simple Object Access Protocol (SOAP) 1.1, 8 May 2000
131 <http://www.w3.org/TR/2000/NOTE-SOAP-20000508/>
- 132 **[URI]** T. Berners-Lee, R. Fielding, L. Masinter, *Uniform Resource Identifiers (URI):
133 Generic Syntax*, RFC 3986, MIT/LCS, U.C. Irvine, Xerox Corporation, January
134 2005.
135 <http://ietf.org/rfc/rfc3986>
- 136 **[UTF-8]** ISO/IEC 10646:2003, Information technology — Universal Multiple-Octet Coded
137 Character Set (UCS)
138 <http://www.iso.org>

143	[WS-Addr]	W3C Recommendation, Web Services Addressing 1.0 - Core, and Web Services Addressing 1.0 - SOAP Binding, 9 May 2006 http://www.w3.org/2002/ws/addr/
144		
145		
146	[WS-I-Basic]	Basic Profile Version 1.1, 10 April 2006 http://www.ws-i.org/Profiles/BasicProfile-1.1-2006-04-10.html
147		
148	[WS-I-Bind]	Web Services-Interoperability Organization (WS-I) Simple SOAP Binding Profile Version 1.0, 24 August 2004 http://www.ws-i.org/Profiles/SimpleSoapBindingProfile-1.0-2004-08-24.html
149		
150		
151	[WSDL11]	Web Services Description Language (WSDL) 1.1, 15 March 2001 http://www.w3.org/TR/2001/NOTE-wsdl-20010315
152		
153	[XML 10]	Extensible Markup Language (XML) 1.0, 16 August 2006 http://www.w3.org/TR/2006/REC-xml-20060816/
154		
155	[XOP]	XML-binary Optimized Packaging, W3C Recommendation, 25 January 2005 http://www.w3.org/TR/2005/REC-xop10-20050125/
156		

1.6.2 Non-Normative References

157	[BioAPI]	ISO/IEC 19784-1:2006, Information technology – Biometric Application Programming Interface – Part 1: BioAPI Specification http://www.iso.org
158		
159		
160		
161	[BIO SEC]	ISO 19092 Financial services -- Biometrics -- Security framework http://www.iso.org
162		
163	[EBTS-DOD]	Department of Defense Electronic Biometric Transmission Specification, Version 2.0, 27 March 2009 http://www.biometrics.dod.mil/CurrentInitiatives/Standards/EBTS.aspx
164		
165		
166	[EBTS-FBI]	IAFIS-DOC-01078-8.1, “Electronic Biometric Transmission Specification (EBTS)”, Version 8.1, November 19, 2008, Federal Bureau of Investigation, Criminal Justice Information Services Division http://www.frbiospecs.org
167		
168		
169		
170	[EFTS]	IAFIS-DOC-01078-7, “Electronic Fingerprint Transmission Specification (EFTS)”, Version 7.1, May 2, 2005, Federal Bureau of Investigation, Criminal Justice Information Services Division http://www.frbiospecs.org
171		
172		
173		
174	[HR-XML]	HR-XML Consortium Library, 2007 April 15 http://www.hr-xml.org
175		
176	[INT-I]	Interpol Implementation of ANSI/NIST ITL1-2000, Ver 4.22b, October 28, 2005, The Interpol AFIS Expert Group http://www.interpol.int
177		
178		
179	[NIEM]	National Information Exchange Model (NIEM), Ver 2.0, June 2007, US DOJ/DHS http://www.niem.gov
180		
181	[RFC2246]	T. Dierks & C. Allen, <i>The TLS Protocol, Version 1.0</i> , January 1999 http://www.ietf.org/rfc/rfc2246.txt
182		

- 183 [RFC2617] J. Franks, et al, *HTTP Authentication: Basic and Digest Access Authentication*,
184 June 1999
185 <http://www.ietf.org/rfc/rfc2617.txt>
- 186 [RFC3280] R. Housley, et al, Internet X.509 Public Key Infrastructure Certificate and
187 Certificate Revocation List (CRL) Profile, April 2002
188 <http://www.ietf.org/rfc/rfc3280.txt>
- 189 [SAML] Security Assertion Markup Language (SAML), Oasis Standard, March 2005
190 <http://docs.oasis-open.org/security/saml/v2.0/saml-core-2.0-os.pdf>
- 191 [SAML SEC] Security and Privacy Considerations for the OASIS Security Assertion Markup
192 Language (SAML) V2.0, Oasis Standard, 15 March 2005
193 <http://docs.oasis-open.org/security/saml/v2.0/saml-sec-consider-2.0-os.pdf>
- 194 [SSL3] SSL 3.0 Specification
195 <http://www.freesoft.org/CIE/Topics/ssl-draft/3-SPEC.HTM>
- 196 [WSS] Web Services Security: SOAP Message Security 1.1, (WS-Security 2004),
197 OASIS Standard Specification, 1 February 2006
198 <http://www.oasis-open.org/committees/download.php/16790/wss-v1.1-spec-os-SOAPMessageSecurity.pdf>
- 200 [X509] X.509: Information technology - Open Systems Interconnection - The Directory:
201 Public-key and attribute certificate frameworks, ITU-T, August 2005
- 202 [xNAL] Customer Information Quality Specifications Version 3.0: Name (xNL), Address
203 (xAL), Name and Address (xNAL) and Party (xPIL), Committee Specification 02,
204 20 September 2008
205 http://www.oasis-open.org/committees/tc_home.php?wg_abbrev=ciq#download
- 206

207 2 Design Concepts and Architecture (non-normative)

208 2.1 Philosophy


209 Rather than define a totally new and unique messaging protocol for biometric services, this specification
210 instead defines a method for using existing biometric and Web services standards to exchange biometric
211 data and perform biometric operations.

212 2.2 Context

213 Today, biometric systems are being developed which collect, process, store and match biometric data for
214 a variety of purposes. In many cases, data and/or capabilities need to be shared between systems or
215 systems serve a number of different client stakeholders. As architectures move towards services-based
216 frameworks, access to these biometric databases and services is via a Web services front-end. However,
217 lack of standardization in this area has led implementers to develop customized services for each
218 system/application.

219 BIAS is intended to provide a common, yet flexible, Web services interface that can be used within both
220 closed and open SOA systems. Figure 1, below, depicts the context in which the BIAS messages will be
221 implemented.

222
223



224
225
226 **Figure 1. BIAS Context**

227
228 The clients (requesters) may use standard discovery mechanisms (i.e., UDDI directories) to discover the
229 BIAS service provider (implementation) or, particularly in closed systems, the URI/IRI and WSDL for the
230 service provider may be known *a priori* by the client BIAS application developer.

231 2.3 Architecture

232 BIAS Web services are intended to be used within systems employing a services framework, such as a
233 services-oriented architecture (SOA) (although implementations are not limited to this environment). As
234 such, it is recognized that the clients may interact directly with the BIAS service provider or layers may
235 exist between the client and the service provider, for example as an ESB or other application layer.


236 The BIAS Architecture as shown in Figure 2, in which:

- 237 • A Client request to the BIAS Web services may be triggered by a human interaction OR any
238 proxy system such as an ESB.

- 239 • Client sends and receives SOAP messages that conform to the BIAS schemas
 240 • The calls to the BIAS Implementation use OASIS Service Interfaces and Bindings (via
 241 WSDL)
 242 • The BIAS implementation maps the service call to the appropriate internal API or set of APIs
 243 and returns data according to the service interface.

244 Note that services are represented as circles.

245



246

247

248 **Figure 2. Representative BIAS Architecture**

249

250 NOTE: It is possible that BIAS may also be used between the service provider and the managed
 251 resource (e.g., a biometric matcher).

252

253 At the heart of the BIAS messaging protocol are the concepts of BIAS messages and endpoints.

254 ***BIAS implementation***

255 A BIAS implementation is a software entity that is capable of creating, processing, sending, and receiving
 256 BIAS messages. This standard does not define requirements for the BIAS implementation other than
 257 defining the messages and protocols used by the endpoints.

258 ***BIAS messages***

259 A BIAS message is a one that can be sent from a BIAS endpoint to another BIAS endpoint over a TCP/IP
 260 link.

261 ***BIAS endpoints***

- 262 A BIAS endpoint is a runtime entity, uniquely identified and accessed by an endpoint URI/IRI [[URI](#)] [[IRI](#)],
263 capable of sending and receiving BIAS messages.
- 264 Note that when not publicly and directly exposed, the endpoints for purposes of this specification are the
265 BIAS service provider exposing BIAS services and the component that directly interacts with that service
266 provider, e.g., the business application or ESB, rather than the ultimate end client requester.

267 3 Data dictionary

268 This section describes the BIAS data elements used within BIAS messages (as defined in Clause 4).
269 Common data elements are defined for use in one or more operations. These include common data types
270 or return codes. BIAS data elements are defined in ANSI INCITS 442-2008. The elements, complex types
271 and simple types described for the BIAS messages belong to the following namespace: <http://docs.oasis-open.org/bias/ns/bias-1.0/>. See Annex A for the XML schema.

273 NOTE: Biographic and biometric data included in a native XML format MAY contain elements
274 referencing external namespaces (e.g., ansi-nist).

275 3.1 Documentation Conventions

276 Each common element has a section describing its content. Likewise, each operation has a section
277 describing the request and response messages and the associated input and output parameters. The
278 input and output of each message and the comment elements are detailed in a table as described in the
279 figure below. Each field that forms part of the message request/response is detailed in the table.

280

Header Name	Description	Values	Value Meaning
Field	The name of the field.		
Type	The XML schema type of the field.		
#	The cardinality of the field	1 0..1 0..* 1..*	One occurrence Zero or one occurrence Zero or more occurrences One or more occurrences
?	Defines if the field must be present.	Y N C	Yes – is always required No – is not always required, an optional field. Conditional – requirement is dependent on system or message conditions.
Meaning	Gives a short description of the field's use		

281 **Figure 3. BIAS Message Input/Output Dictionary Table Headings**

282 **Fields Hierarchy Explained:**

283 To denote the field hierarchy the symbol ↑ is used to denote the child-of relationship.

284 All string types/elements MUST consist of ISO/IEC 10646 (Unicode) characters encoded in UTF-8 [[UTF-8](#)] (see ISO/IEC 10646:2003, Annex D).

286 **3.2 Common Elements**

287 **3.2.1 ApplicationIdentifier**

Type:	string
Description:	Identifies an application.
Min Length:	1
Max Length:	255

288 **3.2.2 ApplicationUserIdentifier**

Type:	string
Description:	Identifies an application user or instance.
Min Length:	1
Max Length:	255

289 **3.2.3 BaseBIRType**

Type:	Schema complexType
Description:	Base type for all BIR subtypes; see BinaryBIR , URI_BIR , and XML_BIR for currently available types.

290

291 **3.2.4 BIASBiometricDataType**

Field	Type	#	?	Meaning
BIASBiometricDataType			Y	Wraps the various BIAS biometric types. The operations that use this type specify which elements are required.
↑_BIRList	CBEFF_BIR_ListType	0..1	N	A list of CBEFF-BIR elements.
↑_BIR	CBEFF_BIR_Type	0..1	N	Contains biometric information in either a non-XML or an XML representation.
↑_InputBIR	CBEFF_BIR_Type	0..1	N	Maps to specific INCITS BIAS elements as required by that specification.
↑_ReferenceBIR	CBEFF_BIR_Type	0..1	N	Maps to specific INCITS BIAS elements as required by that specification.
↑_BiometricDataList	BiometricDataListType	0..1	N	A list of biometric data elements.

292 **3.2.5 BIASFaultCode**

Type:	String
--------------	--------

Description:	Error code referenced in a SOAP fault.
---------------------	--

293 **BIASFaultCode Enumeration Values**

Value	Description
UNKNOWN_ERROR	The service failed for an unknown reason.
UNSUPPORTED_CAPABILITY	A requested capability is not supported by the service implementation.
INVALID_INPUT	The data in a service input parameter is invalid.
BIR_QUALITY_ERROR	Biometric sample quality is too poor for the service to succeed.
INVALID_BIR	The input BIR is empty or in an invalid or unrecognized format.
BIR_SIGNATURE_FAILURE	The service could not validate the signature, if used, on the input BIR.
BIR_DECRYPTION_FAILURE	The service could not decrypt an encrypted input BIR.
INVALID_ENCOUNTER_ID	The input encounter ID is empty or in an invalid format.
INVALID SUBJECT_ID	The input subject ID is empty or in an invalid format.
UNKNOWN SUBJECT	The subject referenced by the input subject ID does not exist.
UNKNOWN GALLERY	The gallery referenced by the input gallery ID does not exist.
UNKNOWN ENCOUNTER	The encounter referenced by the input encounter ID does not exist.
UNKNOWN BIOGRAPHIC FORMAT	The biographic data format is not known or not supported.
UNKNOWN IDENTITY CLAIM	The identity referenced by the input identity claim does not exist.
INVALID IDENTITY CLAIM	The identity claim requested is already in use.
NONEXISTANT DATA	The data requested for deletion does not exist.

294 NOTES:

- 295 (1) See Clause 6 (Error handling) for an explanation of BIAS faults and return codes.
 296 (2) Service provider MAY define additional values specific to their service implementation.
 297 (3) See section 5.5 for additional information on BIAS security.

298 **3.2.6 BIASFaultDetail**

Field	Type	#	?	Meaning
BIASFaultDetail			Y	Defines the error information associated with a SOAP fault.
↑BIASFaultType	BIASFaultCode	1	Y	References an error code.
↑BIASFaultMessage	string	1	Y	Provides a brief explanation of the fault.
↑BIASFaultDescription	string	0..1	N	Provides detailed information about a BIAS fault, such as trace details.

299 **3.2.7 BIASIdentity**

Field	Type	#	?	Meaning
BIASIdentity			Y	Defines a single element for encapsulating the data associated with an Identity. Includes the Identity's reference identifiers, biographic data, and biometric data. The operations that use this type specify which elements are required.
↳ SubjectID	BIASIDType	0..1	C	A system unique identifier for a subject. Required as input to many operations.
↳ IdentityClaim	BIASIDType	0..1	N	An identifier by which a subject is known to a particular gallery or population group.
↳ EncounterID	BIASIDType	0..1	C	The identifier of an encounter associated with the subject. Required for encounter-centric models.
↳ EncounterList	EncounterListType	0..1	N	A list of encounters associated with a subject.
↳ BiographicData	BiographicDataType	0..1	N	An Identity's biographic data.
↳ BiographicDataElements	BiographicDataType	0..1	N	An Identity's biographic data elements that are stored in the implementing system.
↳ BiometricData	BIASBiometricDataType	0..1	N	An Identity's biometric data.

300 **3.2.8 BIASIDType**

Type:	string
Description:	A BIAS Identifier.

301 **3.2.9 BinaryBIR**

Field	Type	#	?	Meaning
BinaryBIR	BaseBIRType		Y	Defines a BIR type of Binary
↳ Binary	base64Binary	1	Y	BIR information in base64 binary format

302

3.2.10 BiographicDataItem Type

Field	Type	#	?	Meaning
BiographicDataItem			Y	Defines a single biographic data element.
└ Name	string	1	Y	The name of the biographic data item.
└ Type	string	1	Y	The data type for the biographic data item.
└ Value	string	0..1	N	The value assigned to the biographic data item.

304 NOTE: This element can be used to transmit scanned identity documents or document information
305 (e.g., passports, driver's license, birth certificates, utility bills, etc. required to establish an identity).

306 3.2.11 BiographicDataSetType

Field	Type	#	?	Meaning
BiographicDataSetType			Y	Defines a set of biographic data that is formatted according to the specified format.
└─name	string	1	Y	The name of the biographic data format. Use these names for common formats: FBI-EFTS [EFTS], FBI-EBTS [EBTS-FBI], DOD-EBTS [EBTS-DOD], INT-I [INT-I], NIEM [NIEM], xNAL [xNAL], HR-XML [HR-XML].
└─version	string	0..1	N	The version of the biographic data format (e.g., “7.1” for FBI-EFTS or “2.0” for NIEM).
└─source	string	1	Y	Reference to a URI/IRI describing the biographic data format. For example: (FBI-EFTS and FBI-EBTS) www.fbibiospecs.org , (DOD-EBTS) www.biometrics.dod.mil , (INT-I) www.interpol.int , (NIEM) www.niem.gov , (xNAL) www.oasis-open.org , (HR-XML) www.hr-xml.org .
└─type	string	1	Y	The biographic data format type. Use these types for common formats: ASCII (e.g., for non-XML versions of FBI-EFTS, FBI-EBTS, DOD-EBTS, or INT-I), XML (e.g., for NIEM, xNAL, and HR-XML or future versions of FBI-EBTS).
└─unspecified	any	0..*	N	Biographic data formatted according to a specific format.

NOTE: Biographic data formats are not limited to those listed. The string value is not enumerated. If one of the common types are used, it MUST be indicated by the specified name values; however, the service provider MAY offer other formats. See INCITS 442 for further information.

310 **3.2.12 BiographicDataType**

Field	Type	#	?	Meaning															
BiographicDataType			Y	<p>Defines a set of biographic data elements, utilizing either the BinaryBIR</p> <table border="1"> <thead> <tr> <th>Field</th><th>Type</th><th>#</th><th>?</th><th>Meaning</th></tr> </thead> <tbody> <tr> <td>BinaryBIR</td><td>BaseBIRType</td><td></td><td>Y</td><td>Defines a BIR type of Binary</td></tr> <tr> <td>↑ Binary</td><td>base64Binary</td><td>1</td><td>Y</td><td>BIR information in base64 binary format</td></tr> </tbody> </table> <p>BiographicDataItemType to represent a list of elements or the BiographicDataSetType to represent a complete, formatted set of biographic information.</p> <p>One of the following elements must be present.</p>	Field	Type	#	?	Meaning	BinaryBIR	BaseBIRType		Y	Defines a BIR type of Binary	↑ Binary	base64Binary	1	Y	BIR information in base64 binary format
Field	Type	#	?	Meaning															
BinaryBIR	BaseBIRType		Y	Defines a BIR type of Binary															
↑ Binary	base64Binary	1	Y	BIR information in base64 binary format															
↑ LastName	string	0..1	N	The last name of a subject.															
↑ FirstName	string	0..1	N	The first name of a subject.															
↑ BiographicDataElements		0..1	N	A list of biographic data elements.															
↑ BiographicDataElements	BiographicDataItemType	1..*	N	A single biographic data element.															
↑ BiographicDataSet	BiographicDataSetType	0..1	N	A set of biographic data information.															

311 NOTE: The implementer is given three choices for encoding biographic data:

- 312 • Encode only first and last name using the defined fields within BiographicDataType
- 313 • Define a list of biographic data elements using the BiographicDataItemType
- 314 • Use a pre-defined set of biographic data (e.g., as specified in another standard) using the BiographicDataSetType.

315
316 See also INCITS 442, section 8.1 for further information.

317 **3.2.13 BiometricDataElementType**

Field	Type	#	?	Meaning
BiometricDataElementType			Y	Provides descriptive information about biometric data, such as the biometric type, subtype, and format, contained in the BDB of the CBEFF-BIR.
↳ BiometricType	iso-iec19785-3-7: MultipleTypesType	1	Y	The type of biological or behavioral data stored in the biometric record, as defined by CBEFF.
↳ BiometricTypeCount	positiveInteger	0..1	N	The number of biometric records having the biometric type recorded in the biometric type field.
↳ BiometricSubType	iso-iec19785-3-7: SubtypeType	0..1	N	More specifically defines the type of biometric data stored in the biometric record, as defined by CBEFF.
↳ BDBFormatOwner	positiveInteger	1	Y	Identifies the standards body, working group, industry consortium, or other CBEFF biometric organization that has defined the format for the biometric data.
↳ BDBFormatType	positiveInteger	1	Y	Identifies the specific biometric data format specified by the CBEFF biometric organization recorded in the BDB Format Owner field.

318 NOTE: XML biometric metadata (BIR header elements) is aligned with ISO/IEC 19785-3, XML
 319 Patron Format. [CBEFF]

320

321 **3.2.14 BiometricDataListType**

Field	Type	#	?	Meaning
BiometricDataListType			Y	A list of biometric data elements.
↳ BiometricDataElement	BiometricDataElementType	0..*	N	Data structure containing information about a biometric record.

322 **3.2.15 CandidateListResultType**

Field	Type	#	?	Meaning
CandidateListResultType			Y	Defines a set of candidates, utilizing the CandidateType to represent each element in the set.
↳ CandidateList	CandidateListType	1	Y	The candidate list

323

324 **3.2.16 CandidateListType**

Field	Type	#	?	Meaning
CandidateListType			Y	Defines a set of candidates, utilizing the CandidateType to represent each element in the set.
↑ Candidate	CandidateType	0..*	N	A single candidate.

325 **3.2.17 CandidateType**

Field	Type	#	?	Meaning
CandidateType			Y	Defines a single candidate as a possible match in response to a biometric identification request.
↑ Score	Score	0..1	N	The match score.
↑ Rank	integer	1	Y	The rank of the candidate in relation to other candidates for the same biometric identification operation.
↑ BiographicData	BiographicDataType	0..1	N	Biographic data associated with the candidate match.
↑ BIRList	CBEFF_BIR_ListType	1	Y	Biometric data associated with the candidate match.

326 **3.2.18 CapabilityListType**

Field	Type	#	?	Meaning
CapabilityListType			Y	Defines a set of capabilities.
↑ Capability	CapabilityType	0..*	N	A single capability.

327 **3.2.19 CapabilityName**

Type:	string
Description:	A list of capability items.

328 **CapabilityName Enumeration Values**

Value	Description
AggregateInputDataOptional	A data element accepted as optional input by the implementing system for the aggregate services.
AggregateInputDataRequired	A data element required as input by the implementing system for the aggregate services.
AggregateProcessingOption	A processing option supported by the implementing system for the aggregate services.
AggregateReturnData	A data element returned by the implementing system for the aggregate services.

Value	Description
AggregateServiceDescription	Describes the processing logic of an aggregate service supported by the implementing system.
BiographicDataSet	Identifies a biographic data set supported by the implementing system.
CBEFFPatronFormat	A patron format supported by the implementing system.
ClassificationAlgorithmType	A classification algorithm type supported by the implementing system.
ConformanceClass	Identifies the conformance class of the BIAS implementation.
Gallery	A gallery or population group supported by the implementing system.
IdentityModel	Identifies whether the implementing system is person-centric or encounter-centric based.
MatchScore	Identifies the use of match scores returned by the implementing system.
QualityAlgorithm	A quality algorithm vendor and algorithm vendor product ID supported by the implementing system.
SupportedBiometric	A biometric type supported by the implementing system.
TransformOperation	A transform operation type supported by the implementing system.

329 **3.2.20 CapabilityType**

Field	Type	#	?	Meaning
CapabilityType			Y	Defines a single capability supported by an implementing system.
↳ CapabilityName	CapabilityName	1	Y	The name of the capability.
↳ CapabilityID	string	0..1	N	An identifier assigned to the capability by the implementing system.
↳ CapabilityDescription	string	0..1	N	A description of the capability.
↳ CapabilityValue	string	0..1	N	A value assigned to the capability.
↳ CapabilitySupportingValue	string	0..1	N	A secondary value supporting the capability.
↳ CapabilityAdditionalInfo	string	0..1	N	Contains additional information for the supported capability.

330 **3.2.21 CBEFF_BIR_ListType**

Field	Type	#	?	Meaning
CBEFF_BIR_ListType			Y	A list of CBEFF-BIR elements.
↳ BIR	CBEFF_BIR_Type	0..*	N	CBEFF structure containing information about a biometric sample.

331 **3.2.22 CBEFF_BIR_Type**

Field	Type	#	?	Meaning
CBEFF_BIR_Type			Y	Represents biometric information, with either a non-XML or XML representation.
└ FormatOwner	positiveInteger	1	Y	Identifies the Patron format owner.
└ FormatType	positiveInteger	1	Y	Identifies the Patron format type.
└ BIR_Information		0..1	N	Describes what is contained in a BIR.
└ bir-info	iso-iec19785-3-7:BIRInfoType	0..1	N	Contains information about the CBEFF-BIR.
└ bdb-info	iso-iec19785-3-7:DBInfoType	0..1	N	Contains information about the BDB in a simple CBEFF-BIR.
└ sb-info	iso-iec19785-3-7:SBInfoType	0..1	N	Contains information about the security block, if used, in a simple CBEFF-BIR.
└ BIR	BaseBIRType	1	Y	One of the following sub-elements must be present: BinaryBIR , URI_BIR , or XML_BIR .

332 NOTE: The implementer is given three choices for encoding a BIR:

- 333 • As an XML BIR (following the XML Patron format as specified in [CBEFF] Part 3, Clause 13)
- 334 • As a reference to a URI (from which the receiver would retrieve the actual BIR)
- 335 • As a complete Base64 encoded binary (non-XML) BIR.

336 The latter two alternatives can use any CBEFF Patron Format. The optional BIR_Information provides a
 337 mechanism for exposing metadata associated with a BIR format that is not easily decoded (i.e., a non-
 338 XML BIR). See section 5.3 for more information on handling of binary data within BIAS and INCITS 442,
 339 Clause 8.2, for more information on representing biometric data.

340 NOTE:

- 341 (1) XML BIRs MUST conform to ISO/IEC 19785-3 (clause 13, XML Patron Format); however, non-
 342 XML (binary) and URI BIRs MAY implement any CBEFF patron format.
- 343 (2) It is RECOMMENDED that only registered CBEFF patron formats be used; however, in closed
 344 systems, this may not be required.

345 **3.2.23 Classification**

Type:	string
Description:	The result of a classification.

346 **3.2.24 ClassificationAlgorithmType**

Type:	string
Description:	Type of classification algorithm that was used to perform the classification.

347 **3.2.25 ClassificationData**

Field	Type	#	?	Meaning
ClassificationData			Y	Contains information on classification results and the algorithm used to determine the classification.
└ Classification	Classification	1	Y	The result of the classification.
└ ClassificationAlgorithmType	ClassificationAlgorithmType	1	Y	Identifies the type of classification algorithm that was used to perform the classification.

348 **3.2.26 EncounterListType**

Field	Type	#	?	Meaning
EncounterListType			Y	Defines a set of encounters.
└ EncounterID	BIASIDType	0..*	N	The identifier of an encounter.

349 **3.2.27 FusionDecision**

Type:	string
Description:	The match decision assigned by the matching algorithm

350

351 **3.2.28 FusionInformationListType**

Field	Type	#	?	Meaning
FusionInformationListType			Y	Contains at a minimum two sets of fusion input elements, as input to the PerformFusion operation.
└ FusionElement	FusionInformationType	2..*	Y	A set of fusion information.

352 **3.2.29 FusionInformationType**

Field	Type	#	?	Meaning
FusionInformationType			Y	Represents the information necessary to perform a fusion operation.
└ BiometricType	iso-iec19785-3-7: MultipleTypesType	1	Y	The type of biological or behavioral data stored in the biometric record, as defined by CBEFF.
└ BiometricSubType	iso-iec19785-3-7: SubtypeType	0..1	N	More specifically defines the type of biometric data stored in the biometric record.

Field	Type	#	?	Meaning
↳ AlgorithmOwner	string	1	Y	The owner or vendor of the algorithm used to determine the score or decision.
↳ AlgorithmType	string	1	Y	The Algorithm Owner's identifier for the specific algorithm product and version used to determine the score or decision.
↳ FusionResult	FusionResult	0..1	C	Either FusionScore a or a FusionDecision element MUST be used.

353 **3.2.30 FusionResult**

Type:	complexType
Description:	The base type for any resulting types which indicate the status of a Fusion operation

354 **3.2.31 FusionScore**

Type:	Score
Description:	The similarity score assigned by the matching algorithm.

355

356 **3.2.32 GenericRequestParameters**

Field	Type	#	?	Meaning
GenericRequestParameters			Y	Common request parameters that can be used to identify the requester.
↳ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↳ ApplicationUser	ApplicationUserIdentifier	0..1	N	Identifies the user or instance of the requesting application.
↳ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested.

357 NOTE: See section 5.4 for alternatives for identifying the requested BIAS operation in a BIAS
358 SOAP message.

359 **3.2.33 IdentifySubjectResultType**

Description:	A base type for all types that could be returned from the IdentifySubject operation
--------------	---

360

361 **3.2.34 InformationType**

Field	Type	#	?	Meaning
InformationType			Y	Allows for an unlimited number of data element types, and it does not specify nor require any particular data element.

Field	Type	#	?	Meaning
↳ <i>unspecified</i>	any	0..*	N	

362 **3.2.35 ListFilterType**

Field	Type	#	?	Meaning
ListFilterType			Y	Provides a method to filter the amount of information returned in a search of biometric data.
↳ BiometricTypeFilters		1	Y	
↳ BiometricTypeFilter	iso-iec19785-3-7: MultipleTypesType	1..*	Y	Limits the returned information to a specific type of biometric, as defined by CBEFF.
↳ IncludeBiometricSubType	boolean	1	Y	A Boolean flag indicating if biometric subtype information should be returned.

363 **3.2.36 MatchType**

Type:	boolean
Description:	The result of a fusion method.

364 **3.2.37 ProcessingOptionsType**

Field	Type	#	?	Meaning
ProcessingOptionsType			Y	BIAS aggregate operations support the ability to include various processing options which direct and possibly control the business logic for that operation. The ProcessingOptionsType provides a method to represent those options. Processing options SHOULD be defined by the implementing system.
↳ Option	string	0..*	N	An option supported by the implementing system.

365 **3.2.38 ProductID**

Type:	string
Description:	The vendor's ID for a particular product.

366 **3.2.39 QualityData**

Field	Type	#	?	Meaning
QualityData			Y	Contains information about a biometric sample's quality and the algorithm used to compute the quality.

Field	Type	#	?	Meaning
↳ QualityScore	iso-iec19785-3-7: QualityType	0..1	N	The quality of a biometric sample.
↳ AlgorithmVendor	VendorIdentifier	1	Y	The vendor of the quality algorithm used to determine the quality score.
↳ AlgorithmVendorProductID	ProductID	1	Y	The vendor's ID for the algorithm used to determine the quality.
↳ AlgorithmVersion	VersionType	0..1	N	The version of the algorithm used to determine the quality.

367 **3.2.40 ResponseStatus**

Field	Type	#	?	Meaning
ResponseStatus			Y	
↳ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↳ Message	string	0..1	N	A short message corresponding to the return code.

368 **3.2.41 ReturnCode**

Type:	unsignedLong
Description:	Return value specifying success or other condition.

369 **ReturnCode Enumeration Values**

Value	Description
0	Success

370 **3.2.42 Score**

Type:	float
Description:	Match result or quality score.

371 NOTE: Matching scores MAY be in a standardized or proprietary form in terms of value range and
 372 interpretation. Quality scores, however, follow the definition found in ISO/IEC 19785-3, section 13.

373 **3.2.43 TokenResultType**

Field	Type	#	?	Meaning
TokenResultType			Y	Defines a token that is returned for asynchronous processing.
↳ TokenType	TokenType	1	Y	Defines a token that is returned for asynchronous processing.

374

375 **3.2.44 TokenType**

Field	Type	#	?	Meaning
TokenType			Y	Defines a token that is returned for asynchronous processing.
└ TokenValue	string	1	Y	A value returned by the implementing system that is used to retrieve the results to an operation at a later time.
└ Expiration	date	1	Y	A date and time at which point the token expires and the operation results are no longer guaranteed to be available.

376 NOTE: Date/time format is defined in INCITS 442 and is consistent with the date format specified
 377 in ISO/IEC 19785-3 and ISO 8601 [DATE-TIME]. See also Annex A for schema definition.

378 **3.2.45 URI_BIR**

Field	Type	#	?	Meaning
URI_BIR	BaseBIRType		Y	Defines a BIR type of Binary
└ URI	anyURI	1	Y	The URI of the BIR

379

380 **3.2.46 VendorIdentifier**

Type:	string
Description:	Identifies a vendor.

381 NOTE: Vendor identifiers are registered with Ibia as the CBEFF registration authority (see
 382 ISO/IEC 19785-2). Registered biometric organizations are listed at:
 383 http://www.ibia.org/cbeff/_biometric_org.php.

384 **3.2.47 Version**

Field	Type	#	?	Meaning
Version			Y	For a description or definition of each data element, see the referenced CBEFF standards in the CBEFF_BIR_Type schema.
└ major	nonNegativeInteger	1	Y	
└ minor	nonNegativeInteger	1	Y	

385 **3.2.48 VersionType**

Type:	string
Description:	The version of a component.

386 **3.2.49 XML_BIR**

Field	Type	#	?	Meaning
XML_BIR	BaseBIRType		Y	Defines a BIR type of Binary

Field	Type	#	?	Meaning
↑ XML	Iso-iec19785-3-7:BIRType	1	Y	BIR information in XML format

387

388 4 BIAS Messages

389 This section describes the BIAS messages implementing BIAS operations as defined in ANSI INCITS
390 442-2008. The operations are listed alphabetically, with each operation containing a request and a
391 response message. The tables follow the conventions described in section 3.1.

392 4.1 Primitive Operations

393 4.1.1 AddSubjectToGallery

394 [AddSubjectToGallery](#)

395 [AddSubjectToGalleryResponse](#)

396 The AddSubjectToGallery operation registers a subject to a given gallery or population group. As an
397 OPTIONAL parameter, the value of the claim to identity by which the subject is known to the gallery MAY
398 be specified. This claim to identity MUST be unique across the gallery. If no claim to identity is specified,
399 the subject ID (assigned with the [CreateSubject](#) operation) will be used as the claim to identity.
400 Additionally, in the encounter-centric model, the encounter ID associated with the subject's biometrics
401 that will be added to the gallery MUST be specified.

402 Request Message

Field	Type	#	?	Meaning
AddSubjectToGallery			Y	Register a subject to a given gallery or population group.
└ AddSubjectToGalleryRequest		1	Y	
└ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
└ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
└ ApplicationUser	ApplicationUserIdentity	0..1	N	Identifies the user or instance of the requesting application.
└ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "AddSubjectToGallery".
└ GalleryID	BIASIDType	1	Y	The identifier of the gallery or population group to which the subject will be added.
└ Identity	BIASIdentity	1	Y	The identity to add to the gallery.
└ SubjectID	BIASIDType	1	Y	A system unique identifier for a subject.

Field	Type	#	?	Meaning
└ IdentityClaim	BIASIDType	0..1	N	An identifier by which a subject is known to a particular gallery or population group. (This could be a username or account number, for example.)
└ EncounterID	BIASIDType	0..1	C	The identifier of an encounter associated with the subject. Required for encounter-centric models.

403 Response Message

Field	Type	#	?	Meaning
AddSubjectToGalleryResponse			Y	The response to an AddSubjectToGallery operation.
└ AddSubjectToGalleryResponsePackage		1	Y	
└ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
└ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
└ Message	string	0..1	N	A short message corresponding to the return code.

404 4.1.2 CheckQuality

405 [CheckQuality](#)

406 [CheckQualityResponse](#)

407 The CheckQuality operation returns a quality score for a given biometric. The biometric input is provided
 408 in a CBEFF basic structure or CBEFF record, which in this specification is called a CBEFF-BIR. The
 409 algorithm vendor and algorithm vendor product ID MAY be optionally provided in order to request a
 410 particular algorithm's use in calculating the biometric quality. If an algorithm vendor is provided then the
 411 algorithm vendor product ID is REQUIRED. If no algorithm vendor is provided, the implementing system
 412 will provide the algorithm vendor and algorithm vendor product ID that were used to calculate the
 413 biometric quality as output parameters.

414 Request Message

Field	Type	#	?	Meaning
CheckQuality			Y	Calculate a quality score for a given biometric.
└ CheckQualityRequest		1	Y	

Field	Type	#	?	Meaning
↳ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↳ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↳ ApplicationUser	ApplicationUserIdentifier	0..1	N	Identifies the user or instance of the requesting application.
↳ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "CheckQuality".
↳ BiometricData	BIASBiometricDataType	1	Y	Data structure containing a single biometric sample for which a quality score is to be determined.
↳ BIR	CBEFF_BIR_Type	1	Y	The biometric sample.
↳ Quality	QualityData	0..1	N	Specifies a particular algorithm vendor and vendor product ID.
↳ AlgorithmVendor	VendorIdentifier	1	Y	The vendor of the quality algorithm used to determine the quality score.
↳ AlgorithmVendorProductID	ProductID	1	Y	The vendor's ID for the algorithm used to determine the quality.

415 Response Message

Field	Type	#	?	Meaning
CheckQualityResponse			Y	The response to a CheckQuality operation.

Field	Type	#	?	Meaning
↳ CheckQualityResponsePackage		1	Y	
↳ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↳ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↳ Message	string	0..1	N	A short message corresponding to the return code.
↳ QualityInfo	QualityData	1	Y	Contains the quality information for the submitted biometric sample.
↳ QualityScore	iso-iec19785-3-7: QualityType	0..1	N	The quality of a biometric sample.
↳ AlgorithmVendor	URI_BIR Field URI_BIR ↳ URI VendorIdentifier	1	Y	The vendor of the quality algorithm used to determine the quality score.
↳ AlgorithmVendorProductID	ProductID	1	Y	The vendor's ID for the algorithm used to determine the quality.
↳ AlgorithmVersion	VersionType	1	Y	The version of the algorithm used to determine the quality.

416 **4.1.3 ClassifyBiometricData**

417 [ClassifyBiometricData](#)

418 [ClassifyBiometricDataResponse](#)

419 The ClassifyBiometricData operation attempts to classify a biometric sample. For example, a fingerprint biometric sample may be classified as a whorl, loop, or arch (or other classification classes and subclasses).

422 To obtain the types of classification algorithms and classes, see the [QueryCapabilities](#) operation.

423 **Request Message**

Field	Type	#	?	Meaning
ClassifyBiometricData			Y	Classifies a biometric sample.
↳ ClassifyBiometricDataRequest		1	Y	

Field	Type	#	?	Meaning
↳ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↳ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↳ ApplicationUser	ApplicationUserIdentity	0..1	N	Identifies the user or instance of the requesting application.
↳ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: “ClassifyBiometricData”.
↳ BiometricData	BIASBiometricDataType	1	Y	Data structure containing a single biometric sample for which the classification is to be determined.
↳ BIR	CBEFF_BIR_Type	1	Y	The biometric sample.

424 Response Message

Field	Type	#	?	Meaning
ClassifyBiometricDataResponse			Y	The response to a ClassifyBiometricData operation, containing the classification of a biometric sample.
↳ ClassifyBiometricDataResponsePackage		1	Y	
↳ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↳ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↳ Message	string	0..1	N	A short message corresponding to the return code.
↳ ClassificationData	ClassificationData	1	Y	Information on the results and type of classification performed.
↳ Classification	Classification	1	Y	The result of the classification.

Field	Type	#	?	Meaning
↳ ClassificationAlgorithmType	ClassificationAlgorithmType	1	Y	Identifies the type of classification algorithm that was used to perform the classification.

425 4.1.4 CreateSubject

426 [CreateSubject](#)

427 [CreateSubjectResponse](#)

428 The CreateSubject operation creates a new subject record and associates a subject ID to that record. As
 429 an optional parameter, the subject ID MAY be specified by the caller. If no subject ID is specified, the
 430 CreateSubject operation will generate one.

431 Request Message

Field	Type	#	?	Meaning
CreateSubject			Y	
↳ CreateSubjectRequest		1	Y	
↳ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↳ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↳ ApplicationUser	ApplicationUserIdentity	0..1	N	Identifies the user or instance of the requesting application.
↳ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "CreateSubject".

432 Response Message

Field	Type	#	?	Meaning
CreateSubjectResponse			Y	The response to a CreateSubject operation, containing the subject ID of the new subject record.
↳ CreateSubjectResponsePackage		1	Y	
↳ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↳Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↳Message	string	0..1	N	A short message corresponding to the return code.

Field	Type	#	?	Meaning
↳ Identity	BIASIdentity	1	Y	
↳ SubjectID	BIASIDType	1	Y	A system unique identifier for a subject.

433 4.1.5 DeleteBiographicData

434 [DeleteBiographicData](#)

435 [DeleteBiographicDataResponse](#)

436 The DeleteBiographicData operation erases all of the biographic data associated with a given subject
 437 record. In the encounter-centric model the operation erases all of the biographic data associated with a
 438 given encounter, and therefore the encounter ID MUST be specified.

439 When deleting data, BIAS implementations MAY completely erase the information in order to prevent the
 440 ability to reconstruct a record in whole or in part, or they MAY track and record the deleted information for
 441 auditing and/or quality control purposes.

442 Request Message

Field	Type	#	?	Meaning
DeleteBiographicData			Y	Erase all of the biographic data associated with a given subject record or, in the encounter-centric model, with a given encounter.
↳ DeleteBiographicDataRequest		1	Y	
↳ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↳ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↳ ApplicationUser	ApplicationUserIdentity	0..1	N	Identifies the user or instance of the requesting application.
↳ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: “DeleteBiographicData”
↳ Identity	BIASIdentity	1	Y	
↳ SubjectID	BIASIDType	1	Y	A system unique identifier for a subject.

Field	Type	#	?	Meaning
↑ EncounterID	BIASIDType	0..1	C	The identifier of an encounter associated with the subject. Required for encounter-centric models.

443 Response Message

Field	Type	#	?	Meaning
DeleteBiographicDataResponse			Y	The response to a DeleteBiographicData operation.
↑ DeleteBiographicDataResponsePackage		1	Y	
↑ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↑ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↑ Message	string	0..1	N	A short message corresponding to the return code.

444 4.1.6 DeleteBiometricData

445 [DeleteBiometricData](#)

446 [DeleteBiometricDataResponse](#)

447 The DeleteBiometricData operation erases all of the biometric data associated with a given subject record. In the encounter-centric model the operation erases all of the biometric data associated with a given encounter, and therefore the encounter ID MUST be specified.

450 When deleting data, BIAS implementations MAY completely erase the information in order to prevent the ability to reconstruct a record in whole or in part, or they MAY track and record the deleted information for auditing and/or quality control purposes.

453 Request Message

Field	Type	#	?	Meaning
DeleteBiometricData			Y	Erase all of the biometric data associated with a given subject record or, in the encounter-centric model, with a given encounter.
↑ DeleteBiometricDataRequest		1	Y	

Field	Type	#	?	Meaning
↳ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↳ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↳ ApplicationUser	ApplicationUserIdentity	0..1	N	Identifies the user or instance of the requesting application.
↳ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "DeleteBiometricData".
↳ Identity	BIASIdentity	1	Y	
↳ SubjectID	BIASIDType	1	Y	A system unique identifier for a subject.
↳ EncounterID	BIASIDType	0..1	C	The identifier of an encounter associated with the subject. Required for encounter-centric models.

454 Response Message

Field	Type	#	?	Meaning
DeleteBiometricDataResponse			Y	The response to a DeleteBiometricData operation.
↳ DeleteBiometricDataResponsePackage		1	Y	
↳ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↳ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↳ Message	string	0..1	N	A short message corresponding to the return code.

455 4.1.7 DeleteSubject

456 [DeleteSubject](#)

457 [DeleteSubjectResponse](#)

458 The DeleteSubject operation deletes an existing subject record and, in an encounter-centric model, any
 459 associated encounter information from the system. This operation also removes the subject from any
 460 registered galleries.

461 When deleting a subject, BIAS implementations MAY completely erase the subject information in order to
 462 prevent the ability to reconstruct a record or records in whole or in part, or they MAY track and record the
 463 deleted information for auditing and/or quality control purposes.

464 Request Message

Field	Type	#	?	Meaning
DeleteSubject			Y	Delete an existing subject record and, in an encounter-centric model, any associated encounter information.
└ DeleteSubjectRequest		1	Y	
└ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
└ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
└ ApplicationUser	ApplicationUserIdentity	0..1	N	Identifies the user or instance of the requesting application.
└ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "DeleteSubject".
└ Identity	BIASIdentity	1	Y	The identity of the subject to delete.
└ SubjectID	BIASIDType	1	Y	A system unique identifier for a subject.

465 Response Message

Field	Type	#	?	Meaning
DeleteSubjectResponse			Y	The response to a DeleteSubject operation.
└ DeleteSubjectResponseP ackage		1	Y	
└ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
└ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
└ Message	string	0..1	N	A short message corresponding to the return code.

466 4.1.8 DeleteSubjectFromGallery

467 [DeleteSubjectFromGallery](#)

468 [DeleteSubjectFromGalleryResponse](#)

469 The DeleteSubjectFromGallery operation removes the registration of a subject from a gallery or
470 population group. The subject is identified by either the subject ID or the claim to identity that was
471 specified in the [AddSubjectToGallery](#) operation.

472 Request Message

Field	Type	#	?	Meaning
DeleteSubjectFromGallery			Y	Remove the registration of a subject from a gallery or population group.
↑ DeleteSubjectFromGalleryRequest		1	Y	
↳ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↳ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↳ ApplicationUser	ApplicationUserIdentifier	0..1	N	Identifies the user or instance of the requesting application.
↳ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "DeleteSubjectFromGallery".
↳ GalleryID	BIASIDType	1	Y	The identifier of the gallery or population group from which the subject will be deleted.
↳ Identity	BIASIdentity	1	Y	The identity to remove from the gallery.
↳ SubjectID	BIASIDType	0..1	C	A system unique identifier for a subject. Required if an Identity Claim is not provided.
↳ IdentityClaim	BIASIDType	0..1	C	An identifier by which a subject is known to a particular gallery or population group. Required if a Subject ID is not provided.

473 **Response Message**

Field	Type	#	?	Meaning
DeleteSubjectFromGalleryResponse			Y	The response to a DeleteSubjectFromGallery operation.
└ DeleteSubjectFromGalleryResponsePackage				
└ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
└ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
└ Message	string	0..1	N	A short message corresponding to the return code.

474 **4.1.9 GetIdentifySubjectResults**

475 [GetIdentifySubjectResults](#)

476 [GetIdentifySubjectResultsResponse](#)

477 The GetIdentifySubjectResults operation retrieves the identification results for the specified token. This
 478 operation is used in conjunction with the [IdentifySubject](#) operation. If the IdentifySubject operation is
 479 implemented as an asynchronous service, the implementing system returns a token and the
 480 GetIdentifySubjectResults operation is used to poll for the results of the original IdentifySubject request.

481 **Request Message**

Field	Type	#	?	Meaning
GetIdentifySubjectResults			Y	Retrieve the identification results for a specified token, which was returned by the IdentifySubject operation.
└ GetIdentifySubjectResultsRequest		1	Y	
└ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
└ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
└ ApplicationUser	ApplicationUserIdentifier	0..1	N	Identifies the user or instance of the requesting application.

Field	Type	#	?	Meaning						
↳ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "GetIdentifySubjectResults".						
↳ Token	TokenResultType <table border="1"> <thead> <tr> <th>Field</th><th>Type</th></tr> </thead> <tbody> <tr> <td>TokenResultType</td><td></td></tr> <tr> <td>↳ TokenType</td><td>TokenType</td></tr> </tbody> </table>	Field	Type	TokenResultType		↳ TokenType	TokenType	1	Y	A value used to retrieve the results of an IdentifySubject request.
Field	Type									
TokenResultType										
↳ TokenType	TokenType									
↳ TokenValue	string	1	Y	A value returned by the implementing system that is used to retrieve the results to an operation at a later time.						
↳ Expiration	date	1	Y	A date and time at which point the token expires and the operation results are no longer guaranteed to be available.						

482 Response Message

Field	Type	#	?	Meaning
GetIdentifySubjectResultsResponse			Y	The response to a GetIdentifySubjectResults operation, which includes a candidate list.
↳ GetIdentifySubjectResultsResponsePackage		1	Y	
↳ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↳ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↳ Message	string	0..1	N	A short message corresponding to the return code.

Field	Type	#	?	Meaning						
↑ CandidateList	<p>CandidateListResultType</p> <table border="1"> <tr> <td>Field</td> <td></td> </tr> <tr> <td>CandidateListResultType</td> <td></td> </tr> <tr> <td>↑ CandidateList</td> <td></td> </tr> </table> <p>CandidateListType</p>	Field		CandidateListResultType		↑ CandidateList		1	Y	A rank-ordered list of candidates that have a likelihood of matching the input biometric sample.
Field										
CandidateListResultType										
↑ CandidateList										
↑ Candidate	CandidateType	0..*	N	A single candidate.						
↑ Score	Score	0..1	N	The match score.						
↑ BiographicData	BiographicDataType	0..1	N	Biographic data associated with the candidate match.						
↑ BIRList	CBEFF_BIR_ListType	1	Y	Biometric data associated with the candidate match.						
↑ BIR	CBEFF_BIR_Type	0..*	N	CBEFF structure containing information about a biometric sample.						

4.1.10 IdentifySubject

483 [IdentifySubject](#)

484 [IdentifySubjectResponse](#)

485 The IdentifySubject operation performs an identification search against a given gallery for a given biometric, returning a rank-ordered candidate list of a given maximum size.

486 If the IdentifySubject operation is implemented as a synchronous service, the implementing system
 487 immediately processes the request and returns the results in the candidate list. If the IdentifySubject
 488 operation is implemented as an asynchronous service, the implementing system returns a token, which is
 489 an indication that the request is being handled asynchronously. In this case, the
 490 [GetIdentifySubjectResults](#) operation is used to poll for the results of the IdentifySubject request.

491 Request Message

Field	Type	#	?	Meaning
IdentifySubject			Y	Perform an identification search against a given gallery for a given biometric.
↑ IdentifySubjectRequest		1	Y	
↑ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.

Field	Type	#	?	Meaning
↑ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↑ ApplicationUser	ApplicationUserIdentity	0..1	N	Identifies the user or instance of the requesting application.
↑ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "IdentifySubject".
↑ GalleryID	BIASIDType	1	Y	The identifier of the gallery or population group which will be searched.
↑ Identity	BIASIdentity	1	Y	Contains the BIR, a data structure containing the biometric sample for the search.
↑ BiometricData	BIASBiometricDataType	1	Y	An Identity's biometric data.
↑ BIR	CBEFF_BIR_Type	1	Y	Contains biometric information in either a non-XML or an XML representation.
↑ MaxListSize	positiveInteger	1	Y	The maximum size of the candidate list that should be returned.

494 Response Message

Field	Type	#	?	Meaning
IdentifySubjectResponse			Y	The response to an IdentifySubject operation, returning a rank-ordered candidate list.
↑ IdentifySubjectResponsePackage		1	Y	
↑ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↑ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↑ Message	string	0..1	N	A short message corresponding to the return code.

Field	Type	#	?	Meaning
↳ CandidateList	CandidateListResultType (see IdentifySubjectResultType)	0..1	C	A rank-ordered list of candidates that have a likelihood of matching the input biometric sample (i.e., exceed the system threshold). Rank ordering is from highest to lowest match score. Returned with successful synchronous request processing.
↳ Candidate	CandidateType	0..*	N	A single candidate.
↳ Score	string	0..1	N	The match score.
↳ BiographicData	BiographicDataType	0..1	N	Biographic data associated with the candidate match.
↳ BIRList	CBEFF_BIR_ListType	1	Y	Biometric data associated with the candidate match.
↳ BIR	CBEFF_BIR_Type	0..*	N	CBEFF structure containing information about a biometric sample.
↳ Token	TokenResultType (see IdentifySubjectResultType)	0..1	C	A token used to retrieve the results of the IdentifySubject operation. Returned with asynchronous request processing.
↳ TokenValue	string	1	Y	A value returned by the implementing system that is used to retrieve the results to an operation at a later time.
↳ Expiration	date	1	Y	A date and time at which point the token expires and the operation results are no longer guaranteed to be available.

495

NOTES:

496

(1) In the event that the number of candidates exceeding the threshold exceeds the MaxListSize, the system will determine which candidate is included in the last position of the rank ordered candidate list (i.e., in the event of a tie).

499

(2) Requesters MAY NOT change the system thresholds.

500

4.1.11 ListBiographicData

501

[ListBiographicData](#)

502 [ListBiographicDataResponse](#)

503 The ListBiographicData operation lists the biographic data elements stored for a subject using the
504 Biographic Data Elements output parameter. Note that no actual biographic data is returned by this
505 operation (see the [RetrieveBiographicInformation](#) operation to obtain the biographic data). In the
506 encounter-centric model, an encounter ID MAY be specified to indicate that only the biographic data
507 elements stored for that encounter should be returned. If an encounter ID is not specified and encounter
508 data exists for the subject, the operation returns the list of encounter IDs which contain biographic data
509 using the Encounter List output parameter, and the Biographic Data Elements output parameter is empty.

510 Request Message

Field	Type	#	?	Meaning
ListBiographicData			Y	Lists the biographic data elements stored for a subject.
↳ ListBiographicDataRequest		1	Y	
↳ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↳ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↳ ApplicationUser	ApplicationUserIdentifier	0..1	N	Identifies the user or instance of the requesting application.
↳ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "ListBiographicData".
↳ Identity	BIASIdentity	1	Y	Identifies the subject or, in the encounter-centric model, a subject and an encounter.
↳ SubjectID	BIASIDType	1	Y	A system unique identifier for a subject.
↳ EncounterID	BIASIDType	0..1	N	The identifier of an encounter associated with the subject.

511 **Response Message**

Field	Type	#	?	Meaning
ListBiographicDataResponse			Y	The response to a ListBiographicData request, containing a list of biographic data elements stored for a subject. In the encounter-centric model, the biographic data elements for a specific encounter are returned. If an encounter ID is not specified and encounter data exists for the subject, the list of encounter IDs which contain biographic data is returned.
↳ ListBiographicDataResponsePackage		1	Y	
↳ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↳ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↳ Message	string	0..1	N	A short message corresponding to the return code.
↳ Identity	BIASIdentity	1	Y	Contains a list of biographic data elements associated with a subject or encounter; non-empty if the service was successful, biographic data exists, and either (a) the person-centric model is being used or (b) the encounter-centric model is being used and an encounter identifier was specified.

Field	Type	#	?	Meaning
↳ BiographicDataElements	BiographicDataType	0..1	C	An Identity's biographic data elements that are stored in the implementing system.
↳ BiographicDataItem	BiographicDataItemType	0..*	N	A single biographic data element.
↳ Name	string	1	Y	The name of the biographic data item.
↳ Type	string	1	Y	The data type for the biographic data item.
↳ EncounterList	EncounterListType	0..1	C	A list of encounter ID's associated with a subject and which contain biographic data; non-empty if the service was successful, biographic data exists, the encounter-centric model is being used, and an encounter identifier was not specified.
↳ EncounterID	BIASIDType	0..*	N	The identifier of an encounter.

512 **4.1.12 ListBiometricData**

513 [ListBiometricData](#)

514 [ListBiometricDataResponse](#)

515 The ListBiometricData operation lists the biometric data elements stored for a subject using the Biometric
 516 Data List output parameter. Note that no actual biometric data is returned by this operation (see the
 517 [RetrieveBiometricInformation](#) operation to obtain the biometric data). In the encounter-centric model, an
 518 encounter ID MAY be specified to indicate that only the biometric data elements stored for that encounter
 519 should be returned. If an encounter ID is not specified and encounter data exists for the subject, the
 520 operation returns the list of encounter IDs which contain biometric data using the Encounter List output
 521 parameter, and the Biometric Data List output parameter is empty.

522 An optional parameter MAY be used to indicate a filter on the list of returned data. Such a filter may
 523 indicate that only biometric types should be listed (e.g., face, finger, iris, etc.) or that only biometric
 524 subtypes for a particular biometric type should be listed (e.g., all fingerprints: left slap, right index, etc.). If
 525 a filter is not specified, all biometric type and biometric subtype information are listed (e.g., left index
 526 finger, right iris, face frontal, etc.).

527 Request Message

Field	Type	#	?	Meaning
ListBiometricData			Y	Lists the biometric data elements stored for a subject.
↳ ListBiometricDataRequest		1	Y	
↳ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↳ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↳ ApplicationUser	ApplicationUserIdentifier	0..1	N	Identifies the user or instance of the requesting application.
↳ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "ListBiometricData".
↳ Identity	BIASIdentity	1	Y	Identifies the subject or, in the encounter-centric model, a subject and an encounter.
↳ SubjectID	BIASIDType	1	Y	A system unique identifier for a subject.
↳ EncounterID	BIASIDType	0..1	N	The identifier of an encounter associated with the subject.
↳ ListFilterType	ListFilterType	0..1	N	Indicates what biometric information should be returned.
↳ BiometricTypeFilter	iso-iec19785-3-7:Multiple-types	1..*	Y	Limits the returned information to a specific type of biometric, as defined by CBEFF.

Field	Type	#	?	Meaning
↑ IncludeBiometricSubType	boolean	1	Y	A Boolean flag indicating if biometric subtype information should be returned.

528 Response Message

Field	Type	#	?	Meaning
ListBiometricDataResponse			Y	The response to a ListBiometricData operation, containing a list of biometric data elements stored for a subject. In the encounter-centric model, the biometric data elements for a specific encounter are returned. If an encounter ID is not specified and encounter data exists for the subject, the list of encounter IDs which contain biometric data is returned.
↑ ListBiometricDataResponsePackage		1	Y	
↑ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↑ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↑ Message	string	0..1	N	A short message corresponding to the return code.

Field	Type	#	?	Meaning
↳ Identity	BIASIdentity	0..1	N	Includes a list of biometric data elements associated with a subject or encounter or a list of encounter ID's associated with a subject and which contain biometric data.
↳ BiometricData	BIASBiometricDataType	0..1	C	An Identity's biometric data.
↳ BiometricDataList	BiometricDataListType	0..1	N	A list of biometric data elements.
↳ BiometricDataElement	BiometricDataElementType	1..*	Y	Data structure containing information about a biometric record.
↳ BiometricType	iso-iec19785-3-7:MultipleTypesType	1	Y	The type of biological or behavioral data stored in the biometric record, as defined by CBEFF.
↳ BiometricTypeCount	positiveInteger	0..1	N	The number of biometric records having the biometric type recorded in the biometric type field.
↳ BiometricSubType	iso-iec19785-3-7:SubtypeType	0..1	N	More specifically defines the type of biometric data stored in the biometric record, as defined by CBEFF.

Field	Type	#	?	Meaning
BDBFormatOwner └	positiveInteger	1	Y	Identifies the standards body, working group, industry consortium, or other CBEFF biometric organization that has defined the format for the biometric data.
BDBFormatType └	positiveInteger	1	Y	Identifies the specific biometric data format specified by the CBEFF biometric organization recorded in the BDB Format Owner field.
└ EncounterList	EncounterListType	0..1	C	A list of encounter ID's associated with a subject and which contain biometric data; non-empty if the service was successful, biometric data exists, the encounter-centric model is being used, and an encounter identifier was not specified.
└ EncounterID	BIASIDType	1..*	Y	The identifier of an encounter.

529 **4.1.13 PerformFusion**

530 [PerformFusion](#)

531 [PerformFusionResponse](#)

532 The PerformFusion operation accepts either match score or match decision information and creates a fused match result. The [FusionDecision](#)

Type:	string
Description:	The match decision assigned by the matching algorithm

534

535 FusionInformationListType, through the [FusionInformationType](#), provides specific elements for match
 536 score input and match decision input. The fusion method and processes are left to the implementing
 537 system.

538 Request Message

Field	Type	#	?	Meaning
PerformFusion			Y	Accepts either match score or match decision information and creates a fused match result.
↑ PerformFusionRequest		1	Y	
↑ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↑ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↑ ApplicationUser	ApplicationUserIdentifier	0..1	N	Identifies the user or instance of the requesting application.
↑ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "PerformFusion".
↑ FusionInput	FusionInformationListType	1	Y	Score or decision input information to the fusion method.
↑ FusionElement	FusionInformationType	2..*	Y	A set of fusion information.
↑ BiometricType	iso-iec19785-3-7:MultipleTypesType	1	Y	The type of biological or behavioral data stored in the biometric record, as defined by CBEFF.
↑ BiometricSubType	iso-iec19785-3-7:SubtypeType	0..1	N	More specifically defines the type of biometric data stored in the biometric record.

Field	Type	#	?	Meaning
↑ AlgorithmOwner	string	1	Y	The owner or vendor of the algorithm used to determine the score or decision.
↑ AlgorithmType	string	1	Y	The Algorithm Owner's identifier for the specific algorithm product and version used to determine the score or decision.
↑ FusionResult	FusionResult	0..1	C	Either FusionScore a or a FusionDecision element MUST be used.

539 Response Message

Field	Type	#	?	Meaning
PerformFusionResponse			Y	The response to the PerformFusion operation.
↑ PerformFusionResponsePackage		1	Y	
↑ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↑ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↑ Message	string	0..1	N	A short message corresponding to the return code.
↑ Match	MatchType	1	1	Indicates the result of the fusion method.

540 4.1.14 QueryCapabilities

541 [QueryCapabilities](#)

542 [QueryCapabilitiesResponse](#)

543 The QueryCapabilities operation returns a list of the capabilities, options, galleries, etc. that are supported by the BIAS implementation. Refer to Annex A in the INCITS BIAS standard for conformance requirements regarding which capability names an implementation must use in the QueryCapabilities operation.

547 **Request Message**

Field	Type	#	?	Meaning
QueryCapabilities			Y	Returns a list of the capabilities, options, galleries, etc. that are supported by the BIAS implementation.
└ QueryCapabilitiesRequest		1	Y	
└ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
└ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
└ ApplicationUser	ApplicationUserIdentity	0..1	N	Identifies the user or instance of the requesting application.
└ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "QueryCapabilities".

548 **Response Message**

Field	Type	#	?	Meaning
QueryCapabilitiesResponse			Y	The response to a QueryCapabilities operation.
└ QueryCapabilitiesResponsePackage		1	Y	
└ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
└ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
└ Message	string	0..1	N	A short message corresponding to the return code.
└ CapabilityList	CapabilityListType	1	Y	A list of capabilities supported by the BIAS implementation.
└ Capability	CapabilityType	0..*	N	A single capability.
└ CapabilityName	CapabilityName	1	Y	The name of the capability.

Field	Type	#	?	Meaning
↳ CapabilityID	string	0..1	N	An identifier assigned to the capability by the implementing system.
↳ CapabilityDescription	string	0..1	N	A description of the capability.
↳ CapabilityValue	string	0..1	N	A value assigned to the capability.
↳ CapabilitySupportingValue	string	0..1	N	A secondary value supporting the capability.
↳ CapabilityAdditionalInfo	string	0..1	N	Contains additional information for the supported capability.

549 **4.1.15 RetrieveBiographicInformation**

550 [RetrieveBiographicInformation](#)

551 [RetrieveBiographicInformationResponse](#)

552 The RetrieveBiographicInformation operation retrieves the biographic data associated with a subject ID.
 553 In the encounter-centric model, the encounter ID MAY be specified and the operation will return the
 554 biographic data associated with that encounter. If the encounter ID is not specified in the encounter-
 555 centric model, the operation returns the biographic information associated with the most recent
 556 encounter.

557 **Request Message**

Field	Type	#	?	Meaning
RetrieveBiographicInformation			Y	Retrieves the biographic data associated with a subject ID.
↳ RetrieveBiographicInformation Request		1	Y	
↳ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↳ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↳ ApplicationUser	ApplicationUserIdentifier	0..1	N	Identifies the user or instance of the requesting application.

Field	Type	#	?	Meaning
↳ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "RetrieveBiographicInformation".
↳ Identity	BIASIdentity	1	Y	Identifies the subject or, in the encounter-centric model, a subject and an encounter.
↳ SubjectID	BIASIDType	1	Y	A system unique identifier for a subject.
↳ EncounterID	BIASIDType	0..1	N	The identifier of an encounter associated with the subject.

558 Response Message

Field	Type	#	?	Meaning
RetrieveBiographicInformationResponse			Y	The response to a RetrieveBiographicInformation operation.
↳ RetrieveBiographicInformationResponsePackage		1	Y	
↳ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↳Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↳Message	string	0..1	N	A short message corresponding to the return code.
↳Identity	BIASIdentity	1	Y	Includes the set of biographic data associated with a subject.
↳BiographicData	BiographicDataType	1	Y	An Identity's biographic data. One of the following elements MUST be present.
↳LastName	string	0..1	C	The last name of a subject.

Field	Type	#	?	Meaning
↳ FirstName	string	0..1	C	The first name of a subject.
↳ BiographicDataItem	BiographicDataItemType	0..*	C	A single biographic data element.
↳ BiographicDataSet	BiographicDataSetType	0..1	C	A set of biographic data information.

559 **4.1.16 RetrieveBiometricInformation**

560 [RetrieveBiometricInformation](#)

561 [RetrieveBiometricInformationResponse](#)

562 The RetrieveBiometricInformation operation retrieves the biometric data associated with a subject ID. In
 563 the encounter-centric model, the encounter ID MAY be specified and the operation will return the
 564 biometric data associated with that encounter. If the encounter ID is not specified in the encounter-centric
 565 model, the operation returns the biometric information associated with the most recent encounter. The
 566 operation provides an OPTIONAL input parameter to specify that only biometric data of a certain type
 567 should be retrieved.

568 **Request Message**

Field	Type	#	?	Meaning
RetrieveBiometricInformation			Y	Retrieves the biometric data associated with a subject ID.
↳ RetrieveBiometricInformationRequest		1	Y	
↳ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↳ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↳ ApplicationUser	ApplicationUserIdentity	0..1	N	Identifies the user or instance of the requesting application.
↳ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "RetrieveBiometricInformation".
↳ Identity	BIASIdentity	1	Y	Identifies the subject or, in the encounter-centric model, a subject and an encounter.

Field	Type	#	?	Meaning
↳ SubjectID	BIASIDType	1	Y	A system unique identifier for a subject.
↳ EncounterID	BIASIDType	0..1	N	The identifier of an encounter associated with the subject.
↳ BiometricType	iso-iec19785-3-7:Multiple-types	0..1	N	The type of biological or behavioral data to retrieve.

569 **Response Message**

Field	Type	#	?	Meaning
RetrieveBiometricInformationResponse			Y	The response to a RetrieveBiometricInformation operation.
↳ RetrieveBiometricInformationResponse Package		1	Y	
↳ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↳ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↳ Message	string	0..1	N	A short message corresponding to the return code.
↳ Identity	BIASIdentity	1	Y	Includes the biometric data associated with a subject.
↳ BiometricData	BIASBiometricDataType	1	Y	An Identity's biometric data.
↳ BIRList	CBEFF_BIR_ListType	1	Y	A list of CBEFF-BIR elements.
↳ BIR	CBEFF_BIR_Type	0..*	N	CBEFF structure containing information about a biometric sample.

570 **4.1.17 SetBiographicData**

571 [SetBiographicData](#)

572 [SetBiographicDataResponse](#)

573 The SetBiographicData operation associates biographic data to a given subject record. The identity model of the system determines whether the biographic information should replace any existing biographic information (person-centric model) or if a new encounter should be created and associated with the subject (encounter-centric model). For encounter-centric models, the encounter ID MAY be specified by the caller in order to link biographic and biometric information (assuming biometric

578 information was previously associated using the [SetBiometricData](#) operation). If the encounter ID is
579 omitted for the encounter-centric model, the operation returns a system-assigned encounter ID.

580 **Request Message**

Field	Type	#	?	Meaning
SetBiographicData			Y	Associates biographic data to a given subject record.
↑ SetBiographicDataRequest		1	Y	
↑ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↑ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↑ ApplicationUser	ApplicationUserIdentifier	0..1	N	Identifies the user or instance of the requesting application.
↑ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "SetBiographicData".
↑ Identity	BIASIdentity	1	Y	Identifies the subject or, in the encounter-centric model, a subject and an encounter, and includes the biographic data to store.
↑ SubjectID	BIASIDType	1	Y	A system unique identifier for a subject.
↑ EncounterID	BIASIDType	0..1	N	The identifier of an encounter associated with the subject.
↑ BiographicData	BiographicDataType	1	Y	An Identity's biographic data. One of the following elements MUST be present.

Field	Type	#	?	Meaning
↳ LastName	string	0..1	C	The last name of a subject.
↳ FirstName	string	0..1	C	The first name of a subject.
↳ BiographicDataItem	BiographicDataItemType	0..*	C	A single biographic data element.
↳ BiographicDataSet	BiographicDataSetType	0..1	C	A set of biographic data information.

581 **Response Message**

Field	Type	#	?	Meaning
SetBiographicDataResponse			Y	The response to a SetBiographicData operation.
↳ SetBiographicDataResponsePackage		1	Y	
↳ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↳ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↳ Message	string	0..1	N	A short message corresponding to the return code.
↳ Identity	BIASIdentity	0..1	C	In an encounter-centric model, identifies the encounter ID assigned to a new encounter.
↳ EncounterID	BIASIDType	1	Y	The identifier of an encounter associated with the subject.

582 **4.1.18 SetBiometricData**

583 [SetBiometricData](#)

584 [SetBiometricDataResponse](#)

585 The SetBiometricData operation associates biometric data to a given subject record. The identity model
 586 of the system determines whether the biometric information should replace any existing biometric
 587 information (person-centric model) or if a new encounter should be created and associated with the
 588 subject (encounter-centric model). For encounter-centric models, the encounter ID MAY be specified by
 589 the caller in order to link biographic and biometric information (assuming biographic information was
 590 previously associated using the [SetBiographicData](#) operation). If the encounter ID is omitted for the
 591 encounter-centric model, the operation returns a system-assigned encounter ID.

592 **Request Message**

Field	Type	#	?	Meaning
SetBiometricData			Y	Associates biometric data to a given subject record.
└ SetBiometricDataRequest		1	Y	
└ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
└ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
└ ApplicationUser	ApplicationUserIdentifier	0..1	N	Identifies the user or instance of the requesting application.
└ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "SetBiometricData".
└ Identity	BIASIdentity	1	Y	Identifies the subject or, in the encounter-centric model, a subject and an encounter, and includes the biometric data to store.
└ SubjectID	BIASIDType	1	Y	A system unique identifier for a subject.
└ EncounterID	BIASIDType	0..1	N	The identifier of an encounter associated with the subject.
└ BiometricData	BIASBiometricDataType	1	Y	An Identity's biometric data.
└ BIRList	CBEFF_BIR_ListType	1	Y	A list of CBEFF-BIR elements.
└ BIR	CBEFF_BIR_Type	1..*	Y	CBEFF structure containing information about a biometric sample.

593 **Response Message**

Field	Type	#	?	Meaning
SetBiometricDataResponse			Y	The response to a SetBiometricData operation.
└ SetBiometricDataResponsePackage		1	Y	

Field	Type	#	?	Meaning
↳ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↳ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↳ Message	string	0..1	N	A short message corresponding to the return code.
↳ Identity	BIASIdentity	0..1	C	In an encounter-centric model, identifies the encounter ID assigned to a new encounter.
↳ EncounterID	BIASIDType	1	Y	The identifier of an encounter associated with the subject.

594 **4.1.19 TransformBiometricData**

595 [TransformBiometricData](#)

596 [TokenType](#)

597 The TransformBiometricData operation transforms or processes a given biometric in one format into a
 598 new target format.

599 **Request Message**

Field	Type	#	?	Meaning
TransformBiometricData			Y	Transforms or processes a given biometric in one format into a new target format.
↳ TransformBiometricDataRequest		1	Y	
↳ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↳ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↳ ApplicationUser	ApplicationUserIdentifier	0..1	N	Identifies the user or instance of the requesting application.
↳ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: “TransformBiometricData”.

Field	Type	#	?	Meaning
↳ InputBIR	CBEFF_BIR_Type	1	Y	Data structure containing the biometric information to be transformed.
↳ TransformOperation	unsignedLong	1	Y	Value indicating the type of transformation to perform.
↳ TransformControl	string	0..1	N	Specifies controls for the requested transform operation. Note: This could be a compression ratio, target data format, etc.

600 NOTE: The values for TransformOperation and TransformControl are implementation specific.

601 Response Message

Field	Type	#	?	Meaning
TransformBiometricDataResponse			Y	The response to a TransformBiometricData operation.
↳ TransformBiometricDataResponsePackage		1	Y	
↳ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↳ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↳ Message	string	0..1	N	A short message corresponding to the return code.
↳ OutputBIR	CBEFF_BIR_Type	0..1	N	Data structure containing the new, transformed biometric information.

602 4.1.20 UpdateBiographicData

603 [UpdateBiographicData](#)

604 [UpdateBiographicDataResponse](#)

605 The UpdateBiographicData operation updates the biographic data for an existing subject record. The
 606 operation replaces any existing biographic data with the new biographic data. In the encounter-centric
 607 model, the encounter ID MUST be specified.

608 Request Message

Field	Type	#	?	Meaning
UpdateBiographicData			Y	Updates the biographic data for a given subject record.
└ UpdateBiographicDataRequest		1	Y	
└ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
└ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
└ ApplicationUser	ApplicationUserIdentifier	0..1	N	Identifies the user or instance of the requesting application.
└ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "UpdateBiographic Data".
└ Identity	BIASIdentity	1	Y	Identifies the subject or, in the encounter-centric model, a subject and an encounter, and includes the biographic data to update.
└ SubjectID	BIASIDType	1	Y	A system unique identifier for a subject.
└ EncounterID	BIASIDType	0..1	C	The identifier of an encounter associated with the subject. Required for encounter-centric models.
└ BiographicData	BiographicDataType	1	Y	An Identity's biographic data. One of the following elements MUST be present.

Field	Type	#	?	Meaning
↳ LastName	string	0..1	C	The last name of a subject.
↳ FirstName	string	0..1	C	The first name of a subject.
↳ BiographicDataItem	BiographicDataItemType	0..*	C	A single biographic data element.
↳ BiographicDataSet	BiographicDataSetType	0..1	C	A set of biographic data information.

609 Response Message

Field	Type	#	?	Meaning
UpdateBiographicDataResponse			Y	The response to an UpdateBiographicData operation.
↳ UpdateBiographicDataResponsePackage		1	Y	
↳ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↳ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↳ Message	string	0..1	N	A short message corresponding to the return code.

610 4.1.21 UpdateBiometricData

611 [UpdateBiometricData](#)

612 [UpdateBiometricDataResponse](#)

613 The UpdateBiometricData operation updates the biometric data for an existing subject record. The
 614 operation includes an OPTIONAL parameter indicating if the new biometric sample should be merged
 615 with the existing biometric sample. If this parameter is set to "False" or is not used in the request, the
 616 operation replaces the existing biometric sample with the new biometric sample. In the encounter-centric
 617 model, the encounter ID MUST be specified.

618 Request Message

Field	Type	#	?	Meaning
UpdateBiometricData			Y	Updates a single biometric sample for a given subject record.
↳ UpdateBiometricDataRequest		1	Y	

Field	Type	#	?	Meaning
↳ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↳ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↳ ApplicationUser	ApplicationUserIdentity	0..1	N	Identifies the user or instance of the requesting application.
↳ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "UpdateBiometricData".
↳ Identity	BIASIdentity	1	Y	Identifies the subject or, in the encounter-centric model, a subject and an encounter, and includes the biometric data to update.
↳ SubjectID	BIASIDType	1	Y	A system unique identifier for a subject.
↳ EncounterID	BIASIDType	0..1	C	The identifier of an encounter associated with the subject. Required for encounter-centric models.
↳ BiometricData	BIASBiometricDataType	1	Y	An Identity's biometric data.
↳ BIR	CBEFF_BIR_Type	1	Y	Contains biometric information in either a non-XML or an XML representation.
↳ Merge	boolean	0..1	N	Value indicating if the input biometric sample should be merged with any existing biometric information.

619 Response Message

Field	Type	#	?	Meaning
UpdateBiometricDataResponse			Y	The response to an UpdateBiometricData operation.
↳ UpdateBiometricDataResponsePackage		1	Y	

Field	Type	#	?	Meaning
↳ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↳ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↳ Message	string	0..1	N	A short message corresponding to the return code.

620 **4.1.22 VerifySubject**

621 [VerifySubject](#)

622 [VerifySubjectResponse](#)

623 The VerifySubject operation performs a 1:1 verification match between a given biometric and either a
 624 claim to identity in a given gallery or another given biometric. As such either the Identity Claim or
 625 Reference BIR input parameters are REQUIRED.

626 **Request Message**

Field	Type	#	?	Meaning
VerifySubject			Y	Performs a 1:1 verification match between a given biometric and either a claim to identity in a given gallery or another given biometric.
↳ VerifySubjectRequest		1	Y	
↳ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↳ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↳ ApplicationUser	ApplicationUserIdentity	0..1	N	Identifies the user or instance of the requesting application.
↳ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "VerifySubject".

Field	Type	#	?	Meaning
↳ GalleryID	BIASIDType	0..1	C	The identifier of the gallery or population group of which the subject must be a member. Required if an Identity Claim is provided.
↳ Identity	BIASIdentity	1	Y	Includes the identifying information and/or input and reference biometric samples.
↳ IdentityClaim	BIASIDType	0..1	C	An identifier by which a subject is known to a particular gallery or population group. Required if a Reference BIR is not provided.
↳ BiometricData	BIASBiometricDataType	1	Y	An Identity's biometric data.
↳ InputBIR	CBEFF_BIR_Type	1	Y	Maps to specific INCITS BIAS elements as required by that specification.
↳ ReferenceBIR	CBEFF_BIR_Type	0..1	C	Maps to specific INCITS BIAS elements as required by that specification. Required if an Identity Claim is not provided.

627 Response Message

Field	Type	#	?	Meaning
VerifySubjectResponse			Y	The response to a VerifySubject operation.
↳ VerifySubjectResponsePackage		1	Y	
↳ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↳ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↳ Message	string	0..1	N	A short message corresponding to the return code.

Field	Type	#	?	Meaning
↳ Match	boolean	0..1	N	Indicates if the Input BIR matched either the biometric information associated with the Identity Claim or the Reference BIR.
↳ Score	Score	0..1	N	The score if the biometric information matched.

628 **4.2 Aggregate Operations**

629 **4.2.1 Enroll**

630 [Enroll](#)

631 [EnrollResponse](#)

632 The Enroll operation adds a new subject or, in an encounter-centric model, a new encounter to the system. This may be accomplished in a number of different ways according to system requirements and/or resources. If the Enroll operation is implemented as a synchronous service, the implementing system immediately processes the request and returns the results in the Return Data parameter. If the Enroll operation is implemented as an asynchronous service, the implementing system returns a token in the Return Data parameter, which is an indication that the request is being handled asynchronously. In this case, the [GetEnrollResults](#) operation is used to poll for the results of the Enroll request.

639 **Request Message**

Field	Type	#	?	Meaning
Enroll			Y	Adds a new subject or, in an encounter-centric model, a new encounter to the system.
↳ EnrollRequest		1	Y	
↳ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↳ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↳ ApplicationUser	ApplicationUserIdentifier	0..1	N	Identifies the user or instance of the requesting application.
↳ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "Enroll".
↳ ProcessingOptions	ProcessingOptionsType	1	Y	Options that guide how the aggregate service request is processed.

Field	Type	#	?	Meaning		
↳ Option	string	0..*	N	An option supported by the implementing system.		
↳ InputData	IdentifySubjectResultType <table border="1"> <tr> <td>Description:</td> <td>A base type</td> </tr> </table> InformationType	Description:	A base type	1	Y	Contains the input data for the operation, as required by the implementing system.
Description:	A base type					

640 Response Message

Field	Type	#	?	Meaning		
EnrollResponse			Y	The response to an Enroll operation.		
↳ EnrollResponsePackage		1	Y			
↳ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.		
↳ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.		
↳ Message	string	0..1	N	A short message corresponding to the return code.		
↳ ReturnData	IdentifySubjectResultType <table border="1"> <tr> <td>Description:</td> <td>A base type for all types that could be returned from the IdentifySubject operation</td> </tr> </table> InformationType	Description:	A base type for all types that could be returned from the IdentifySubject operation	0..1	N	Contains the output data for the response.
Description:	A base type for all types that could be returned from the IdentifySubject operation					

641 4.2.2 GetEnrollResults

642 [GetEnrollResults](#)

643 [GetEnrollResultsResponse](#)

644 The GetEnrollResults operation retrieves the enrollment results for the specified token. This operation is
 645 used in conjunction with the [Enroll](#) operation. If the Enroll operation is implemented as an asynchronous
 646 service, the implementing system returns a token and the GetEnrollResults operation is used to poll for
 647 the results of the original Enroll request.

648 If the service provider implements an asynchronous Enroll operation, then it MUST also implement the
 649 GetEnrollResults operation.

650 Request Message

Field	Type	#	?	Meaning						
GetEnrollResults			Y	Retrieves the enrollment results for the specified token.						
↑ GetEnrollResultsRequest		1	Y							
↑ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.						
↑ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.						
↑ ApplicationUser	ApplicationUserIdentity	0..1	N	Identifies the user or instance of the requesting application.						
↑ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "GetEnrollResults".						
↑ Token	TokenResultType <table border="1"> <tr> <th>Field</th> <th>Type</th> </tr> <tr> <td>TokenResultType</td> <td></td> </tr> <tr> <td> ↑ TokenType</td> <td>TokenType</td> </tr> </table> TokenType	Field	Type	TokenResultType		↑ TokenType	TokenType	1	Y	A value used to retrieve the results of the Enroll request.
Field	Type									
TokenResultType										
↑ TokenType	TokenType									
↑ TokenValue	string	1	Y	A value returned by the implementing system that is used to retrieve the results to an operation at a later time.						
↑ Expiration	date	1	Y	A date and time at which point the token expires and the operation results are no longer guaranteed to be available.						

651 Response Message

Field	Type	#	?	Meaning
GetEnrollResultsResponse			Y	The response to a GetEnrollResults operation.

Field	Type	#	?	Meaning		
↑ GetEnrollResultsResponsePackage		1	Y			
↑ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.		
↑ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.		
↑ Message	string	0..1	N	A short message corresponding to the return code.		
↑ ReturnData	<p>IdentifySubjectResultType</p> <table border="1"> <tr> <td>Description:</td><td>A base type for all types that could be returned from the IdentifySubject operation</td></tr> </table> <p>InformationType</p>	Description:	A base type for all types that could be returned from the IdentifySubject operation	0..1	N	Contains the output data for the response.
Description:	A base type for all types that could be returned from the IdentifySubject operation					

652 **4.2.3 GetIdentifyResults**

653 [GetIdentifyResults](#)

654 [GetIdentifyResultsResponse](#)

655 The GetIdentifyResults operation retrieves the identification results for the specified token. This operation
 656 is used in conjunction with the [Identify](#) operation. If the Identify operation is implemented as an
 657 asynchronous service, the implementing system returns a token and the GetIdentifyResults operation is
 658 used to poll for the results of the original Identify request.

659 If the service provider implements an asynchronous Identify operation, then it MUST also implement the
 660 GetIdentifyResults operation.

661

662 **Request Message**

Field	Type	#	?	Meaning
GetIdentifyResults			Y	Retrieves the identification results for the specified token
↑ GetIdentifyResultsRequest		1	Y	
↑ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.

Field	Type	#	?	Meaning						
↳ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.						
↳ ApplicationUser	ApplicationUserIdentity	0..1	N	Identifies the user or instance of the requesting application.						
↳ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "GetIdentifyResults".						
↳ Token	TokenResultType <table border="1"> <thead> <tr> <th>Field</th> <th>Type</th> </tr> </thead> <tbody> <tr> <td>TokenResultType</td> <td></td> </tr> <tr> <td>↳ TokenType</td> <td>TokenType</td> </tr> </tbody> </table>	Field	Type	TokenResultType		↳ TokenType	TokenType	1	Y	A value used to retrieve the results of the Identify request.
Field	Type									
TokenResultType										
↳ TokenType	TokenType									
↳ TokenValue	string	1	Y	A value returned by the implementing system that is used to retrieve the results to an operation at a later time.						
↳ Expiration	date	1	Y	A date and time at which point the token expires and the operation results are no longer guaranteed to be available.						

663 Response Message

Field	Type	#	?	Meaning
GetIdentifyResultsResponse			Y	The response to a GetIdentifyResults operation.
↳ GetIdentifyResultsResponsePacka ge		1	Y	
↳ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↳ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.

Field	Type	#	?	Meaning		
↑ Message	string	0..1	N	A short message corresponding to the return code.		
↑ ReturnData	<p>IdentifySubjectResultType</p> <table border="1"> <tr> <td>Description :</td> <td>A base type for all types that could be returned from the IdentifySubject operation</td> </tr> </table> <p>InformationType</p>	Description :	A base type for all types that could be returned from the IdentifySubject operation	0..1	N	Contains the output data for the response.
Description :	A base type for all types that could be returned from the IdentifySubject operation					

664 4.2.4 GetVerifyResults

665 [GetVerifyResults](#)

666 [GetVerifyResultsResponse](#)

667 The GetVerifyResults operation retrieves the verification results for the specified token. This operation is
 668 used in conjunction with the [Verify](#) operation. If the Verify operation is implemented as an asynchronous
 669 service, the implementing system returns a token and the GetVerifyResults operation is used to poll for
 670 the results of the original Verify request.

671 If the service provider implements an asynchronous Verify_operation, then it MUST also implement the
 672 GetVerifyResults operation.

673 Request Message

Field	Type	#	?	Meaning
GetVerifyResults			Y	Retrieves the verification results for the specified token
↑ GetVerifyResultsRequest		1	Y	
↑ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↑ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↑ ApplicationUser	ApplicationUserIdentity	0..1	N	Identifies the user or instance of the requesting application.
↑ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "GetVerifyResults".

Field	Type	#	?	Meaning								
↳ Token	TokenResultType <table border="1"> <thead> <tr> <th>Field</th><th>Type</th></tr> </thead> <tbody> <tr> <td>TokenResultType</td><td></td></tr> <tr> <td>↳ TokenType</td><td>TokenType</td></tr> <tr> <td colspan="2">TokenType</td></tr> </tbody> </table>	Field	Type	TokenResultType		↳ TokenType	TokenType	TokenType		1	Y	A value used to retrieve the results of the Verify request.
Field	Type											
TokenResultType												
↳ TokenType	TokenType											
TokenType												
↳ TokenValue	string	1	Y	A value returned by the implementing system that is used to retrieve the results to an operation at a later time.								
↳ Expiration	date	1	Y	A date and time at which point the token expires and the operation results are no longer guaranteed to be available.								

674 Response Message

Field	Type	#	?	Meaning
GetVerifyResultsResponse			Y	The response to a GetVerifyResults operation.
↳ GetVerifyResultsResponsePackage		1	Y	
↳ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↳ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↳ Message	string	0..1	N	A short message corresponding to the return code.

Field	Type	#	?	Meaning		
↳ ReturnData	<p>IdentifySubjectResultType</p> <table border="1"> <tr> <td>Description:</td><td>A base type for all types that could be returned from the IdentifySubject operation</td></tr> </table> <p>InformationType</p>	Description:	A base type for all types that could be returned from the IdentifySubject operation	0..1	N	Contains the output data for the response.
Description:	A base type for all types that could be returned from the IdentifySubject operation					
↳ Match	boolean	0..1	N	Indicates if the Input BIR matched either the biometric information associated with the Identity Claim or the Reference BIR.		
↳ Score	Score	0..1	N	The score if the biometric information matched.		

675 4.2.5 Identify

676 [Identify](#)

677 [IdentifyResponse](#)

678 The Identify operation performs an identification function according to system requirements and/or resources. If the Identify operation is implemented as a synchronous service, the implementing system immediately processes the request and returns the results in the Return Data parameter. If the Identify operation is implemented as an asynchronous service, the implementing system returns a token in the Return Data parameter, which is an indication that the request is being handled asynchronously. In this case, the [GetIdentifyResults](#) operation is used to poll for the results of the Identify request.

684 Request Message

Field	Type	#	?	Meaning
Identify			Y	Performs an identification function.
IdentifyRequest		1	Y	
↳ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↳ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.

Field	Type	#	?	Meaning		
↑ ApplicationUser	ApplicationIdentifier	0..1	N	Identifies the user or instance of the requesting application.		
↑ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "Identify".		
↑ ProcessingOptions	ProcessingOptionsType	1	Y	Options that guide how the aggregate service request is processed.		
↑ Option	string	0..*	N	An option supported by the implementing system.		
↑ InputData	IdentifySubjectResultType <table border="1"> <tr> <td>Description:</td> <td>A base typ</td> </tr> </table> InformationType	Description:	A base typ	1	Y	Contains the input data for the aggregate services.
Description:	A base typ					

685 Response Message

Field	Type	#	?	Meaning		
IdentifyResponse			Y	The response to an Identify operation.		
↑ IdentifyResponsePackage		1	Y			
↑ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.		
↑ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.		
↑ Message	string	0..1	N	A short message corresponding to the return code.		
↑ ReturnData	IdentifySubjectResultType <table border="1"> <tr> <td>Description:</td> <td>A base type for all types that could be returned from the IdentifySubject operation</td> </tr> </table> InformationType	Description:	A base type for all types that could be returned from the IdentifySubject operation	0..1	N	Contains the output data for the response.
Description:	A base type for all types that could be returned from the IdentifySubject operation					

686 **4.2.6 RetrieveInformation**

687 [RetrieveInformation](#)

688 [RetrieveInformationResponse](#)

689 The RetrieveInformation operation retrieves requested information about a subject, or in an encounter-
690 centric model about an encounter. In a person-centric model, this operation can be used to retrieve both
691 biographic and biometric information for a subject record. In an encounter-centric model, this operation
692 can be used to retrieve biographic and/or biometric information for either a single encounter or all
693 encounters. Either a subject ID or encounter ID MUST be specified.

694 **Request Message**

Field	Type	#	?	Meaning
RetrieveInformation			Y	Retrieves requested information about a subject or encounter.
↑ RetrieveInformationRequest		1	Y	
↑ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.
↑ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.
↑ ApplicationUser	ApplicationUserIdentifier	0..1	N	Identifies the user or instance of the requesting application.
↑ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "RetrieveInformation".
↑ ProcessingOptions	ProcessingOptionsType	1	Y	Options that guide how the aggregate service request is processed, and MAY identify what type(s) of information should be returned.
↑ Option	string	0..*	N	An option supported by the implementing system.
↑ Identity	BIASIdentity	1	Y	Includes the identifier of the subject or encounter.
↑ SubjectID	BIASIDType	0..1	C	A system unique identifier for a subject. Required if an Encounter ID is not provided.

Field	Type	#	?	Meaning
↳ EncounterID	BIASIDType	0..1	C	The identifier of an encounter associated with the subject. Required if a Subject ID is not provided.

695 Response Message

Field	Type	#	?	Meaning		
RetrieveInformationResponse			Y	Response to a RetrieveInformation operation.		
↳ RetrieveInformationResponsePack age		1	Y			
↳ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.		
↳ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.		
↳ Message	string	0..1	N	A short message corresponding to the return code.		
↳ ReturnData	IdentifySubjectResultType <table border="1"> <tr> <td>Description:</td> <td>A base type for all types that could be returned from the IdentifySubject operation</td> </tr> </table> InformationType	Description:	A base type for all types that could be returned from the IdentifySubject operation	0..1	N	Contains the output data for the response.
Description:	A base type for all types that could be returned from the IdentifySubject operation					

696 4.2.7 Verify

697 Verify

698 VerifyResponse

699 The Verify operation performs a 1:1 verification function according to system requirements and/or
 700 resources. Either the Identity Claim or Reference BIR input parameters are REQUIRED. If the Verify
 701 operation is implemented as a synchronous service, the implementing system immediately processes the
 702 request and returns the results in the Return Data parameter. If the Verify operation is implemented as an
 703 asynchronous service, the implementing system returns a token in the Return Data parameter, which is
 704 an indication that the request is being handled asynchronously. In this case, the [GetVerifyResults](#)
 705 operation is used to poll for the results of the Verify request.

706 Request Message

Field	Type	#	?	Meaning		
Verify			Y	Performs a 1:1 verification function.		
└ VerifyRequest		1	Y			
└ GenericRequestParameters	GenericRequestParameters	0..1	N	Common request parameters that can be used to identify the requester.		
└ Application	ApplicationIdentifier	0..1	N	Identifies the requesting application.		
└ ApplicationUser	ApplicationUserIdentity	0..1	N	Identifies the user or instance of the requesting application.		
└ BIASOperationName	string	0..1	N	Identifies the BIAS operation that is being requested: "Verify".		
└ ProcessingOptions	ProcessingOptionsType	1	Y	Options that guide how the aggregate service request is processed.		
└ Option	string	0..*	N	An option supported by the implementing system.		
└ InputData	IdentifySubjectResultType <table border="1"> <tr> <td>Description:</td> <td>A base typ</td> </tr> </table> InformationType	Description:	A base typ	1	Y	Contains the input data for the aggregate services.
Description:	A base typ					
└ Identity	BIASIdentity	1	Y	Includes either the Identity Claim or Reference BIR.		
└ IdentityClaim	BIASIDType	0..1	C	An identifier by which a subject is known to a particular gallery or population group. Required if a Reference BIR is not provided.		
└ BiometricData	BIASBiometricDataType	0..1	N	An Identity's biometric data.		
└ ReferenceBIR	CBEFF_BIR_Type	0..1	C	Maps to specific INCITS BIAS elements as required by that specification. Required if an Identity Claim is not provided.		

Field	Type	#	?	Meaning
↑ GalleryID	BIASIDType	0..1	C	The identifier of the gallery or population group of which the subject must be a member. Required if an Identity Claim is provided.

707 **Response Message**

Field	Type	#	?	Meaning
VerifyResponse			Y	The response to a Verify operation.
↑ VerifyResponsePackage		1	Y	
↑ ResponseStatus	ResponseStatus	1	Y	Returned status for the operation.
↑ Return	ReturnCode	1	Y	The return code indicates the return status of the operation.
↑ Message	string	0..1	N	A short message corresponding to the return code.
↑ ReturnData	IdentifySubjectResultType <div style="border: 1px solid black; padding: 5px;"> Description: A base type for all types that could be returned from the IdentifySubject operation </div> InformationType	0..1	N	Contains the output data for the response.
↑ Match	boolean	0..1	N	Indicates if the Input BIR matched either the biometric information associated with the Identity Claim or the Reference BIR.
↑ Score	Score	0..1	N	The score if the biometric information matched.


708

709 5 Message structure and rules

710 BIAS operations and data elements are defined in XML in the INCITS 422 BIAS standard. This OASIS
711 standard further specifies the full XML schema (see Annex A) and specifies how this XML is packaged
712 and exchanged as SOAP messages.

713 SOAP 1.1 messages consist of three elements: an envelope, header data, and a message body. BIAS
714 request-response elements MUST be enclosed within the SOAP message body. The general structure of
715 the BIAS SOAP message is shown in Figure 4, below. The data model for BIAS is addressed in Section 3
716 and BIAS messages in Section 4.

717



718
719 **Figure 4. BIAS SOAP Structure**
720

721 Biometric data, regardless of native format, is carried as a binary structure. As such, options exist on how
722 this data is carried within the SOAP structure. It can be carried as embedded Base-64 objects or [XOP]
723 can be used – this standard allows for either method (See section 5.3).

724 5.1 Purpose and constraints

725 This document defines a SOAP profile describing how the XML elements defined in INCITS 442 are to be
726 used as the payload of a SOAP message and the rules for structuring and exchanging such messages.
727 Philosophical tenets include:

- 728 • SOAP messages will carry BIAS XML [XML10] payloads.
- 729 • SOAP messages will follow WS-I and will deviate only when absolutely necessary.
- 730 • Message structures and interchanges will be kept as simple as possible – “nice to have”
731 features will be addressed in future revisions.
- 732 • XML schemas will be produced based on INCITS 442.
- 733 • BIAS will support a broad range of application domains.
- 734 • BIAS will allow for a variety of biometric and biographic data formats to be used
- 735 • Only the SOAP messaging will be defined – no message protocols or client/server agents
736 will be defined.


- 737 • Basic usage/formatting rules (beyond WS-I) will be defined.
 738 • Existing biometric and Web services standards will be leveraged wherever possible.
 739 • Sample WSDL and use cases will be provided as an aid in implementation.
 740 • Use of basic SOAP will allow all other compatible WS* standards (and discovery
 741 mechanisms) to be used in conjunction with BIAS messaging.
 742 • BIAS will support both secure (i.e., using existing security mechanisms such as WS-
 743 Security, SAML, etc.) and non-secure implementations.
 744 • Generic biometric operations will be defined – use of biometrics within a Web services
 745 authentication protocol is not addressed.
 746 • OASIS namespace rules will be followed, though some external schemas MAY also be
 747 referenced.

748 **5.2 Message requirements**

749 BIAS SOAP messages MUST conform to [WS-I-Basic] and [WS-I-Bind]. A single BIAS SOAP message
 750 MUST contain only one BIAS service request (or single BIAS service response). Binary components of
 751 BIAS messages are already Base-64 encoded and therefore do not need to be conveyed as SOAP
 752 attachments (though XOP MAY be utilized).

753 The system model used for BIAS conversations over SOAP is a simple request-response model. BIAS
 754 comprises both synchronous and asynchronous operations, with the majority being of the former type.
 755 Asynchronous operations are implemented through message pairs. That is, there are separate messages
 756 to request the operation and to request the results of the operation. These have been defined for those
 757 operations that are likely to take significant time to complete. For example, an identify operation can be
 758 implemented as either a synchronous or asynchronous service as follows:

759



760 **Figure 5. Example of Synchronous and Asynchronous BIAS Operations**

761 The basic process for using SOAP for BIAS operations is:

- 764 1. A system entity acting as a BIAS requester transmits a BIAS request element within the body of a
 765 SOAP message to a system entity acting as a BIAS responder. The BIAS requester MUST NOT
 766 include more than one BIAS request per SOAP message or include any additional XML elements
 767 in the SOAP body.
- 768 2. The BIAS responder MUST return either a BIAS response element within the body of another
 769 SOAP message or generate a SOAP fault. The BIAS responder MUST NOT include more than
 770 one BIAS response per SOAP message or include any additional XML elements in the SOAP
 771 body. If a BIAS responder cannot, for some reason, process a BIAS request, it MUST generate a
 772 SOAP fault. (SOAP 1.1 faults and fault codes are discussed in [SOAP11] section 5.1.)
- 773 3. On receiving a BIAS response in a SOAP message, the BIAS requester MUST NOT send a fault
 774 code or other error messages to the BIAS responder. Since the format for the message

775 interchange is a simple request-response pattern, adding additional items such as error
776 conditions would needlessly complicate the protocol.

777 SOAP 1.1 also defines an optional data encoding system. This system is not used within the BIAS SOAP
778 binding. This means that BIAS messages can be transported using SOAP without re-encoding from the
779 "standard" BIAS schema to one based on the SOAP encoding.

780 NOTE: [SOAP11] references an early draft of the XML Schema specification including an
781 obsolete namespace. BIAS requesters SHOULD generate SOAP documents referencing only the
782 final XML schema namespace. BIAS responders MUST be able to process both the XML schema
783 namespace used in [SOAP11] as well as the final XML schema namespace.

784 **5.3 Handling binary data**

785 BIAS messages frequently contain binary data (e.g., biometric data, scanned identity documents, etc.).
786 Two methods are provided for dealing with this:

- 787 • Embedded Base64 encoding
- 788 • XOP [XOP]

789 Use of SOAP with Attachments (SWA) is deprecated.

790 **5.3.1 Base64 encoding**

791 This method is the default method for including binary data. Binary data is Base64 encoded and included
792 between the tags in the XML SOAP body for the appropriate data elements. Data elements using this
793 method are indicated as such in the schema.

794 As an example, the CBEFF_BIR_Type includes, as one of the BIR types, BinaryBIR of type
795 base64binary.

796 <xsd:element name="BinaryBIR" type="xs:base64Binary" />

797 However, even an XML_BIR as defined within [CBEFF] Part 3, contains a biometric data block (BDB)
798 which may be entirely binary (most common),

801 <xs:element name="bdb" type="xs:base64Binary" minOccurs="0" />

802 or contain an element which is binary (e.g., an image within an XML BDB).

805 **5.3.2 Use of XOP**

806 When XOP is used, the binary content is replaced with a reference (URI) to an attachment (i.e., MIME)
807 which contains that "stripped" content via an xop:include. The advantage of this method is overall
808 message size during transmission since the overhead of the embedded Base64 is not present (since the
809 MIME attachment contains the native binary format).

810 Use of XOP is generally transparent to the developer, other than in how they configure their toolset. Most
811 frameworks support this; however, there is a possibility of mismatch if the transmitter supports and uses
812 XOP but the receiver does not.

813 **5.4 Discovery**

814 BIAS implementers (service providers) MUST provide WSDL [WSDL11] to describe their
815 implementations. This WSDL MAY or may not be made public via a standard discovery mechanism
816 (such as UDDI) or other method.

817 In addition, it is REQUIRED that the BIAS implementation include the [QueryCapabilities](#) operation to
818 provide dynamic information regarding BIAS capabilities, options, galleries, etc. that are supported.

819 **5.5 Identifying operations**

820 Receivers of BIAS SOAP messages require a method of easily identifying the operation being requested
821 (or response being provided). This SHOULD be possible without the receiver needing to infer it from the
822 sum of the elements provided within the body of the SOAP message. The BIAS SOAP profile allows for
823 two methods of identifying BIAS operations:

- 824
 - 824 • Explicit named element in body of the SOAP message
 - 825 • Use of WS-Addressing Action element

826 **5.5.1 Operation name element**

827 The BIAS message sender (requester) will include within the body of the BIAS SOAP message an XML
828 element <BIASOperationName>. The receiver (service provider) can search for this tag within a received
829 BIAS SOAP message to determine what operation is being requested. There is no requirement related to
830 the ordering of this element within the message, though it is RECOMMENDED that it be included early in
831 the message to aid in human readability.

832 An example of this method for the CreateSubject operation is shown below:

833

```
834 POST /bias HTTP/1.1
835 Host: www.acme.com
836 Content-Type: application/soap+xml; charset="utf-8"
837 Content-Length: nnnn
838 SOAPAction: ""
839 <?xml version="1.0"?>
840 <soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
841   <soap:Body>
842     <tns:CreateSubjectRequest
843       xmlns:tns="http://docs.oasis-open.org/bias/bias-1.0/">
844       <tns:GenericRequestParameters>
845         <tns:Application>BIAS Application</tns:Application>
846         <tns:ApplicationUser>BIAS User</tns:ApplicationUser>
847         <tns:BIASOperationName>CreateSubject</tns:BIASOperationName>
848     </tns:GenericRequestParameters>
849     <tns:Identity>
850       <tns:SubjectID>123456789</tns:SubjectID>
851     </tns:Identity>
852   </tns:CreateSubjectRequest>
853 </soap:Body>
854 </soap:Envelope>
```

856 **5.5.2 WS-Addressing Action**

857 WS-Addressing [[WS-Addr](#)] provides a mechanism for including action information inside any SOAP
858 message. The information is in the SOAP Header. The WS-Addressing 'Action' element is used to
859 indicate the intent of the message. The value is a URI/IRI identifying that intent; however, there are no
860 restrictions on the format or specificity of the URI/IRI nor a requirement that it can be resolved. Adoption
861 of this option also requires that the WS-Addressing 'To', 'ReplyTo', and 'MessageID' elements are
862 supplied, as they are mandatory elements in a request-reply message pattern as used within BIAS.

863 Response messages would also need to use WS-Addressing, requiring the 'To' (matching the 'ReplyTo' element in the request), 'RelatesTo' (matching the 'MessageID' element in the request), and 'RelationshipType' (default value to "wsa:Reply") elements.

866 Use of WS-Addressing is OPTIONAL in this profile as is this method of using the 'Action' field for this purpose. However, when BIAS is used within an environment using WS-Addressing, it is RECOMMENDED that this approach for use of the 'Action' field to carry the BIAS operation name is employed, either alone or in combination with the BIASOperationName approach described in section 870 5.4.1.

871 An example for a message request for the CreateSubject operation would look like the following:

872

```
873     POST /bias HTTP/1.1
874     Host: www.acme.com
875     Content-Type: application/soap+xml; charset="utf-8"
876     Content-Length: nnnn
877     SOAPAction: ""
878
879     <?xml version="1.0"?>
880     <soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope"
881             xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addr
882             essing">
883         <soap:Header>
884             <wsa:MessageID>some-ID</wsa:MessageID>
885             <wsa:ReplyTo>
886                 <wsa:Address>response-URI</wsa:Address>
887             </wsa:ReplyTo>
888             <wsa:To>destination-URI</wsa:To>
889             <wsa:Action>CreateSubject</wsa:Action>
890         </soap:Header>
891         <soap:Body>
892             <tns>CreateSubjectRequest
893                 xmlns:tns="http://docs.oasis-
894                 open.org/bias/bias-1.0/" />
895             </soap:Body>
896         </soap:Envelope>
```

897 5.6 Security

898 The end-points that exchange SOAP messages (or handle the contents of the BIAS operations) are 899 expected to be protected and trusted such that message-level security mechanisms may not be required. 900 The use of SSL (HTTPS) or VPN technology that provides end-point to end-point security is 901 RECOMMENDED and MAY be sufficient in some cases. Other mechanisms such as Signed XML or 902 WSS [WSS] could also be implemented.

903 Unless stated otherwise, the following security statements apply to all BIAS bindings.

904 5.6.1 Use of SSL 3.0 or TLS 1.0

905 Unless otherwise specified, in any BIAS binding's use of SSL 3.0 [SSL3] or TLS1.0 [RFC2246], servers 906 MUST authenticate clients using a X.509 v3 certificate [X509]. The client MUST establish server identity

907 based on contents of the certificate (typically through examination of the certificate's subject DN field,
908 subjectAltName attribute, etc.).
909 Use of transport level security in the form of SSL or TLS is OPTIONAL but highly RECOMMENDED. Use
910 of these mechanisms alone may not be sufficient for end-to-end integrity and confidentiality, however
911 (see 5.5.3 and 5.5.4 below).

912 **5.6.2 Data Origin Authentication**

913 Authentication of both the BIAS requester and the BIAS responder associated with a message is
914 OPTIONAL and depends on the environment of use: Authentication mechanisms available at the SOAP
915 message exchange layer or from the underlying substrate protocol (for example, in many bindings the
916 SSL/TLS or HTTP protocol) MAY be utilized to provide data origin authentication.
917 Transport authentication will not meet end-to-end origin authentication requirements in bindings where
918 the BIAS SOAP message passes through an intermediary – in this case, message authentication is
919 RECOMMENDED.
920 Note that SAML [[SAML](#)] MAY be used as the mechanism for parties to authenticate to one another.

921 **5.6.3 Message Integrity**

922 Message integrity of both BIAS requests and BIAS responses is OPTIONAL and depends on the
923 environment of use. The security layer in the underlying substrate protocol or a mechanism at the SOAP
924 message exchange layer MAY be used to ensure message integrity.
925 Transport integrity will not meet end-to-end integrity requirements in bindings where the BIAS SOAP
926 message passes through an intermediary – in this case, message integrity is RECOMMENDED.

927 **5.6.4 Message Confidentiality**

928 Message confidentiality of both BIAS requests and BIAS responses is OPTIONAL and depends on the
929 environment of use. The security layer in the underlying substrate protocol or a mechanism at the SOAP
930 message exchange layer MAY be used to ensure message confidentiality.
931 Transport confidentiality will not meet end-to-end confidentiality requirements in bindings where the BIAS
932 SOAP message passes through an intermediary.
933 NOTE: Biometric and biographic data is likely to contain personal information the confidentiality of
934 which SHOULD be protected accordingly. See INCITS 442, section 6.3 for further discussion.

935 **5.6.5 CBEFF BIR security features**

936 Within BIAS, biometric data is transferred within a CBEFF BIR (as defined in ISO/IEC 19785-1). CBEFF
937 provides for the optional encryption of the Biometric Data Block (BDB) of the BIR and for the integrity of
938 the entire BIR. If implemented, this is indicated in the BIR header. The BIR structure defines an optional
939 Security Block which MAY contain a digital signature (or message authentication code), encryption
940 parameters (e.g., key name, algorithm, etc.), and/or other security related data. Such protections are
941 associated with an individual BIR and are separate from any other protections provided at the message
942 level.

943 **5.6.6 Security Considerations**

944 Before deployment, each combination of authentication, message integrity, and confidentiality
945 mechanisms SHOULD be analyzed for vulnerability in the context of the specific protocol exchange and
946 the deployment environment.
947 Special care should be given to the impact of possible caching on security.
948 IETF RFC 2617 [[RFC2617](#)] describes possible attacks in the HTTP environment when basic or message
949 digest authentication schemes are used.
950 Many of the security considerations identified in [[SAML SEC](#)] MAY also apply.

951 ISO/IEC 19092 [BIO SEC] describes a security framework for biometric systems including a minimum set
952 of security requirements addressing integrity, authenticity, and confidentiality of biometric information
953 during transmission and storage. These SHOULD be considered as part of an overall risk management
954 approach.

955 NOTE: The requirements of ISO/IEC 19092, though useful across many application domains, are
956 required for most biometric system implementations in the financial services environment.
957 Application of this standard would make the requirements of sections 5.5.3 through 5.5.5
958 mandatory rather than optional. This is highly RECOMMENDED for any high security environment
959 or where privacy concerns exist.

960 **5.6.7 Security of Stored Data**

961 This specification does not address security considerations for stored data. It is the purview of the BIAS
962 service provider to implement security mechanisms and protect data at rest as per their own security
963 policies.

964 **5.6.8 Key Management**

965 This specification does not address key management considerations with respect to implementation of
966 cryptographic security mechanisms (e.g., for authenticity, integrity, or confidentiality).

967 **5.7 Use with other WS* standards**

968 The intent of specifying SOAP bindings for BIAS messages is to enable the full range of existing Web
969 services standards to be able to be applied. Some may be normative while others can be optionally
970 applied (i.e., WS-Security, WS-Addressing). Still others may require additional profiling to be used in an
971 interoperable manner (e.g., WS-Notification); this is left to a future revision. However, the intent is to avoid
972 specifying anything in the first, base version that would preclude the use of such standards in the future.

973 **5.8 Tailoring**

974 This standard provides for a common method of implementing biometric Web services; however, it does
975 not guarantee interoperability in a specific application. In some cases further tailoring or profiling of this
976 standard may be required in order to further constrain the implementation options available.

977 NOTE: As an example, BIAS allows for a number of different biographic and biometric data formats
978 to be used, whereas a given application/domain MAY wish to limit this to a small set or just one of
979 each type. Other examples (not comprehensive) include:

- 980 • Identification of a subset of BIAS operations to be used
- 981 • Specification of security features to be implemented (e.g., SSL, CBEFF BIR encryption, etc.)
- 982 • Choice of operation name identification method
- 983 • Choice of BIR type to be used (XML, non-XML, or URI)
- 984 • Further definition of aggregate operations
- 985 • Use (or not) of the encounter model
- 986 • Use (or not) of asynchronous operations
- 987 • Process sequences
- 988 • Implementation specific values (e.g., Transform oprerations/controls)

989 6 Error handling

990 There are two levels of errors that can be returned in an error response: system and service errors.

- 991 • System-level errors occur when the implementing system cannot service a request. They could
992 result due to an internal logic error or because the implementing system does not support a
993 particular request.
- 994 • Service-level errors occur when there is a problem transmitting or representing the service
995 request. They could result due to an invalid service request or because of a communications
996 error.

997 The INCITS BIAS standard defines the error condition codes for system-level errors.

- 998 • If successful, a response message (containing a return code) will be generated.
999 • If unsuccessful, a SOAP fault message (containing a fault code) will be generated.

1000 6.1 BIAS operation return codes

1001 If a BIAS operation is successful, a response (service output) will be sent to the requester by the service
1002 provider. Each response message contains a response status (see section 3.2.37) and return code (see
1003 section 3.2.38) along with any response data as defined for that operation, if any. A response code of '0'
1004 indicates success.

1005 6.2 SOAP fault codes

1006 If a BIAS operation is unsuccessful, no BIAS response message is sent. Instead a SOAP fault message
1007 is returned.

1008 Every Web service (operation) described in the BIAS WSDL may result in a fault message that will be
1009 returned in the response by the service provider in the event of an error. The fault message contains a
1010 FaultCode element as defined by the SOAP 1.1 specification (see section 3.2.5). The fault message
1011 MUST contain a Detail element in a common format, as described by the BIASFault element (see section
1012 3.2.6).

1013 The schema provided in Annex A defines "BIASFaultCode" and "BIASFaultDetail" types as well as
1014 "BIASFault", "BIASFaultType", "BIASFaultMessage" and "BIASFaultDescription" elements.

1015 The list of defined BIAS fault codes is provided in section 3.2.5. Note that BIAS service providers MAY
1016 define additional fault codes unique to their service.

1017 NOTE: See also section 5.2 for additional information on message returns and faults.

1018

7 Conformance

1019 Implementations claiming conformance to this standard, MUST implement, at a minimum, all mandatory
1020 requirements and provisions set forth in Clauses 3, 4, 5 and 6. If such implementations claim
1021 conformance to any OPTIONAL requirements and provisions stated in Clauses 3, 4, 5 and 6, these
1022 requirements and provisions MUST be implemented as set forth in these Clauses.

1023 INCITS 442 [[INCIS-BIAS](#)] (Annex A) specifies five BIAS conformance classes. For each class, a set of
1024 mandatory BIAS operations is identified in order for implementations (BIAS service providers) to claim
1025 conformance. These categories are:

- 1026 • Class 1: Full Primitive Services Implementation
- 1027 • Class 2: Full Aggregate Services Implementation
- 1028 • Class 3: Limited Primitive Services Implementation
- 1029 • Class 4: Minimum Primitive Services Implementation
- 1030 • Class 5: Minimum Aggregate Services Implementation

1031 In addition, the minimum capability information to be returned in response to a Query Capabilities request
1032 (the only mandatory BIAS operation across all 5 classes) is specified for each class.

1033 These conformance classes and their associated requirements apply to this BIAS SOAP Profile.

1034 There are no minimum set of operations required to be implemented by BIAS requesters; however, any
1035 operations implemented must conform to the requirements of Clauses 3 and 4 and those requirements
1036 within Clause 5 that are mandatory and are not specific to BIAS responders.

1037 Annex A. XML Schema

```
1038 <?xml version="1.0" encoding="UTF-8"?>
1039 <!--
1040   Document : BIAS.xml
1041   Created on : December 17, 2009, 9:31 AM
1042   Last Edit : October 1, 2010 by Kevin Mangold, National Institute of Standards and Technology
1043   Description:
1044     This document represents the WSDL definitions of BIAS Profile.
1045 -->
1046 <wsdl:definitions
1047   xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
1048   xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
1049   xmlns:http="http://schemas.xmlsoap.org/wsdl/http/"
1050   xmlns:xsd="http://www.w3.org/2001/XMLSchema"
1051   xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"
1052   xmlns:mime="http://schemas.xmlsoap.org/wsdl/mime/"
1053   xmlns:iso-iec19785-3-7="urn:oid:1.1.19785.0.257.1.7.0"
1054   xmlns:tns="http://docs.oasis-open.org/bias/ns/bias-1.0/"
1055   targetNamespace="http://docs.oasis-open.org/bias/ns/bias-1.0/">
1056
1057 <wsdl:types>
1058   <xsd:schema elementFormDefault="qualified" targetNamespace="http://docs.oasis-open.org/bias/ns/bias-1.0/">
1059     <xsd:import namespace="urn:oid:1.1.19785.0.257.1.7.0" schemaLocation="cbeff.xsd" />
1060     <xsd:complexType name="AggregateRequestTemplate">
1061       <xsd:annotation>
1062         <xsd:documentation>Base template for BIAS aggregate service requests.</xsd:documentation>
1063       </xsd:annotation>
1064       <xsd:complexContent>
1065         <xsd:extension base="tns:RequestTemplate">
1066           <xsd:sequence>
1067             <xsd:element name="ProcessingOptions" type="tns:ProcessingOptionsType" minOccurs="1" maxOccurs="1">
1068               <xsd:annotation>
1069                 <xsd:documentation>Options that guide how the aggregate service request is
1070 processed.</xsd:documentation>
1071               </xsd:annotation>
1072             </xsd:element>
1073             <xsd:element name="InputData" type="tns:InformationType" minOccurs="1" maxOccurs="1">
1074               <xsd:annotation>
```

```

1075      <xsd:documentation>Contains the input data for the aggregate service request.</xsd:documentation>
1076      </xsd:annotation>
1077      </xsd:element>
1078      </xsd:sequence>
1079      </xsd:extension>
1080      </xsd:complexContent>
1081  </xsd:complexType>
1082  <xsd:complexType name="AggregateResponseTemplate">
1083      <xsd:annotation>
1084          <xsd:documentation>Base template for BIAS aggregate service responses.</xsd:documentation>
1085      </xsd:annotation>
1086      <xsd:complexContent>
1087          <xsd:extension base="tns:ResponseTemplate">
1088              <xsd:sequence>
1089                  <xsd:element name="ReturnData" type="tns:InformationType" minOccurs="0" maxOccurs="1">
1090                      <xsd:annotation>
1091                          <xsd:documentation>Contains the output data for the aggregate service response.</xsd:documentation>
1092                      </xsd:annotation>
1093                  </xsd:element>
1094                  </xsd:sequence>
1095          </xsd:extension>
1096      </xsd:complexContent>
1097  </xsd:complexType>
1098  <xsd:simpleType name="ApplicationIdentifier">
1099      <xsd:annotation>
1100          <xsd:documentation>Identifies an application.</xsd:documentation>
1101      </xsd:annotation>
1102      <xsd:restriction base="xsd:string">
1103          <xsd:minLength value="1"/>
1104          <xsd:maxLength value="255"/>
1105      </xsd:restriction>
1106  </xsd:simpleType>
1107  <xsd:simpleType name="ApplicationUserIdentifier">
1108      <xsd:annotation>
1109          <xsd:documentation>Identifies an application user or instance.</xsd:documentation>
1110      </xsd:annotation>
1111      <xsd:restriction base="xsd:string">
1112          <xsd:minLength value="1"/>
1113          <xsd:maxLength value="255"/>
1114      </xsd:restriction>

```

```

1115    </xsd:simpleType>
1116    <xsd:complexType name="BIASBiometricDataType">
1117        <xsd:annotation>
1118            <xsd:documentation>Wraps the various BIAS biometric types.</xsd:documentation>
1119        </xsd:annotation>
1120        <xsd:sequence>
1121            <xsd:element name="BIRList" type="tns:CBEFF_BIR_ListType" minOccurs="0" maxOccurs="1">
1122                <xsd:annotation>
1123                    <xsd:documentation>A list of CBEFF-BIR elements.</xsd:documentation>
1124                </xsd:annotation>
1125            </xsd:element>
1126            <xsd:element name="BIR" type="tns:CBEFF_BIR_Type" minOccurs="0" maxOccurs="1">
1127                <xsd:annotation>
1128                    <xsd:documentation>Contains biometric information in either a non-XML and an XML
1129 representation.</xsd:documentation>
1130                </xsd:annotation>
1131            </xsd:element>
1132            <xsd:element name="InputBIR" type="tns:CBEFF_BIR_Type" minOccurs="0" maxOccurs="1">
1133                <xsd:annotation>
1134                    <xsd:documentation>Maps to specific INCITS BIAS elements as required by that
1135 specification.</xsd:documentation>
1136                </xsd:annotation>
1137            </xsd:element>
1138            <xsd:element name="ReferenceBIR" type="tns:CBEFF_BIR_Type" minOccurs="0" maxOccurs="1">
1139                <xsd:annotation>
1140                    <xsd:documentation>Maps to specific INCITS BIAS elements as required by that
1141 specification.</xsd:documentation>
1142                </xsd:annotation>
1143            </xsd:element>
1144            <xsd:element name="BiometricDataList" type="tns:BiometricDataListType" minOccurs="0" maxOccurs="1">
1145                <xsd:annotation>
1146                    <xsd:documentation>A list of biometric data elements.</xsd:documentation>
1147                </xsd:annotation>
1148            </xsd:element>
1149        </xsd:sequence>
1150    </xsd:complexType>
1151    <xsd:simpleType name="BIASFaultCode">
1152        <xsd:annotation>
1153            <xsd:documentation> </xsd:documentation>
1154        </xsd:annotation>
1155        <xsd:restriction base="xsd:string">

```

```
1156    <xsd:enumeration value="UNKNOWN_ERROR">
1157        <xsd:annotation>
1158            <xsd:documentation>The service failed for an unknown reason.</xsd:documentation>
1159        </xsd:annotation>
1160    </xsd:enumeration>
1161    <xsd:enumeration value="UNSUPPORTED_CAPABILITY">
1162        <xsd:annotation>
1163            <xsd:documentation>A requested capability is not supported by the service
1164 implementation.</xsd:documentation>
1165        </xsd:annotation>
1166    </xsd:enumeration>
1167    <xsd:enumeration value="INVALID_INPUT">
1168        <xsd:annotation>
1169            <xsd:documentation>The data in a service input parameter is invalid.</xsd:documentation>
1170        </xsd:annotation>
1171    </xsd:enumeration>
1172    <xsd:enumeration value="BIR_QUALITY_ERROR">
1173        <xsd:annotation>
1174            <xsd:documentation>Biometric sample quality is too poor for the service to succeed.</xsd:documentation>
1175        </xsd:annotation>
1176    </xsd:enumeration>
1177    <xsd:enumeration value="INVALID_BIR">
1178        <xsd:annotation>
1179            <xsd:documentation>The input BIR is empty or in an invalid or unrecognized format.</xsd:documentation>
1180        </xsd:annotation>
1181    </xsd:enumeration>
1182    <xsd:enumeration value="BIR_SIGNATURE_FAILURE">
1183        <xsd:annotation>
1184            <xsd:documentation>The service could not validate the signature, if used, on the input
1185 BIR.</xsd:documentation>
1186        </xsd:annotation>
1187    </xsd:enumeration>
1188    <xsd:enumeration value="BIR_DECRYPTION_FAILURE">
1189        <xsd:annotation>
1190            <xsd:documentation>The service could not decrypt an encrypted input BIR.</xsd:documentation>
1191        </xsd:annotation>
1192    </xsd:enumeration>
1193    <xsd:enumeration value="INVALID_ENCOUNTER_ID">
1194        <xsd:annotation>
1195            <xsd:documentation>The input encounter ID is empty or in an invalid format.</xsd:documentation>
```

```
1196      </xsd:annotation>
1197    </xsd:enumeration>
1198    <xsd:enumeration value="INVALID SUBJECT_ID">
1199      <xsd:annotation>
1200        <xsd:documentation>The input subject ID is empty or in an invalid format.</xsd:documentation>
1201      </xsd:annotation>
1202    </xsd:enumeration>
1203    <xsd:enumeration value="UNKNOWN SUBJECT">
1204      <xsd:annotation>
1205        <xsd:documentation>The subject referenced by the input subject ID does not exist.</xsd:documentation>
1206      </xsd:annotation>
1207    </xsd:enumeration>
1208    <xsd:enumeration value="UNKNOWN GALLERY">
1209      <xsd:annotation>
1210        <xsd:documentation>The gallery referenced by the input gallery ID does not exist.</xsd:documentation>
1211      </xsd:annotation>
1212    </xsd:enumeration>
1213    <xsd:enumeration value="UNKNOWN ENCOUNTER">
1214      <xsd:annotation>
1215        <xsd:documentation>The encounter referenced by the input encounter ID does not
1216 exist.</xsd:documentation>
1217      </xsd:annotation>
1218    </xsd:enumeration>
1219    <xsd:enumeration value="UNKNOWN BIOGRAPHIC FORMAT">
1220      <xsd:annotation>
1221        <xsd:documentation>The biographic data format is not known or not supported.</xsd:documentation>
1222      </xsd:annotation>
1223    </xsd:enumeration>
1224    <xsd:enumeration value="UNKNOWN IDENTITY CLAIM">
1225      <xsd:annotation>
1226        <xsd:documentation>The identity referenced by the input identity claim does not exist.</xsd:documentation>
1227      </xsd:annotation>
1228    </xsd:enumeration>
1229    <xsd:enumeration value="INVALID IDENTITY CLAIM">
1230      <xsd:annotation>
1231        <xsd:documentation>The identity claim requested is already in use.</xsd:documentation>
1232      </xsd:annotation>
1233    </xsd:enumeration>
1234    <xsd:enumeration value="NONEXISTANT DATA">
1235      <xsd:annotation>
```

```
1236      <xsd:documentation>The data requested for deletion does not exist.</xsd:documentation>
1237      </xsd:annotation>
1238      </xsd:enumeration>
1239      </xsd:restriction>
1240      </xsd:simpleType>
1241      <xsd:complexType name="BIASFaultDetail">
1242          <xsd:annotation>
1243              <xsd:documentation>Defines the error information associated with a SOAP fault.</xsd:documentation>
1244          </xsd:annotation>
1245          <xsd:sequence>
1246              <xsd:element minOccurs="1" maxOccurs="1" name="BIASFaultType" type="tns:BIASFaultCode">
1247                  <xsd:annotation>
1248                      <xsd:documentation>References an error code.</xsd:documentation>
1249                  </xsd:annotation>
1250              </xsd:element>
1251              <xsd:element minOccurs="1" maxOccurs="1" name="BIASFaultMessage" type="xsd:string">
1252                  <xsd:annotation>
1253                      <xsd:documentation>Provides an explanation of the fault.</xsd:documentation>
1254                  </xsd:annotation>
1255              </xsd:element>
1256              <xsd:element minOccurs="0" maxOccurs="1" name="BIASFaultDescription" type="xsd:string">
1257                  <xsd:annotation>
1258                      <xsd:documentation>Provides detailed information about a BIAS fault, such as trace
1259 details.</xsd:documentation>
1260                  </xsd:annotation>
1261              </xsd:element>
1262          </xsd:sequence>
1263      </xsd:complexType>
1264      <xsd:complexType name="BIASIdentity">
1265          <xsd:annotation>
1266              <xsd:documentation>
1267                  Defines a single element for encapsulating the data associated
1268                  with an Identity. Includes the Identity's reference identifiers,
1269                  biographic data, and biometric data.
1270              </xsd:documentation>
1271          </xsd:annotation>
1272          <xsd:sequence>
1273              <xsd:element name="SubjectID" type="tns:BIASIDType" minOccurs="0" maxOccurs="1">
1274                  <xsd:annotation>
1275                      <xsd:documentation>A system unique identifier for a subject.</xsd:documentation>
```

```

1276      </xsd:annotation>
1277      </xsd:element>
1278      <xsd:element name="IdentityClaim" type="tns:BIASIDType" minOccurs="0" maxOccurs="1">
1279          <xsd:annotation>
1280              <xsd:documentation>An identifier by which a subject is known to a particular gallery or population
1281 group.</xsd:documentation>
1282          </xsd:annotation>
1283      </xsd:element>
1284      <xsd:element name="EncounterID" type="tns:BIASIDType" minOccurs="0" maxOccurs="1">
1285          <xsd:annotation>
1286              <xsd:documentation>The identifier of an encounter associated with the subject, required for encounter-
1287 centric models.</xsd:documentation>
1288          </xsd:annotation>
1289      </xsd:element>
1290      <xsd:element name="EncounterList" type="tns:EncounterListType" minOccurs="0" maxOccurs="1">
1291          <xsd:annotation>
1292              <xsd:documentation>A list of encounters associated with a subject.</xsd:documentation>
1293          </xsd:annotation>
1294      </xsd:element>
1295      <xsd:element name="BiographicData" type="tns:BiographicDataType" minOccurs="0" maxOccurs="1">
1296          <xsd:annotation>
1297              <xsd:documentation>An Identity's biographic data.</xsd:documentation>
1298          </xsd:annotation>
1299      </xsd:element>
1300      <xsd:element name="BiographicDataElements" type="tns:BiographicDataType" minOccurs="0" maxOccurs="1">
1301          <xsd:annotation>
1302              <xsd:documentation>An Identity's biographic data elements that are stored in the implementing
1303 system.</xsd:documentation>
1304          </xsd:annotation>
1305      </xsd:element>
1306      <xsd:element name="BiometricData" type="tns:BIASBiometricDataType" minOccurs="0" maxOccurs="1">
1307          <xsd:annotation>
1308              <xsd:documentation>An Identity's biometric data.</xsd:documentation>
1309          </xsd:annotation>
1310      </xsd:element>
1311  </xsd:sequence>
1312 </xsd:complexType>
1313 <xsd:simpleType name="BIASIDType">
1314     <xsd:annotation>
1315         <xsd:documentation>A BIAS identifier</xsd:documentation>
1316     </xsd:annotation>

```

```

1317    <xsd:restriction base="xsd:string"/>
1318  </xsd:simpleType>
1319  <xsd:complexType name="BiographicDataItemType">
1320    <xsd:annotation>
1321      <xsd:documentation>Defines a single biographic data element.</xsd:documentation>
1322    </xsd:annotation>
1323    <xsd:sequence>
1324      <xsd:element name="Name" type="xsd:string" minOccurs="1" maxOccurs="1">
1325        <xsd:annotation>
1326          <xsd:documentation>The name of the biographic data item.</xsd:documentation>
1327        </xsd:annotation>
1328      </xsd:element>
1329      <xsd:element name="Type" type="xsd:string" minOccurs="1" maxOccurs="1">
1330        <xsd:annotation>
1331          <xsd:documentation>The data type for the biographic data item.</xsd:documentation>
1332        </xsd:annotation>
1333      </xsd:element>
1334      <xsd:element name="Value" type="xsd:string" minOccurs="0" maxOccurs="1">
1335        <xsd:annotation>
1336          <xsd:documentation>The value assigned to the biographic data item.</xsd:documentation>
1337        </xsd:annotation>
1338      </xsd:element>
1339    </xsd:sequence>
1340  </xsd:complexType>
1341  <xsd:complexType name="BiographicDataSetType">
1342    <xsd:annotation>
1343      <xsd:documentation>Defines a set of biographic data that is formatted according to the specified
1344      format.</xsd:documentation>
1345    </xsd:annotation>
1346    <xsd:sequence>
1347      <xsd:element name="name" type="xsd:string" minOccurs="1" maxOccurs="1">
1348        <xsd:annotation>
1349          <xsd:documentation>The name of the biographic data format. Use these names for common formats: FBI-
1350          EFTS, FBI-EBTS, DOD-EBTS, INT-I, NIEM, xNAL, HR-XML.</xsd:documentation>
1351        </xsd:annotation>
1352      </xsd:element>
1353      <xsd:element name="version" type="xsd:string" minOccurs="0" maxOccurs="1">
1354        <xsd:annotation>
1355          <xsd:documentation>The version of the biographic data format (e.g., "7.1" for FBI-EFTS or "2.0" for
1356          NIEM).</xsd:documentation>
1357        </xsd:annotation>

```

```

1358    </xsd:element>
1359    <xsd:element name="source" type="xsd:string" minOccurs="1" maxOccurs="1">
1360        <xsd:annotation>
1361            <xsd:documentation>Reference to a URI/IRI describing the biographic data format. For example: (FBI-EFTS)
1362            www.fbibiospecs.org, (DOD-EBTS) www.biometrics.dod.mil, (INT-I) www.interpol.int, (NIEM) www.niem.gov, (xNAL)
1363            www.oasis-open.org, (HR-XML) www.hr-xml.org.</xsd:documentation>
1364        </xsd:annotation>
1365    </xsd:element>
1366    <xsd:element name="type" type="xsd:string" minOccurs="1" maxOccurs="1">
1367        <xsd:annotation>
1368            <xsd:documentation>The biographic data format type. Use these types for common formats: ASCII (e.g., for
1369            non-XML versions of FBI-EFTS, FBI-EBTS, DOD-EFTS, or INT-I), XML (e.g., for NIEM, xNAL, and HR-XML or future version
1370            of FBI-EBTS).</xsd:documentation>
1371        </xsd:annotation>
1372    </xsd:element>
1373    <xsd:any namespace="##any">
1374        <xsd:annotation>
1375            <xsd:documentation>Biographic data formatted according to a specific format.</xsd:documentation>
1376        </xsd:annotation>
1377    </xsd:any>
1378    </xsd:sequence>
1379    </xsd:complexType>
1380    <xsd:complexType name="BiographicDataType">
1381        <xsd:annotation>
1382            <xsd:documentation>
1383                Defines a set of biographic data elements, utilizing either the
1384                BiographicDataItemType to represent a list of elements or the
1385                BiographicDataSetType to represent a complete, formatted set of
1386                biographic information.
1387            </xsd:documentation>
1388        </xsd:annotation>
1389        <xsd:sequence>
1390            <xsd:element name="LastName" type="xsd:string" minOccurs="0" maxOccurs="1">
1391                <xsd:annotation>
1392                    <xsd:documentation>The last name of a subject.</xsd:documentation>
1393                </xsd:annotation>
1394            </xsd:element>
1395            <xsd:element name="FirstName" type="xsd:string" minOccurs="0" maxOccurs="1">
1396                <xsd:annotation>
1397                    <xsd:documentation>The first name of a subject.</xsd:documentation>
1398                </xsd:annotation>

```

```

1399    </xsd:element>
1400    <xsd:element name="BiographicDataItems">
1401        <xsd:complexType>
1402            <xsd:sequence>
1403                <xsd:element name="BiographicDataItem" type="tns:BiographicDataItemType" maxOccurs="unbounded">
1404                    <xsd:annotation>
1405                        <xsd:documentation>A single biographic data element.</xsd:documentation>
1406                    </xsd:annotation>
1407                </xsd:element>
1408            </xsd:sequence>
1409        </xsd:complexType>
1410    </xsd:element>
1411    <xsd:element name="BiographicDataSet" type="tns:BiographicDataSetType" maxOccurs="1">
1412        <xsd:annotation>
1413            <xsd:documentation>A set of biographic data information.</xsd:documentation>
1414        </xsd:annotation>
1415    </xsd:element>
1416    </xsd:sequence>
1417 </xsd:complexType>
1418 <xsd:complexType name="BiometricDataElementType">
1419     <xsd:annotation>
1420         <xsd:documentation>
1421             Provides descriptive information about biometric data, such as
1422             the biometric type, subtype, and format, contained in the BDB of
1423             the CBEFF-BIR.
1424         </xsd:documentation>
1425     </xsd:annotation>
1426     <xsd:sequence>
1427         <xsd:element name="BiometricType" type="iso-iec19785-3-7:MultipleTypesType" minOccurs="1"
1428         maxOccurs="1">
1429             <xsd:annotation>
1430                 <xsd:documentation>The type of biological or behavioral data stored in the biometric record, as defined by
1431                 CBEFF.</xsd:documentation>
1432             </xsd:annotation>
1433         </xsd:element>
1434         <xsd:element name="BiometricTypeCount" type="xsd:positiveInteger" minOccurs="0" maxOccurs="1">
1435             <xsd:annotation>
1436                 <xsd:documentation>The number of biometric records having the biometric type recorded in the biometric
1437                 type field.</xsd:documentation>
1438             </xsd:annotation>
1439         </xsd:element>

```

```

1440      <xsd:element name="BiometricSubType" type="iso-iec19785-3-7:SubtypeType" minOccurs="0" maxOccurs="1">
1441          <xsd:annotation>
1442              <xsd:documentation>More specifically defines the type of biometric data stored in the biometric record, as
1443 defined by CBEFF.</xsd:documentation>
1444          </xsd:annotation>
1445      </xsd:element>
1446      <xsd:element name="BDBFormatOwner" type="xsd:positiveInteger" minOccurs="1" maxOccurs="1">
1447          <xsd:annotation>
1448              <xsd:documentation>Identifies the standards body, working group, industry consortium, or other CBEFF
1449 biometric organization that has defined the format for the biometric data.</xsd:documentation>
1450          </xsd:annotation>
1451      </xsd:element>
1452      <xsd:element name="BDBFormatType" type="xsd:positiveInteger" minOccurs="1" maxOccurs="1">
1453          <xsd:annotation>
1454              <xsd:documentation>Identifies the specific biometric data format specified by the CBEFF biometric
1455 organization recorded in the BDB Format Owner field.</xsd:documentation>
1456          </xsd:annotation>
1457      </xsd:element>
1458  </xsd:sequence>
1459 </xsd:complexType>
1460 <xsd:complexType name="BiometricDataListType">
1461     <xsd:annotation>
1462         <xsd:documentation>A list of biometric data elements.</xsd:documentation>
1463     </xsd:annotation>
1464     <xsd:sequence>
1465         <xsd:element name="BiometricDataElement" type="tns:BiometricDataElementType" minOccurs="0"
1466 maxOccurs="unbounded">
1467             <xsd:annotation>
1468                 <xsd:documentation>Data structure containing information about a biometric record.</xsd:documentation>
1469             </xsd:annotation>
1470         </xsd:element>
1471     </xsd:sequence>
1472 </xsd:complexType>
1473 <xsd:complexType name="CandidateListType">
1474     <xsd:annotation>
1475         <xsd:documentation>
1476             Defines a set of candidates, utilizing the Candidate Type to
1477             represent each element in the set.
1478         </xsd:documentation>
1479     </xsd:annotation>
1480     <xsd:sequence>

```

```

1481    <xsd:element name="Candidate" type="tns:CandidateType" minOccurs="0" maxOccurs="unbounded">
1482        <xsd:annotation>
1483            <xsd:documentation>A single candidate.</xsd:documentation>
1484        </xsd:annotation>
1485    </xsd:element>
1486    </xsd:sequence>
1487 </xsd:complexType>
1488 <xsd:complexType name="CandidateType">
1489     <xsd:annotation>
1490         <xsd:documentation>
1491             Defines a single candidate as a possible match in response to a
1492             biometric identification request.
1493         </xsd:documentation>
1494     </xsd:annotation>
1495     <xsd:sequence>
1496         <xsd:element name="Score" type="tns:Score" minOccurs="0" maxOccurs="1">
1497             <xsd:annotation>
1498                 <xsd:documentation>The match score.</xsd:documentation>
1499             </xsd:annotation>
1500         </xsd:element>
1501         <xsd:element name="Rank" type="xsd:integer" minOccurs="1" maxOccurs="1">
1502             <xsd:annotation>
1503                 <xsd:documentation>The rank of the candidate in relation to other candidates for the same biometric
1504                 identification operation.</xsd:documentation>
1505             </xsd:annotation>
1506         </xsd:element>
1507         <xsd:element name="BiographicData" type="tns:BiographicDataType" minOccurs="0" maxOccurs="1">
1508             <xsd:annotation>
1509                 <xsd:documentation>Biographic data associated with the candidate match.</xsd:documentation>
1510             </xsd:annotation>
1511         </xsd:element>
1512         <xsd:element name="BIRList" type="tns:CBEFF_BIR_ListType" minOccurs="1" maxOccurs="1">
1513             <xsd:annotation>
1514                 <xsd:documentation>Biometric data associated with the candidate match.</xsd:documentation>
1515             </xsd:annotation>
1516         </xsd:element>
1517     </xsd:sequence>
1518 </xsd:complexType>
1519 <xsd:complexType name="CapabilityListType">
1520     <xsd:annotation>

```

```
1521     <xsd:documentation>Defines a set of capabilities.</xsd:documentation>
1522     </xsd:annotation>
1523     <xsd:sequence>
1524         <xsd:element name="Capability" type="tns:CapabilityType" minOccurs="0" maxOccurs="unbounded">
1525             <xsd:annotation>
1526                 <xsd:documentation>A single capability.</xsd:documentation>
1527             </xsd:annotation>
1528         </xsd:element>
1529     </xsd:sequence>
1530 </xsd:complexType>
1531 <xsd:simpleType name="CapabilityName">
1532     <xsd:annotation>
1533         <xsd:documentation>A list of capability items.</xsd:documentation>
1534     </xsd:annotation>
1535     <xsd:restriction base="xsd:string">
1536         <xsd:enumeration value="AggregateInputDataOptional">
1537             <xsd:annotation>
1538                 <xsd:documentation>A data element accepted as optional input by the implementing system for the
1539 aggregate services.</xsd:documentation>
1540             </xsd:annotation>
1541         </xsd:enumeration>
1542         <xsd:enumeration value="AggregateInputDataRequired">
1543             <xsd:annotation>
1544                 <xsd:documentation>A data element required as input by the implementing system for the aggregate
1545 services.</xsd:documentation>
1546             </xsd:annotation>
1547         </xsd:enumeration>
1548         <xsd:enumeration value="AggregateProcessingOption">
1549             <xsd:annotation>
1550                 <xsd:documentation>A processing option supported by the implementing system for the aggregate
1551 services.</xsd:documentation>
1552             </xsd:annotation>
1553         </xsd:enumeration>
1554         <xsd:enumeration value="AggregateReturnData">
1555             <xsd:annotation>
1556                 <xsd:documentation>A data element returned by the implementing system for the aggregate
1557 services.</xsd:documentation>
1558             </xsd:annotation>
1559         </xsd:enumeration>
1560         <xsd:enumeration value="AggregateServiceDescription">
1561             <xsd:annotation>
```

```
1562      <xsd:documentation>Describes the processing logic of an aggregate service supported by the implementing  
1563 system.</xsd:documentation>  
1564      </xsd:annotation>  
1565      </xsd:enumeration>  
1566      <xsd:enumeration value="BiographicDataSet">  
1567      <xsd:annotation>  
1568          <xsd:documentation>Identifies a biographic data set supported by the implementing  
1569 system.</xsd:documentation>  
1570      </xsd:annotation>  
1571      </xsd:enumeration>  
1572      <xsd:enumeration value="CBEFFPatronFormat">  
1573      <xsd:annotation>  
1574          <xsd:documentation>A patron format supported by the implementing system.</xsd:documentation>  
1575      </xsd:annotation>  
1576      </xsd:enumeration>  
1577      <xsd:enumeration value="ClassificationAlgorithmType">  
1578      <xsd:annotation>  
1579          <xsd:documentation>A classification algorithm type supported by the implementing  
1580 system.</xsd:documentation>  
1581      </xsd:annotation>  
1582      </xsd:enumeration>  
1583      <xsd:enumeration value="ConformanceClass">  
1584      <xsd:annotation>  
1585          <xsd:documentation>Identifies the conformance class of the BIAS implementation.</xsd:documentation>  
1586      </xsd:annotation>  
1587      </xsd:enumeration>  
1588      <xsd:enumeration value="Gallery">  
1589      <xsd:annotation>  
1590          <xsd:documentation>A gallery or population group supported by the implementing  
1591 system.</xsd:documentation>  
1592      </xsd:annotation>  
1593      </xsd:enumeration>  
1594      <xsd:enumeration value="IdentityModel">  
1595      <xsd:annotation>  
1596          <xsd:documentation>Identifies whether the implementing system is person-centric or encounter-centric  
1597 based.</xsd:documentation>  
1598      </xsd:annotation>  
1599      </xsd:enumeration>  
1600      <xsd:enumeration value="MatchScore">  
1601      <xsd:annotation>
```

```
1602      <xsd:documentation> Identifies the use of match scores returned by the implementing
1603 system.</xsd:documentation>
1604      </xsd:annotation>
1605      </xsd:enumeration>
1606      <xsd:enumeration value="QualityAlgorithm">
1607          <xsd:annotation>
1608              <xsd:documentation>A quality algorithm vendor and algorithm vendor product ID supported by the
1609 implementing system.</xsd:documentation>
1610          </xsd:annotation>
1611      </xsd:enumeration>
1612      <xsd:enumeration value="SupportedBiometric">
1613          <xsd:annotation>
1614              <xsd:documentation>A biometric type supported by the implementing system.</xsd:documentation>
1615          </xsd:annotation>
1616      </xsd:enumeration>
1617      <xsd:enumeration value="TransformOperation">
1618          <xsd:annotation>
1619              <xsd:documentation>A transform operation type supported by the implementing
1620 system.</xsd:documentation>
1621          </xsd:annotation>
1622      </xsd:enumeration>
1623      </xsd:restriction>
1624  </xsd:simpleType>
1625  <xsd:complexType name="CapabilityType">
1626      <xsd:annotation>
1627          <xsd:documentation>Defines a single capability supported by an implementing system.</xsd:documentation>
1628      </xsd:annotation>
1629      <xsd:sequence>
1630          <xsd:element name="CapabilityName" type="tns:CapabilityName" minOccurs="1" maxOccurs="1">
1631              <xsd:annotation>
1632                  <xsd:documentation>The name of the capability.</xsd:documentation>
1633              </xsd:annotation>
1634          </xsd:element>
1635          <xsd:element name="CapabilityID" type="xsd:string" minOccurs="0" maxOccurs="1">
1636              <xsd:annotation>
1637                  <xsd:documentation>An identifier assigned to the capability by the implementing
1638 system.</xsd:documentation>
1639              </xsd:annotation>
1640          </xsd:element>
1641          <xsd:element name="CapabilityDescription" type="xsd:string" minOccurs="0" maxOccurs="1">
1642              <xsd:annotation>
```

```

1643      <xsd:documentation>A description of the capability.</xsd:documentation>
1644      </xsd:annotation>
1645  </xsd:element>
1646  <xsd:element name="CapabilityValue" type="xsd:string" minOccurs="0" maxOccurs="1">
1647      <xsd:annotation>
1648          <xsd:documentation>A value assigned to the capability.</xsd:documentation>
1649      </xsd:annotation>
1650  </xsd:element>
1651  <xsd:element name="CapabilitySupportingValue" type="xsd:string" minOccurs="0" maxOccurs="1">
1652      <xsd:annotation>
1653          <xsd:documentation>A secondary value supporting the capability.</xsd:documentation>
1654      </xsd:annotation>
1655  </xsd:element>
1656  <xsd:element name="CapabilityAdditionalInfo" type="xsd:string" minOccurs="0" maxOccurs="1">
1657      <xsd:annotation>
1658          <xsd:documentation>Contains additional information for the supported capability.</xsd:documentation>
1659      </xsd:annotation>
1660  </xsd:element>
1661 </xsd:sequence>
1662 </xsd:complexType>
1663 <xsd:complexType name="CBEFF_BIR_ListType">
1664      <xsd:annotation>
1665          <xsd:documentation>A list of CBEFF-BIR elements.</xsd:documentation>
1666      </xsd:annotation>
1667  <xsd:sequence>
1668      <xsd:element name="BIR" type="tns:CBEFF_BIR_Type" minOccurs="0" maxOccurs="unbounded">
1669          <xsd:annotation>
1670              <xsd:documentation>CBEFF structure containing information about a biometric sample.</xsd:documentation>
1671          </xsd:annotation>
1672      </xsd:element>
1673  </xsd:sequence>
1674 </xsd:complexType>
1675 <xsd:complexType name="CBEFF_BIR_Type">
1676      <xsd:annotation>
1677          <xsd:documentation>Represents biometric information, with either a non-XML or XML
1678 representation.</xsd:documentation>
1679      </xsd:annotation>
1680  <xsd:sequence>
1681      <xsd:element name="FormatOwner" type="xsd:positiveInteger" minOccurs="1" maxOccurs="1" />
1682      <xsd:element name="FormatType" type="xsd:positiveInteger" minOccurs="1" maxOccurs="1" />

```

```
1683 <xsd:element name="BIR_Information" minOccurs="0" maxOccurs="1">
1684   <xsd:complexType>
1685     <xsd:sequence>
1686       <xsd:element name="bir-info" type="iso-iec19785-3-7:BIRInfoType" minOccurs="0" maxOccurs="1"/>
1687       <xsd:element name="bdb-info" type="iso-iec19785-3-7:BDBInfoType" minOccurs="0" maxOccurs="1"/>
1688       <xsd:element name="sb-info" type="iso-iec19785-3-7:SBInfoType" minOccurs="0" maxOccurs="1"/>
1689     </xsd:sequence>
1690   </xsd:complexType>
1691 </xsd:element>
1692   <xsd:element name="BIR" type="tns:BaseBIRType" />
1693 </xsd:sequence>
1694 </xsd:complexType>
1695 <xsd:complexType name="BaseBIRType">
1696 </xsd:complexType>
1697 <xsd:complexType name="BinaryBIR">
1698   <xsd:complexContent>
1699     <xsd:extension base="tns:BaseBIRType">
1700       <xsd:sequence>
1701         <xsd:element name="Binary" type="xsd:base64Binary" />
1702       </xsd:sequence>
1703     </xsd:extension>
1704   </xsd:complexContent>
1705 </xsd:complexType>
1706 <xsd:complexType name="URI_BIR">
1707   <xsd:complexContent>
1708     <xsd:extension base="tns:BaseBIRType">
1709       <xsd:sequence>
1710         <xsd:element name="URI" type="xsd:anyURI" />
1711       </xsd:sequence>
1712     </xsd:extension>
1713   </xsd:complexContent>
1714 </xsd:complexType>
1715 <xsd:complexType name="XML_BIR">
1716   <xsd:complexContent>
1717     <xsd:extension base="tns:BaseBIRType">
1718       <xsd:sequence>
1719         <xsd:element name="XML" type="iso-iec19785-3-7:BIRType" />
1720       </xsd:sequence>
1721     </xsd:extension>
1722   </xsd:complexContent>
```

```
1723    </xsd:complexType>
1724    <xsd:simpleType name="Classification">
1725        <xsd:annotation>
1726            <xsd:documentation>The result of a classification.</xsd:documentation>
1727        </xsd:annotation>
1728        <xsd:restriction base="xsd:string"/>
1729    </xsd:simpleType>
1730    <xsd:simpleType name="ClassificationAlgorithmType">
1731        <xsd:annotation>
1732            <xsd:documentation>Type of classification algorithm that was used to perform the
1733        classification.</xsd:documentation>
1734        </xsd:annotation>
1735        <xsd:restriction base="xsd:string"/>
1736    </xsd:simpleType>
1737    <xsd:complexType name="ClassificationData">
1738        <xsd:annotation>
1739            <xsd:documentation>Contains information on classification results and the algorithm used to determine the
1740        classification.</xsd:documentation>
1741        </xsd:annotation>
1742        <xsd:sequence>
1743            <xsd:element name="Classification" type="tns:Classification" minOccurs="1" maxOccurs="1">
1744                <xsd:annotation>
1745                    <xsd:documentation>The result of the classification.</xsd:documentation>
1746                </xsd:annotation>
1747            </xsd:element>
1748            <xsd:element name="ClassificationAlgorithmType" type="tns:ClassificationAlgorithmType" minOccurs="1"
1749        maxOccurs="1">
1750                <xsd:annotation>
1751                    <xsd:documentation>Identifies the type of classification algorithm that was used to perform the
1752        classification.</xsd:documentation>
1753                </xsd:annotation>
1754            </xsd:element>
1755        </xsd:sequence>
1756    </xsd:complexType>
1757    <xsd:complexType name="EncounterListType">
1758        <xsd:annotation>
1759            <xsd:documentation>Defines a set of encounters.</xsd:documentation>
1760        </xsd:annotation>
1761        <xsd:sequence>
1762            <xsd:element name="EncounterID" type="tns:BIASIDType" minOccurs="0" maxOccurs="unbounded">
1763                <xsd:annotation>
```

```

1764      <xsd:documentation>The identifier of an encounter.</xsd:documentation>
1765      </xsd:annotation>
1766      </xsd:element>
1767      </xsd:sequence>
1768      </xsd:complexType>
1769      <xsd:complexType name="FusionInformationListType">
1770          <xsd:annotation>
1771              <xsd:documentation>
1772                  Contains at a minimum two sets of fusion input
1773                  elements, as input to the PerformFusion request.
1774          </xsd:documentation>
1775          </xsd:annotation>
1776          <xsd:sequence>
1777              <xsd:element name="FusionElement" type="tns:FusionInformationType" minOccurs="2"
1778      maxOccurs="unbounded">
1779                  <xsd:annotation>
1780                      <xsd:documentation>A set of fusion information.</xsd:documentation>
1781                  </xsd:annotation>
1782              </xsd:element>
1783          </xsd:sequence>
1784      </xsd:complexType>
1785      <xsd:complexType name="FusionInformationType">
1786          <xsd:annotation>
1787              <xsd:documentation>Represents the information necessary to perform a fusion
1788      operation.</xsd:documentation>
1789          </xsd:annotation>
1790          <xsd:sequence>
1791              <xsd:element name="BiometricType" type="iso-iec19785-3-7:MultipleTypesType" minOccurs="1"
1792      maxOccurs="1">
1793                  <xsd:annotation>
1794                      <xsd:documentation>The type of biological or behavioral data stored in the biometric record, as defined by
1795      CBEFF.</xsd:documentation>
1796                  </xsd:annotation>
1797              </xsd:element>
1798              <xsd:element name="BiometricSubType" type="iso-iec19785-3-7:SubtypeType" minOccurs="0" maxOccurs="1">
1799                  <xsd:annotation>
1800                      <xsd:documentation>More specifically defines the type of biometric data stored in the biometric
1801      record.</xsd:documentation>
1802                  </xsd:annotation>
1803              </xsd:element>
1804              <xsd:element name="AlgorithmOwner" type="xsd:string" minOccurs="1" maxOccurs="1">
```

```
1805      <xsd:annotation>
1806          <xsd:documentation>The owner or vendor of the algorithm used to determine the score or
1807 decision.</xsd:documentation>
1808      </xsd:annotation>
1809  </xsd:element>
1810  <xsd:element name="AlgorithmType" type="xsd:string" minOccurs="1" maxOccurs="1">
1811      <xsd:annotation>
1812          <xsd:documentation>The Algorithm Owner's identifier for the specific algorithm product and version used to
1813 determine the score or decision.</xsd:documentation>
1814      </xsd:annotation>
1815  </xsd:element>
1816  <xsd:element name="FusionResult" type="tns:FusionResult" />
1817  </xsd:sequence>
1818 </xsd:complexType>
1819 <xsd:complexType name="FusionResult">
1820     <xsd:sequence />
1821 </xsd:complexType>
1822 <xsd:complexType name="FusionScore">
1823     <xsd:complexContent>
1824         <xsd:extension base="tns:FusionResult">
1825             <xsd:sequence>
1826                 <xsd:element name="Score" type="tns:Score">
1827                     <xsd:annotation>
1828                         <xsd:documentation>The similarity score assigned by the matching algorithm.</xsd:documentation>
1829                     </xsd:annotation>
1830                 </xsd:element>
1831             </xsd:sequence>
1832         </xsd:extension>
1833     </xsd:complexContent>
1834 </xsd:complexType>
1835 <xsd:complexType name="FusionDecision">
1836     <xsd:complexContent>
1837         <xsd:extension base="tns:FusionResult">
1838             <xsd:sequence>
1839                 <xsd:element name="Decision" type="xsd:string">
1840                     <xsd:annotation>
1841                         <xsd:documentation>The match decision assigned by the matching algorithm.</xsd:documentation>
1842                     </xsd:annotation>
1843                 </xsd:element>
1844             </xsd:sequence>
```

```

1845      </xsd:extension>
1846  </xsd:complexContent>
1847  </xsd:complexType>
1848  <xsd:complexType name="GenericRequestParameters">
1849    <xsd:annotation>
1850      <xsd:documentation>Common request paramters that can be used to identify the
1851 requester.</xsd:documentation>
1852    </xsd:annotation>
1853    <xsd:sequence>
1854      <xsd:element name="Application" type="tns:ApplicationIdentifier" minOccurs="0" maxOccurs="1">
1855        <xsd:annotation>
1856          <xsd:documentation>Identifies the requesting application.</xsd:documentation>
1857        </xsd:annotation>
1858      </xsd:element>
1859      <xsd:element name="ApplicationUser" type="tns:ApplicationUserIdentity" minOccurs="0" maxOccurs="1">
1860        <xsd:annotation>
1861          <xsd:documentation>Identifiers the user or instance of the requesting application.</xsd:documentation>
1862        </xsd:annotation>
1863      </xsd:element>
1864      <xsd:element name="BIASOperationName" type="xsd:string" minOccurs="0" maxOccurs="1">
1865        <xsd:annotation>
1866          <xsd:documentation>Identifiers the BIAS operation name that is being requested.</xsd:documentation>
1867        </xsd:annotation>
1868      </xsd:element>
1869    </xsd:sequence>
1870  </xsd:complexType>
1871  <xsd:complexType name="InformationType">
1872    <xsd:annotation>
1873      <xsd:documentation>
1874        Allows for an unlimited number of data element types, and it does
1875        not specify nor require any particular data element.
1876      </xsd:documentation>
1877    </xsd:annotation>
1878    <xsd:sequence>
1879      <xsd:any namespace="##any" processContents="lax" minOccurs="0" maxOccurs="unbounded"/>
1880    </xsd:sequence>
1881  </xsd:complexType>
1882  <xsd:complexType name="ListFilterType">
1883    <xsd:annotation>
1884      <xsd:documentation>

```

```

1885      Provides a method to filter the amount of information returned in
1886      a search of biometric data.
1887      </xsd:documentation>
1888      </xsd:annotation>
1889      <xsd:sequence>
1890          <xsd:element name="BiometricTypeFilters">
1891              <xsd:complexType>
1892                  <xsd:sequence>
1893                      <xsd:element name="BiometricTypeFilter" type="iso-iec19785-3-7:MultipleTypesType" minOccurs="1"
1894 maxOccurs="unbounded">
1895                          <xsd:annotation>
1896                              <xsd:documentation>Limits the returned information to a specific type of biometric, as defined by
1897 CBEFF.</xsd:documentation>
1898                          </xsd:annotation>
1899                      </xsd:element>
1900                  </xsd:sequence>
1901              </xsd:complexType>
1902          </xsd:element>
1903          <xsd:element name="IncludeBiometricSubtype" type="xsd:boolean" minOccurs="1" maxOccurs="1">
1904              <xsd:annotation>
1905                  <xsd:documentation>A Boolean flag indicating if biometric subtype information should be
1906 returned.</xsd:documentation>
1907              </xsd:annotation>
1908          </xsd:element>
1909      </xsd:sequence>
1910  </xsd:complexType>
1911  <xsd:simpleType name="MatchType">
1912      <xsd:annotation>
1913          <xsd:documentation>The result of a fusion method.</xsd:documentation>
1914      </xsd:annotation>
1915      <xsd:restriction base="xsd:boolean"/>
1916  </xsd:simpleType>
1917  <xsd:complexType name="ProcessingOptionsType">
1918      <xsd:annotation>
1919          <xsd:documentation>
1920              BIAS aggregate services support the ability to include various
1921              processing options which direct and possibly control the business
1922              logic for that service. The ProcessingOptionsType provides a
1923              method to represent those options. Processing options should be
1924              defined by the implementing system.
1925          </xsd:documentation>

```

```

1926    </xsd:annotation>
1927    <xsd:sequence>
1928        <xsd:element name="Option" type="xsd:string" minOccurs="0" maxOccurs="unbounded">
1929            <xsd:annotation>
1930                <xsd:documentation>An option supported by the implementing system.</xsd:documentation>
1931            </xsd:annotation>
1932        </xsd:element>
1933    </xsd:sequence>
1934    </xsd:complexType>
1935    <xsd:simpleType name="ProductID">
1936        <xsd:annotation>
1937            <xsd:documentation>The vendor's ID for a particular product.</xsd:documentation>
1938        </xsd:annotation>
1939        <xsd:restriction base="xsd:string"/>
1940    </xsd:simpleType>
1941    <xsd:complexType name="QualityData">
1942        <xsd:annotation>
1943            <xsd:documentation>Contains information about a biometric sample's quality and the algorithm used to
1944            compute the quality.</xsd:documentation>
1945        </xsd:annotation>
1946        <xsd:sequence>
1947            <xsd:element name="QualityScore" type="iso-iec19785-3-7:QualityType" minOccurs="0" maxOccurs="1">
1948                <xsd:annotation>
1949                    <xsd:documentation>The quality of a biometric sample.</xsd:documentation>
1950                </xsd:annotation>
1951            </xsd:element>
1952            <xsd:element name="AlgorithmVendor" type="tns:VendorIdentifier" minOccurs="1" maxOccurs="1">
1953                <xsd:annotation>
1954                    <xsd:documentation>The vendor of the quality algorithm used to determine the quality
1955                    score.</xsd:documentation>
1956                </xsd:annotation>
1957            </xsd:element>
1958            <xsd:element name="AlgorithmVendorProductID" type="tns:ProductID" minOccurs="1" maxOccurs="1">
1959                <xsd:annotation>
1960                    <xsd:documentation>The vendor's ID for the algorithm used to determine the quality.</xsd:documentation>
1961                </xsd:annotation>
1962            </xsd:element>
1963            <xsd:element name="AlgorithmVersion" type="tns:VersionType" minOccurs="0" maxOccurs="1">
1964                <xsd:annotation>
1965                    <xsd:documentation>The version of the algorithm used to determine the quality.</xsd:documentation>

```

```
1966      </xsd:annotation>
1967      </xsd:element>
1968      </xsd:sequence>
1969      </xsd:complexType>
1970      <xsd:complexType name="RequestTemplate">
1971          <xsd:annotation>
1972              <xsd:documentation>Base template for BIAS primitive service requests.</xsd:documentation>
1973          </xsd:annotation>
1974          <xsd:sequence>
1975              <xsd:element name="GenericRequestParameters" type="tns:GenericRequestParameters" minOccurs="0"
1976 maxOccurs="1"/>
1977          </xsd:sequence>
1978      </xsd:complexType>
1979      <xsd:complexType name="ResponseStatus">
1980          <xsd:sequence>
1981              <xsd:element name="Return" type="tns:ReturnCode" minOccurs="1" maxOccurs="1">
1982                  <xsd:annotation>
1983                      <xsd:documentation>The return code indicates the return status of the operation.</xsd:documentation>
1984                  </xsd:annotation>
1985              </xsd:element>
1986              <xsd:element name="Message" type="xsd:string" minOccurs="0" maxOccurs="1">
1987                  <xsd:annotation>
1988                      <xsd:documentation>A short message corresponding to the return code.</xsd:documentation>
1989                  </xsd:annotation>
1990              </xsd:element>
1991          </xsd:sequence>
1992      </xsd:complexType>
1993      <xsd:complexType name="ResponseTemplate">
1994          <xsd:annotation>
1995              <xsd:documentation>Base template for BIAS responses.</xsd:documentation>
1996          </xsd:annotation>
1997          <xsd:sequence>
1998              <xsd:element name="ResponseStatus" type="tns:ResponseStatus" minOccurs="1" maxOccurs="1">
1999                  <xsd:annotation>
2000                      <xsd:documentation>Returned status for the operation.</xsd:documentation>
2001                  </xsd:annotation>
2002              </xsd:element>
2003          </xsd:sequence>
2004      </xsd:complexType>
2005      <xsd:simpleType name="ReturnCode">
```

```
2006    <xsd:annotation>
2007        <xsd:documentation>BIAS Operation Return Codes</xsd:documentation>
2008    </xsd:annotation>
2009    <xsd:restriction base="xsd:unsignedLong">
2010        <xsd:enumeration value="0">
2011            <xsd:annotation>
2012                <xsd:documentation>Success</xsd:documentation>
2013            </xsd:annotation>
2014        </xsd:enumeration>
2015    </xsd:restriction>
2016 </xsd:simpleType>
2017 <xsd:simpleType name="Score">
2018 <xsd:annotation>
2019     <xsd:documentation>Match result or quality score.</xsd:documentation>
2020 </xsd:annotation>
2021 <xsd:restriction base="xsd:float"/>
2022 </xsd:simpleType>
2023 <xsd:complexType name="TokenType">
2024 <xsd:annotation>
2025     <xsd:documentation>Defines a token that is returned for asynchronous processing.</xsd:documentation>
2026 </xsd:annotation>
2027 <xsd:sequence>
2028     <xsd:element name="TokenValue" type="xsd:string" minOccurs="1" maxOccurs="1">
2029         <xsd:annotation>
2030             <xsd:documentation>A value returned by the implementing system that is used to retrieve the results to a
2031 service at a later time.</xsd:documentation>
2032         </xsd:annotation>
2033     </xsd:element>
2034     <xsd:element name="Expiration" type="xsd:date" minOccurs="1" maxOccurs="1">
2035         <xsd:annotation>
2036             <xsd:documentation>A date and time at which point the token expires and the service results are no longer
2037 guaranteed to be available.</xsd:documentation>
2038         </xsd:annotation>
2039     </xsd:element>
2040 </xsd:sequence>
2041 </xsd:complexType>
2042 <xsd:simpleType name="VendorIdentifier">
2043 <xsd:annotation>
2044     <xsd:documentation>Identifies a vendor.</xsd:documentation>
2045 </xsd:annotation>
```

```

2046    <xsd:restriction base="xsd:string"/>
2047  </xsd:simpleType>
2048  <xsd:complexType name="Version">
2049    <xsd:annotation>
2050      <xsd:documentation>
2051        For a description or definition of each data element, see the
2052        referenced CBEFF standards in the CBEFF_XML_BIR_Type schema.
2053      </xsd:documentation>
2054    </xsd:annotation>
2055  <xsd:sequence>
2056    <xsd:element name="major" type="xsd:nonNegativeInteger" minOccurs="1" maxOccurs="1"/>
2057    <xsd:element name="minor" type="xsd:nonNegativeInteger" minOccurs="1" maxOccurs="1"/>
2058  </xsd:sequence>
2059 </xsd:complexType>
2060 <xsd:simpleType name="VersionType">
2061   <xsd:annotation>
2062     <xsd:documentation>The version of a component.</xsd:documentation>
2063   </xsd:annotation>
2064   <xsd:restriction base="xsd:string"/>
2065 </xsd:simpleType>
2066 <xsd:element name="AddSubjectToGallery">
2067   <xsd:complexType>
2068     <xsd:annotation>
2069       <xsd:documentation>
2070         Register a subject to a given gallery or population group.
2071       </xsd:documentation>
2072     </xsd:annotation>
2073   <xsd:sequence>
2074     <xsd:element name="AddSubjectToGalleryRequest" nillable="true">
2075       <xsd:complexType>
2076         <xsd:complexContent>
2077           <xsd:extension base="tns:RequestTemplate">
2078             <xsd:sequence>
2079               <xsd:element name="GalleryID" type="tns:BIASIDType" minOccurs="1" maxOccurs="1">
2080                 <xsd:annotation>
2081                   <xsd:documentation>The identifier of the gallery or population group to which the subject will be
2082 added.</xsd:documentation>
2083                 </xsd:annotation>
2084               </xsd:element>
2085               <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">

```

```

2086      <xsd:annotation>
2087          <xsd:documentation>The identity to add to the gallery.</xsd:documentation>
2088      </xsd:annotation>
2089      </xsd:element>
2090      </xsd:sequence>
2091      </xsd:extension>
2092      </xsd:complexContent>
2093      </xsd:complexType>
2094      </xsd:element>
2095      </xsd:sequence>
2096      </xsd:complexType>
2097      </xsd:element>
2098      <xsd:element name="AddSubjectToGalleryResponse">
2099          <xsd:complexType>
2100              <xsd:annotation>
2101                  <xsd:documentation>
2102                      The response to an AddSubjectToGallery request.
2103                  </xsd:documentation>
2104              </xsd:annotation>
2105              <xsd:sequence>
2106                  <xsd:element name="AddSubjectToGalleryResponsePackage" nillable="true">
2107                      <xsd:complexType>
2108                          <xsd:complexContent>
2109                              <xsd:extension base="tns:ResponseTemplate"/>
2110                          </xsd:complexContent>
2111                      </xsd:complexType>
2112                  </xsd:element>
2113              </xsd:sequence>
2114          </xsd:complexType>
2115      </xsd:element>
2116      <xsd:element name="CheckQuality">
2117          <xsd:complexType>
2118              <xsd:annotation>
2119                  <xsd:documentation>
2120                      Calculate a quality score for a given biometric.
2121                  </xsd:documentation>
2122              </xsd:annotation>
2123              <xsd:sequence>
2124                  <xsd:element name="CheckQualityRequest" nillable="true">
2125                      <xsd:complexType>
```

```

2126      <xsd:complexContent>
2127          <xsd:extension base="tns:RequestTemplate">
2128              <xsd:sequence>
2129                  <xsd:element name="BiometricData" type="tns:BIASBiometricDataType" minOccurs="1" maxOccurs="1">
2130                      <xsd:annotation>
2131                          <xsd:documentation>Data structure containing a single biometric sample for which a quality score is to
2132 be determined.</xsd:documentation>
2133                      </xsd:annotation>
2134                  </xsd:element>
2135                  <xsd:element name="Quality" type="tns:QualityData" minOccurs="0" maxOccurs="1">
2136                      <xsd:annotation>
2137                          <xsd:documentation>Specifies a particular algorithm vendor and vendor product
2138 ID.</xsd:documentation>
2139                      </xsd:annotation>
2140                  </xsd:element>
2141              </xsd:sequence>
2142          </xsd:extension>
2143      </xsd:complexContent>
2144  </xsd:complexType>
2145      </xsd:element>
2146  </xsd:sequence>
2147  </xsd:complexType>
2148</xsd:element>
2149<xsd:element name="CheckQualityResponse">
2150    <xsd:complexType>
2151        <xsd:annotation>
2152            <xsd:documentation>
2153                The response to a CheckQuality request.
2154            </xsd:documentation>
2155        </xsd:annotation>
2156        <xsd:sequence>
2157            <xsd:element name="CheckQualityResponsePackage" nillable="true">
2158                <xsd:complexType>
2159                    <xsd:complexContent>
2160                        <xsd:extension base="tns:ResponseTemplate">
2161                            <xsd:sequence>
2162                                <xsd:element name="QualityInfo" type="tns:QualityData" minOccurs="1" maxOccurs="1">
2163                                    <xsd:annotation>
2164                                        <xsd:documentation>Contains the quality information for the submitted biometric
2165 sample.</xsd:documentation>
2166                                    </xsd:annotation>

```

```
2167      </xsd:element>
2168      </xsd:sequence>
2169      </xsd:extension>
2170      </xsd:complexContent>
2171      </xsd:complexType>
2172      </xsd:element>
2173      </xsd:sequence>
2174      </xsd:complexType>
2175      </xsd:element>
2176      <xsd:element name="ClassifyBiometricData">
2177          <xsd:complexType>
2178              <xsd:annotation>
2179                  <xsd:documentation>
2180                      Classifies a biometric sample.
2181                  </xsd:documentation>
2182          </xsd:annotation>
2183          <xsd:sequence>
2184              <xsd:element name="ClassifyBiometricDataRequest" nillable="true">
2185                  <xsd:complexType>
2186                      <xsd:complexContent>
2187                          <xsd:extension base="tns:RequestTemplate">
2188                              <xsd:sequence>
2189                                  <xsd:element name="BiometricData" type="tns:BIASBiometricDataType" minOccurs="1" maxOccurs="1">
2190                                      <xsd:annotation>
2191                                          <xsd:documentation>Data structure containing a single biometric sample for which the classification is
2192 to be determined.</xsd:documentation>
2193                                      </xsd:annotation>
2194                                  </xsd:element>
2195                              </xsd:sequence>
2196                          </xsd:extension>
2197                      </xsd:complexContent>
2198                  </xsd:complexType>
2199                  </xsd:element>
2200          </xsd:sequence>
2201      </xsd:complexType>
2202      </xsd:element>
2203      <xsd:element name="ClassifyBiometricDataResponse">
2204          <xsd:complexType>
2205              <xsd:annotation>
2206                  <xsd:documentation>
```

```
2207      The response to a ClassifyBiometricData request, containing
2208          the classification of a biometric sample.
2209      </xsd:documentation>
2210      </xsd:annotation>
2211      <xsd:sequence>
2212          <xsd:element name="ClassifyBiometricDataResponsePackage" nillable="true">
2213              <xsd:complexType>
2214                  <xsd:complexContent>
2215                      <xsd:extension base="tns:ResponseTemplate">
2216                          <xsd:sequence>
2217                              <xsd:element name="ClassificationData" type="tns:ClassificationData" minOccurs="1" maxOccurs="1">
2218                                  <xsd:annotation>
2219                                      <xsd:documentation>Information on the results and type of classification
2220 performed.</xsd:documentation>
2221                                  </xsd:annotation>
2222                          </xsd:element>
2223                      </xsd:sequence>
2224                  </xsd:extension>
2225              </xsd:complexContent>
2226          </xsd:complexType>
2227      </xsd:element>
2228      </xsd:sequence>
2229  </xsd:complexType>
2230  </xsd:element>
2231  <xsd:element name="CreateSubject">
2232      <xsd:complexType>
2233          <xsd:annotation>
2234              <xsd:documentation>
2235                  Create a new subject record.
2236              </xsd:documentation>
2237          </xsd:annotation>
2238          <xsd:sequence>
2239              <xsd:element name="CreateSubjectRequest" nillable="true">
2240                  <xsd:complexType>
2241                      <xsd:complexContent>
2242                          <xsd:extension base="tns:RequestTemplate"/>
2243                      </xsd:complexContent>
2244                  </xsd:complexType>
2245              </xsd:element>
2246          </xsd:sequence>
```

```

2247    </xsd:complexType>
2248  </xsd:element>
2249  <xsd:element name="CreateSubjectResponse">
2250    <xsd:complexType>
2251      <xsd:annotation>
2252        <xsd:documentation>
2253          The response to a CreateSubject request, containing the subject
2254          ID of the new subject record.
2255        </xsd:documentation>
2256      </xsd:annotation>
2257    <xsd:sequence>
2258      <xsd:element name="CreateSubjectResponsePackage" nillable="true">
2259        <xsd:complexType>
2260          <xsd:complexContent>
2261            <xsd:extension base="tns:ResponseTemplate">
2262              <xsd:sequence>
2263                <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">
2264                  <xsd:annotation>
2265                    <xsd:documentation>Contains the subject ID of the new subject record.</xsd:documentation>
2266                  </xsd:annotation>
2267                </xsd:element>
2268              </xsd:sequence>
2269            </xsd:extension>
2270          </xsd:complexContent>
2271        </xsd:complexType>
2272      </xsd:element>
2273    </xsd:sequence>
2274  </xsd:complexType>
2275 </xsd:element>
2276 <xsd:element name="DeleteBiographicData">
2277   <xsd:complexType>
2278     <xsd:annotation>
2279       <xsd:documentation>
2280         Erase all of the biographic data associated with a given
2281         subject record or, in the encounter-centric model, with a
2282         given encounter.
2283       </xsd:documentation>
2284     </xsd:annotation>
2285   <xsd:sequence>
2286     <xsd:element name="DeleteBiographicDataRequest" nillable="true">

```

```
2287      <xsd:complexType>
2288          <xsd:complexContent>
2289              <xsd:extension base="tns:RequestTemplate">
2290                  <xsd:sequence>
2291                      <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">
2292                          <xsd:annotation>
2293                              <xsd:documentation>Contains either the subject ID or encounter ID reference.</xsd:documentation>
2294                          </xsd:annotation>
2295                      </xsd:element>
2296                  </xsd:sequence>
2297              </xsd:extension>
2298          </xsd:complexContent>
2299      </xsd:complexType>
2300  </xsd:element>
2301  </xsd:sequence>
2302  </xsd:complexType>
2303 </xsd:element>
2304 <xsd:element name="DeleteBiographicDataResponse">
2305     <xsd:complexType>
2306         <xsd:annotation>
2307             <xsd:documentation>
2308                 The response to a DeleteBiographicData request.
2309             </xsd:documentation>
2310         </xsd:annotation>
2311         <xsd:sequence>
2312             <xsd:element name="DeleteBiographicDataResponsePackage" nillable="true">
2313                 <xsd:complexType>
2314                     <xsd:complexContent>
2315                         <xsd:extension base="tns:ResponseTemplate"/>
2316                     </xsd:complexContent>
2317                 </xsd:complexType>
2318             </xsd:element>
2319         </xsd:sequence>
2320     </xsd:complexType>
2321 </xsd:element>
2322 <xsd:element name="DeleteBiometricData">
2323     <xsd:complexType>
2324         <xsd:annotation>
2325             <xsd:documentation>
2326                 Erase all of the biometric data associated with a given
```

```
2327      subject record or, in the encounter-centric model, with a
2328      given encounter.
2329      </xsd:documentation>
2330    </xsd:annotation>
2331    <xsd:sequence>
2332      <xsd:element name="DeleteBiometricDataRequest" nillable="true">
2333        <xsd:complexType>
2334          <xsd:complexContent>
2335            <xsd:extension base="tns:RequestTemplate">
2336              <xsd:sequence>
2337                <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">
2338                  <xsd:annotation>
2339                    <xsd:documentation>Contains either the subject ID or encounter ID reference.</xsd:documentation>
2340                  </xsd:annotation>
2341                </xsd:element>
2342              </xsd:sequence>
2343            </xsd:extension>
2344          </xsd:complexContent>
2345        </xsd:complexType>
2346        </xsd:element>
2347      </xsd:sequence>
2348    </xsd:complexType>
2349  </xsd:element>
2350  <xsd:element name="DeleteBiometricDataResponse">
2351    <xsd:complexType>
2352      <xsd:annotation>
2353        <xsd:documentation>
2354          The response to a DeleteBiometricData request.
2355        </xsd:documentation>
2356      </xsd:annotation>
2357    <xsd:sequence>
2358      <xsd:element name="DeleteBiometricDataResponsePackage" nillable="true">
2359        <xsd:complexType>
2360          <xsd:complexContent>
2361            <xsd:extension base="tns:ResponseTemplate"/>
2362          </xsd:complexContent>
2363        </xsd:complexType>
2364      </xsd:element>
2365    </xsd:sequence>
2366  </xsd:complexType>
```

```

2367    </xsd:element>
2368    <xsd:element name="DeleteSubject">
2369        <xsd:complexType>
2370            <xsd:annotation>
2371                <xsd:documentation>
2372                    Delete an existing subject record and, in an encounter-centric
2373                    model, any associated encounter information.
2374                </xsd:documentation>
2375            </xsd:annotation>
2376            <xsd:sequence>
2377                <xsd:element name="DeleteSubjectRequest" nillable="true">
2378                    <xsd:complexType>
2379                        <xsd:complexContent>
2380                            <xsd:extension base="tns:RequestTemplate">
2381                                <xsd:sequence>
2382                                    <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">
2383                                        <xsd:annotation>
2384                                            <xsd:documentation>Subject ID of the identity to delete.</xsd:documentation>
2385                                        </xsd:annotation>
2386                                    </xsd:element>
2387                                </xsd:sequence>
2388                            </xsd:extension>
2389                        </xsd:complexContent>
2390                    </xsd:complexType>
2391                </xsd:element>
2392            </xsd:sequence>
2393        </xsd:complexType>
2394    </xsd:element>
2395    <xsd:element name="DeleteSubjectResponse">
2396        <xsd:complexType>
2397            <xsd:annotation>
2398                <xsd:documentation>
2399                    The response to a DeleteSubject request.
2400                </xsd:documentation>
2401            </xsd:annotation>
2402            <xsd:sequence>
2403                <xsd:element name="DeleteSubjectResponsePackage" nillable="true">
2404                    <xsd:complexType>
2405                        <xsd:complexContent>
2406                            <xsd:extension base="tns:ResponseTemplate"/>

```

```

2407      </xsd:complexContent>
2408      </xsd:complexType>
2409      </xsd:element>
2410      </xsd:sequence>
2411      </xsd:complexType>
2412      </xsd:element>
2413      <xsd:element name="DeleteSubjectFromGallery">
2414          <xsd:complexType>
2415              <xsd:annotation>
2416                  <xsd:documentation>
2417                      Remove the registration of a subject from a gallery or
2418                      population group.
2419                  </xsd:documentation>
2420              </xsd:annotation>
2421              <xsd:sequence>
2422                  <xsd:element name="DeleteSubjectFromGalleryRequest" nillable="true">
2423                      <xsd:complexType>
2424                          <xsd:complexContent>
2425                              <xsd:extension base="tns:RequestTemplate">
2426                                  <xsd:sequence>
2427                                      <xsd:element name="GalleryID" type="tns:BIASIDType" minOccurs="1" maxOccurs="1">
2428                                          <xsd:annotation>
2429                                              <xsd:documentation>The identifier of the gallery or population group from which the subject will be
2430 deleted.</xsd:documentation>
2431                                          </xsd:annotation>
2432                                      </xsd:element>
2433                                      <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">
2434                                          <xsd:annotation>
2435                                              <xsd:documentation>The identity to remove from the gallery.</xsd:documentation>
2436                                          </xsd:annotation>
2437                                      </xsd:element>
2438                                  </xsd:sequence>
2439                              </xsd:extension>
2440                          </xsd:complexContent>
2441                      </xsd:complexType>
2442                  </xsd:element>
2443              </xsd:sequence>
2444          </xsd:complexType>
2445      </xsd:element>
2446      <xsd:element name="DeleteSubjectFromGalleryResponse">

```

```

2447 <xsd:complexType>
2448   <xsd:annotation>
2449     <xsd:documentation>
2450       The response to a DeleteSubjectFromGallery request.
2451     </xsd:documentation>
2452   </xsd:annotation>
2453   <xsd:sequence>
2454     <xsd:element name="DeleteSubjectFromGalleryResponsePackage" nillable="true">
2455       <xsd:complexType>
2456         <xsd:complexContent>
2457           <xsd:extension base="tns:ResponseTemplate"/>
2458         </xsd:complexContent>
2459       </xsd:complexType>
2460     </xsd:element>
2461   </xsd:sequence>
2462 </xsd:complexType>
2463 </xsd:element>
2464 <xsd:element name="GetIdentifySubjectResults">
2465   <xsd:complexType>
2466     <xsd:annotation>
2467       <xsd:documentation>
2468         Retrieve the identification results for a specified token,
2469         which was returned by the Identify Subject service.
2470       </xsd:documentation>
2471     </xsd:annotation>
2472   <xsd:sequence>
2473     <xsd:element name="GetIdentifySubjectResultsRequest" nillable="true">
2474       <xsd:complexType>
2475         <xsd:complexContent>
2476           <xsd:extension base="tns:RequestTemplate">
2477             <xsd:sequence>
2478               <xsd:element name="Token" type="tns:TokenType" minOccurs="1" maxOccurs="1">
2479                 <xsd:annotation>
2480                   <xsd:documentation>A value used to retrieve the results of an IdentifySubject
2481 request.</xsd:documentation>
2482                 </xsd:annotation>
2483               </xsd:element>
2484             </xsd:sequence>
2485           </xsd:extension>
2486         </xsd:complexContent>

```

```
2487      </xsd:complexType>
2488      </xsd:element>
2489      </xsd:sequence>
2490      </xsd:complexType>
2491      </xsd:element>
2492      <xsd:element name="GetIdentifySubjectResultsResponse">
2493          <xsd:complexType>
2494              <xsd:annotation>
2495                  <xsd:documentation>
2496                      The response to a GetIdentifySubjectResults request, which includes a candidate list.
2497                  </xsd:documentation>
2498              </xsd:annotation>
2499          <xsd:sequence>
2500              <xsd:element name="GetIdentifySubjectResultsResponsePackage" nillable="true">
2501                  <xsd:complexType>
2502                      <xsd:complexContent>
2503                          <xsd:extension base="tns:ResponseTemplate">
2504                              <xsd:sequence>
2505                                  <xsd:element name="CandidateList" type="tns:CandidateListType" minOccurs="1" maxOccurs="1">
2506                                      <xsd:annotation>
2507                                          <xsd:documentation>A rank-ordered list of candidates that have a likelihood of matching the input
2508                                          biometric sample.</xsd:documentation>
2509                                      </xsd:annotation>
2510                                  </xsd:element>
2511                              </xsd:sequence>
2512                          </xsd:extension>
2513                      </xsd:complexContent>
2514                  </xsd:complexType>
2515              </xsd:element>
2516          </xsd:sequence>
2517      </xsd:complexType>
2518  </xsd:element>
2519  <xsd:element name="IdentifySubject">
2520      <xsd:complexType>
2521          <xsd:annotation>
2522              <xsd:documentation>
2523                  Perform an identification search against a given gallery for
2524                  a given biometric.
2525              </xsd:documentation>
2526          </xsd:annotation>
```

```

2527    <xsd:sequence>
2528        <xsd:element name="IdentifySubjectRequest" nillable="true">
2529            <xsd:complexType>
2530                <xsd:complexContent>
2531                    <xsd:extension base="tns:RequestTemplate">
2532                        <xsd:sequence>
2533                            <xsd:element name="GalleryID" type="tns:BIASIDType" minOccurs="1" maxOccurs="1">
2534                                <xsd:annotation>
2535                                    <xsd:documentation>The identifier of the gallery or population group which will be
2536 searched.</xsd:documentation>
2537                            </xsd:annotation>
2538                        </xsd:element>
2539                        <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">
2540                            <xsd:annotation>
2541                                <xsd:documentation>Contains the BIR, a data structure containing the biometric sample for the
2542 search.</xsd:documentation>
2543                            </xsd:annotation>
2544                        </xsd:element>
2545                        <xsd:element name="MaxListSize" type="xsd:positiveInteger" minOccurs="1" maxOccurs="1">
2546                            <xsd:annotation>
2547                                <xsd:documentation>The maximum size of the candidate list that should be
2548 returned.</xsd:documentation>
2549                            </xsd:annotation>
2550                        </xsd:element>
2551                    </xsd:sequence>
2552                </xsd:extension>
2553            </xsd:complexContent>
2554        </xsd:complexType>
2555    </xsd:element>
2556    </xsd:sequence>
2557    </xsd:complexType>
2558 </xsd:element>
2559 <xsd:element name="IdentifySubjectResponse">
2560     <xsd:complexType>
2561         <xsd:annotation>
2562             <xsd:documentation>
2563                 The response to an IdentifySubject request, returning a
2564                 rank-ordered candidate list.
2565             </xsd:documentation>
2566         </xsd:annotation>
2567     <xsd:sequence>

```

```

2568    <xsd:element name="IdentifySubjectResponsePackage" nillable="true">
2569        <xsd:complexType>
2570            <xsd:complexContent>
2571                <xsd:extension base="tns:ResponseTemplate">
2572                    <xsd:sequence>
2573                        <xsd:element name="IdentifySubjectResult" type="tns:IdentifySubjectResultType" />
2574                    </xsd:sequence>
2575                </xsd:extension>
2576            </xsd:complexContent>
2577        </xsd:complexType>
2578    </xsd:element>
2579 </xsd:sequence>
2580 </xsd:complexType>
2581 </xsd:element>
2582 <xsd:complexType name="IdentifySubjectResultType">
2583     <xsd:sequence />
2584 </xsd:complexType>
2585 <xsd:complexType name="CandidateListResultType">
2586     <xsd:complexContent>
2587         <xsd:extension base="tns:IdentifySubjectResultType">
2588             <xsd:sequence>
2589                 <xsd:element name="CandidateList" type="tns:CandidateListType">
2590                     <xsd:annotation>
2591                         <xsd:documentation>A rank-ordered list of candidates that have a likelihood of matching the input
2592 biometric sample; returned with successful synchronous request processing.</xsd:documentation>
2593                     </xsd:annotation>
2594                 </xsd:element>
2595             </xsd:sequence>
2596         </xsd:extension>
2597     </xsd:complexContent>
2598 </xsd:complexType>
2599 <xsd:complexType name="TokenResultType">
2600     <xsd:complexContent>
2601         <xsd:extension base="tns:IdentifySubjectResultType">
2602             <xsd:sequence>
2603                 <xsd:element name="Token" type="tns:TokenType">
2604                     <xsd:annotation>
2605                         <xsd:documentation>A token used to retrieve the results of the IdentifySubject request; returned with
2606 asynchronous request processing.</xsd:documentation>
2607                     </xsd:annotation>

```

```
2608      </xsd:element>
2609      </xsd:sequence>
2610      </xsd:extension>
2611      </xsd:complexContent>
2612      </xsd:complexType>
2613      <xsd:element name="ListBiographicData">
2614          <xsd:complexType>
2615              <xsd:annotation>
2616                  <xsd:documentation>
2617                      Lists the biographic data elements stored for a subject.
2618                  </xsd:documentation>
2619              </xsd:annotation>
2620              <xsd:sequence>
2621                  <xsd:element name="ListBiographicDataRequest" nillable="true">
2622                      <xsd:complexType>
2623                          <xsd:complexContent>
2624                              <xsd:extension base="tns:RequestTemplate">
2625                                  <xsd:sequence>
2626                                      <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">
2627                                          <xsd:annotation>
2628                                              <xsd:documentation>Identifies the subject or, in the encounter-centric model, a subject and an
2629 encounter.</xsd:documentation>
2630                                          </xsd:annotation>
2631                                      </xsd:element>
2632                                      </xsd:sequence>
2633                                      </xsd:extension>
2634                                      </xsd:complexContent>
2635                                  </xsd:complexType>
2636                                  </xsd:element>
2637                                  </xsd:sequence>
2638                                  </xsd:complexType>
2639                              </xsd:element>
2640                              <xsd:element name="ListBiographicDataResponse">
2641                                  <xsd:complexType>
2642                                      <xsd:annotation>
2643                                      <xsd:documentation>
2644                                          The response to a ListBiographicData request, containing a list
2645                                          of biographic data elements stored for a subject. In the
2646                                          encounter-centric model, the biographic data elements for a
2647                                          specific encounter are returned. If an encounter ID is not
```

2648 specified and encounter data exists for the subject, the list
2649 of encounter IDs which contain biographic data is returned.
2650 </xsd:documentation>
2651 </xsd:annotation>
2652 <xsd:sequence>
2653 <xsd:element name="ListBiographicDataResponsePackage" nillable="true">
2654 <xsd:complexType>
2655 <xsd:complexContent>
2656 <xsd:extension base="tns:ResponseTemplate">
2657 <xsd:sequence>
2658 <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="0" maxOccurs="1">
2659 <xsd:annotation>
2660 <xsd:documentation>
2661 Contains a list of biographic data elements associated with a
2662 subject or encounter; non-empty if the service was
2663 successful, biographic data exists, and either (a) the
2664 person-centric model is being used or (b) the
2665 encounter-centric model is being used and an encounter
2666 identifier was specified.
2667 </xsd:documentation>
2668 </xsd:annotation>
2669 </xsd:element>
2670 <xsd:element name="EncounterList" type="tns:EncounterListType" minOccurs="0" maxOccurs="1">
2671 <xsd:annotation>
2672 <xsd:documentation>
2673 A list of encounter ID's associated with a subject and
2674 which contain biographic data; non-empty if the service
2675 was successful, biographic data exists, the
2676 encounter-centric model is being used, and an encounter
2677 identifier was not specified.
2678 </xsd:documentation>
2679 </xsd:annotation>
2680 </xsd:element>
2681 </xsd:sequence>
2682 </xsd:extension>
2683 </xsd:complexContent>
2684 </xsd:complexType>
2685 </xsd:element>
2686 </xsd:sequence>
2687 </xsd:complexType>

```

2688    </xsd:element>
2689    <xsd:element name="ListBiometricData">
2690      <xsd:complexType>
2691        <xsd:annotation>
2692          <xsd:documentation>
2693            Lists the biometric data elements stored for a subject. Note
2694            that no actual biometric data is returned by this service (see
2695            the RetrieveBiometricInformation service to obtain the biometric
2696            data).
2697          </xsd:documentation>
2698        </xsd:annotation>
2699        <xsd:sequence>
2700          <xsd:element name="ListBiometricDataRequest" nillable="true">
2701            <xsd:complexType>
2702              <xsd:complexContent>
2703                <xsd:extension base="tns:RequestTemplate">
2704                  <xsd:sequence>
2705                    <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">
2706                      <xsd:annotation>
2707                        <xsd:documentation>Identifies the subject or, in the encounter-centric model, a subject and an
2708 encounter.</xsd:documentation>
2709                      </xsd:annotation>
2710                    </xsd:element>
2711                    <xsd:element name="ListFilter" type="tns>ListFilterType" minOccurs="0" maxOccurs="1">
2712                      <xsd:annotation>
2713                        <xsd:documentation>Indicates what biometric information should be returned.</xsd:documentation>
2714                      </xsd:annotation>
2715                    </xsd:element>
2716                  </xsd:sequence>
2717                </xsd:extension>
2718              </xsd:complexContent>
2719            </xsd:complexType>
2720          </xsd:element>
2721        </xsd:sequence>
2722      </xsd:complexType>
2723    </xsd:element>
2724    <xsd:element name="ListBiometricDataResponse">
2725      <xsd:complexType>
2726        <xsd:annotation>
2727          <xsd:documentation>
```

2728 The response to a ListBiometricData request, containing a list
2729 of biometric data elements stored for a subject. In the
2730 encounter-centric model, the biometric data elements for a
2731 specific encounter are returned. If an encounter ID is not
2732 specified and encounter data exists for the subject, the list
2733 of encounter IDs which contain biometric data is returned.
2734 </xsd:documentation>
2735 </xsd:annotation>
2736 <xsd:sequence>
2737 <xsd:element name="ListBiometricDataResponsePackage" nillable="true">
2738 <xsd:complexType>
2739 <xsd:complexContent>
2740 <xsd:extension base="tns:ResponseTemplate">
2741 <xsd:sequence>
2742 <xsd:element name="Identity" type="tns:BIASIdentity">
2743 <xsd:annotation>
2744 <xsd:documentation>
2745 Includes a list of biometric data elements associated
2746 with a subject or encounter or a list of encounter ID's
2747 associated with a subject and which contain biometric
2748 data.
2749 </xsd:documentation>
2750 </xsd:annotation>
2751 </xsd:element>
2752 </xsd:sequence>
2753 </xsd:extension>
2754 </xsd:complexContent>
2755 </xsd:complexType>
2756 </xsd:element>
2757 </xsd:sequence>
2758 </xsd:complexType>
2759 </xsd:element>
2760 <xsd:element name="PerformFusion">
2761 <xsd:complexType>
2762 <xsd:annotation>
2763 <xsd:documentation>
2764 Accepts either match score or match decision information and creates a fused match result.
2765 </xsd:documentation>
2766 </xsd:annotation>
2767 <xsd:sequence>

```
2768     <xsd:element name="PerformFusionRequest" nillable="true">
2769         <xsd:complexType>
2770             <xsd:complexContent>
2771                 <xsd:extension base="tns:RequestTemplate">
2772                     <xsd:sequence>
2773                         <xsd:element name="FusionInput" type="tns:FusionInformationListType" minOccurs="1" maxOccurs="1">
2774                             <xsd:annotation>
2775                                 <xsd:documentation>Score or decision input information to the fusion method.</xsd:documentation>
2776                             </xsd:annotation>
2777                         </xsd:element>
2778                     </xsd:sequence>
2779                 </xsd:extension>
2780             </xsd:complexContent>
2781         </xsd:complexType>
2782     </xsd:element>
2783 </xsd:sequence>
2784 </xsd:complexType>
2785 </xsd:element>
2786 <xsd:element name="PerformFusionResponse">
2787     <xsd:complexType>
2788         <xsd:annotation>
2789             <xsd:documentation>
2790                 The response to the PerformFusion request.
2791             </xsd:documentation>
2792         </xsd:annotation>
2793     <xsd:sequence>
2794         <xsd:element name="PerformFusionResponsePackage" nillable="true">
2795             <xsd:complexType>
2796                 <xsd:complexContent>
2797                     <xsd:extension base="tns:ResponseTemplate">
2798                         <xsd:sequence>
2799                             <xsd:element name="Match" type="tns:MatchType" minOccurs="1" maxOccurs="1">
2800                             <xsd:annotation>
2801                                 <xsd:documentation>Indicates the result of the fusion method</xsd:documentation>
2802                             </xsd:annotation>
2803                         </xsd:element>
2804                     </xsd:sequence>
2805                 </xsd:extension>
2806             </xsd:complexContent>
2807         </xsd:complexType>
```

```

2808      </xsd:element>
2809      </xsd:sequence>
2810      </xsd:complexType>
2811      </xsd:element>
2812      <xsd:element name="QueryCapabilities">
2813          <xsd:complexType>
2814              <xsd:annotation>
2815                  <xsd:documentation>
2816                      Returns a list of the capabilities, options, galleries, etc.
2817                      that are supported by the BIAS implementation.
2818                  </xsd:documentation>
2819              </xsd:annotation>
2820              <xsd:sequence>
2821                  <xsd:element name="QueryCapabilitiesRequest" nillable="true">
2822                      <xsd:complexType>
2823                          <xsd:complexContent>
2824                              <xsd:extension base="tns:RequestTemplate"/>
2825                          </xsd:complexContent>
2826                      </xsd:complexType>
2827                  </xsd:element>
2828              </xsd:sequence>
2829          </xsd:complexType>
2830      </xsd:element>
2831      <xsd:element name="QueryCapabilitiesResponse">
2832          <xsd:complexType>
2833              <xsd:annotation>
2834                  <xsd:documentation>
2835                      The response to a QueryCapabilities request.
2836                  </xsd:documentation>
2837              </xsd:annotation>
2838              <xsd:sequence>
2839                  <xsd:element name="QueryCapabilitiesResponsePackage" nillable="true">
2840                      <xsd:complexType>
2841                          <xsd:complexContent>
2842                              <xsd:extension base="tns:ResponseTemplate">
2843                                  <xsd:sequence>
2844                                      <xsd:element name="CapabilityList" type="tns:CapabilityListType" minOccurs="1" maxOccurs="1">
2845                                          <xsd:annotation>
2846                                              <xsd:documentation>A list of capabilities supported by the BIAS implementation.</xsd:documentation>
2847                                          </xsd:annotation>

```

```

2848      </xsd:element>
2849      </xsd:sequence>
2850      </xsd:extension>
2851      </xsd:complexContent>
2852      </xsd:complexType>
2853      </xsd:element>
2854      </xsd:sequence>
2855      </xsd:complexType>
2856      </xsd:element>
2857      <xsd:element name="RetrieveBiographicInformation">
2858          <xsd:complexType>
2859              <xsd:annotation>
2860                  <xsd:documentation>
2861                      Retrieves the biographic data associated with a subject ID.
2862                  </xsd:documentation>
2863              </xsd:annotation>
2864              <xsd:sequence>
2865                  <xsd:element name="RetrieveBiographicInformationRequest" nillable="true">
2866                      <xsd:complexType>
2867                          <xsd:complexContent>
2868                              <xsd:extension base="tns:RequestTemplate">
2869                                  <xsd:sequence>
2870                                      <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">
2871                                          <xsd:annotation>
2872                                              <xsd:documentation>Identifies the subject or, in the encounter-centric model, a subject and an
2873 encounter.</xsd:documentation>
2874                                          </xsd:annotation>
2875                                      </xsd:element>
2876                                  </xsd:sequence>
2877                              </xsd:extension>
2878                          </xsd:complexContent>
2879                      </xsd:complexType>
2880                  </xsd:element>
2881              </xsd:sequence>
2882          </xsd:complexType>
2883      </xsd:element>
2884      <xsd:element name="RetrieveBiographicInformationResponse">
2885          <xsd:complexType>
2886              <xsd:annotation>
2887                  <xsd:documentation>
```

2888 The response to a RetrieveBiographicInformation request,
2889 containing the biographic data associated with a subject ID. In
2890 the encounter-centric model, the biographic data associated with
2891 a specified encounter is returned. If the encounter ID is not
2892 specified in the encounter-centric model, the biographic
2893 information associated with the most recent encounter is returned.
2894 </xsd:documentation>
2895 </xsd:annotation>
2896 <xsd:sequence>
2897 <xsd:element name="RetrieveBiographicInformationResponsePackage" nillable="true">
2898 <xsd:complexType>
2899 <xsd:complexContent>
2900 <xsd:extension base="tns:ResponseTemplate">
2901 <xsd:sequence>
2902 <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">
2903 <xsd:annotation>
2904 <xsd:documentation>Includes the set of biographic data associated with a
2905 subject.</xsd:documentation>
2906 </xsd:annotation>
2907 </xsd:element>
2908 </xsd:sequence>
2909 </xsd:extension>
2910 </xsd:complexContent>
2911 </xsd:complexType>
2912 </xsd:element>
2913 </xsd:sequence>
2914 </xsd:complexType>
2915 </xsd:element>
2916 <xsd:element name="RetrieveBiometricInformation">
2917 <xsd:complexType>
2918 <xsd:annotation>
2919 <xsd:documentation>
2920 Retrieves the biometric data associated with a subject ID.
2921 </xsd:documentation>
2922 </xsd:annotation>
2923 <xsd:sequence>
2924 <xsd:element name="RetrieveBiometricInformationRequest" nillable="true">
2925 <xsd:complexType>
2926 <xsd:complexContent>
2927 <xsd:extension base="tns:RequestTemplate">

```

2928      <xsd:sequence>
2929          <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">
2930              <xsd:annotation>
2931                  <xsd:documentation>Identifies the subject or, in the encounter-centric model, a subject and an
2932 encounter.</xsd:documentation>
2933          </xsd:annotation>
2934      </xsd:element>
2935          <xsd:element name="BiometricType" type="iso-iec19785-3-7:MultipleTypesType" minOccurs="0"
2936 maxOccurs="1">
2937              <xsd:annotation>
2938                  <xsd:documentation>The type of biological or behavioral data to retrieve.</xsd:documentation>
2939              </xsd:annotation>
2940          </xsd:element>
2941      </xsd:sequence>
2942      </xsd:extension>
2943      </xsd:complexContent>
2944      </xsd:complexType>
2945      </xsd:element>
2946      </xsd:sequence>
2947      </xsd:complexType>
2948  </xsd:element>
2949  <xsd:element name="RetrieveBiometricInformationResponse">
2950      <xsd:complexType>
2951          <xsd:annotation>
2952              <xsd:documentation>
2953                  The response to a RetrieveBiometricInformation request,
2954                  containing the biometric data associated with a subject ID. In
2955                  the encounter-centric model, the biometric data associated with
2956                  a specified encounter is returned. If the encounter ID is not
2957                  specified in the encounter-centric model, the biometric
2958                  information associated with the most recent encounter is returned.
2959              </xsd:documentation>
2960          </xsd:annotation>
2961      <xsd:sequence>
2962          <xsd:element name="RetrieveBiometricInformationResponsePackage" nillable="true">
2963              <xsd:complexType>
2964                  <xsd:complexContent>
2965                      <xsd:extension base="tns:ResponseTemplate">
2966                          <xsd:sequence>
2967                              <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">

```

```

2968      <xsd:annotation>
2969          <xsd:documentation>Includes the biometric data associated with a subject.</xsd:documentation>
2970      </xsd:annotation>
2971      </xsd:element>
2972      </xsd:sequence>
2973      </xsd:extension>
2974      </xsd:complexContent>
2975      </xsd:complexType>
2976      </xsd:element>
2977      </xsd:sequence>
2978      </xsd:complexType>
2979      </xsd:element>
2980      <xsd:element name="SetBiographicData">
2981          <xsd:complexType>
2982              <xsd:annotation>
2983                  <xsd:documentation>
2984                      Associates biographic data to a given subject record.
2985                  </xsd:documentation>
2986              </xsd:annotation>
2987              <xsd:sequence>
2988                  <xsd:element name="SetBiographicDataRequest" nillable="true">
2989                      <xsd:complexType>
2990                          <xsd:complexContent>
2991                              <xsd:extension base="tns:RequestTemplate">
2992                                  <xsd:sequence>
2993                                      <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">
2994                                          <xsd:annotation>
2995                                              <xsd:documentation>Identifies the subject or, in the encounter-centric model, a subject and an
2996 encounter, and includes the biographic data to store.</xsd:documentation>
2997                                          </xsd:annotation>
2998                                  </xsd:element>
2999                                  </xsd:sequence>
3000                              </xsd:extension>
3001                          </xsd:complexContent>
3002                      </xsd:complexType>
3003                  </xsd:element>
3004                  </xsd:sequence>
3005              </xsd:complexType>
3006          </xsd:element>
3007          <xsd:element name="SetBiographicDataResponse">

```

```

3008 <xsd:complexType>
3009   <xsd:annotation>
3010     <xsd:documentation>
3011       The response to a SetBiographicData request.
3012     </xsd:documentation>
3013   </xsd:annotation>
3014   <xsd:sequence>
3015     <xsd:element name="SetBiographicDataResponsePackage" nillable="true">
3016       <xsd:complexType>
3017         <xsd:complexContent>
3018           <xsd:extension base="tns:ResponseTemplate">
3019             <xsd:sequence>
3020               <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="0" maxOccurs="1">
3021                 <xsd:annotation>
3022                   <xsd:documentation>In an encounter-centric model, identifies the encounter ID assigned to a new
3023 encounter.</xsd:documentation>
3024               </xsd:annotation>
3025             </xsd:element>
3026           </xsd:sequence>
3027         </xsd:extension>
3028       </xsd:complexContent>
3029     </xsd:complexType>
3030   </xsd:element>
3031   </xsd:sequence>
3032 </xsd:complexType>
3033 </xsd:element>
3034 <xsd:element name="SetBiometricData">
3035   <xsd:complexType>
3036     <xsd:annotation>
3037       <xsd:documentation>
3038         Associates biometric data to a given subject record.
3039       </xsd:documentation>
3040     </xsd:annotation>
3041   <xsd:sequence>
3042     <xsd:element name="SetBiometricDataRequest" nillable="true">
3043       <xsd:complexType>
3044         <xsd:complexContent>
3045           <xsd:extension base="tns:RequestTemplate">
3046             <xsd:sequence>
3047               <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">

```

```
3048      <xsd:annotation>
3049          <xsd:documentation>Identifies the subject or, in the encounter-centric model, a subject and an
3050  encounter, and includes the biometric data to store.</xsd:documentation>
3051      </xsd:annotation>
3052      </xsd:element>
3053      </xsd:sequence>
3054      </xsd:extension>
3055      </xsd:complexContent>
3056      </xsd:complexType>
3057      </xsd:element>
3058      </xsd:sequence>
3059      </xsd:complexType>
3060      </xsd:element>
3061  <xsd:element name="SetBiometricDataResponse">
3062      <xsd:complexType>
3063          <xsd:annotation>
3064              <xsd:documentation>
3065                  The response to a SetBiometricData request.
3066              </xsd:documentation>
3067          </xsd:annotation>
3068          <xsd:sequence>
3069              <xsd:element name="SetBiometricDataResponsePackage" nillable="true">
3070                  <xsd:complexType>
3071                      <xsd:complexContent>
3072                          <xsd:extension base="tns:ResponseTemplate">
3073                              <xsd:sequence>
3074                                  <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="0" maxOccurs="1">
3075                                      <xsd:annotation>
3076                                          <xsd:documentation>In an encounter-centric model, identifies the encounter ID assigned to a new
3077  encounter.</xsd:documentation>
3078                                      </xsd:annotation>
3079                                  </xsd:element>
3080                              </xsd:sequence>
3081                          </xsd:extension>
3082                      </xsd:complexContent>
3083                  </xsd:complexType>
3084                  </xsd:element>
3085              </xsd:sequence>
3086          </xsd:complexType>
3087      </xsd:element>
```

```
3088    <xsd:element name="TransformBiometricData">
3089        <xsd:complexType>
3090            <xsd:annotation>
3091                <xsd:documentation>
3092                    Transforms or processes a given biometric in one format into a new target format.
3093                </xsd:documentation>
3094            </xsd:annotation>
3095            <xsd:sequence>
3096                <xsd:element name="TransformBiometricDataRequest" nillable="true">
3097                    <xsd:complexType>
3098                        <xsd:complexContent>
3099                            <xsd:extension base="tns:RequestTemplate">
3100                                <xsd:sequence>
3101                                    <xsd:element name="InputBIR" type="tns:CBEFF_BIR_Type" minOccurs="1" maxOccurs="1">
3102                                        <xsd:annotation>
3103                                            <xsd:documentation>Data structure containing the biometric information to be
3104 transformed.</xsd:documentation>
3105                                        </xsd:annotation>
3106                                    </xsd:element>
3107                                    <xsd:element name="TransformOperation" type="xsd:unsignedLong" minOccurs="1" maxOccurs="1">
3108                                        <xsd:annotation>
3109                                            <xsd:documentation>Value indicating the type of transformation to perform.</xsd:documentation>
3110                                        </xsd:annotation>
3111                                    </xsd:element>
3112                                    <xsd:element name="TransformControl" type="xsd:string" minOccurs="0" maxOccurs="1">
3113                                        <xsd:annotation>
3114                                            <xsd:documentation> Specifies controls for the requested transform operation.</xsd:documentation>
3115                                        </xsd:annotation>
3116                                    </xsd:element>
3117                                </xsd:sequence>
3118                            </xsd:extension>
3119                        </xsd:complexContent>
3120                    </xsd:complexType>
3121                </xsd:element>
3122            </xsd:sequence>
3123        </xsd:complexType>
3124    </xsd:element>
3125    <xsd:element name="TransformBiometricDataResponse">
3126        <xsd:complexType>
3127            <xsd:annotation>
```

```
3128    <xsd:documentation>
3129        The response to a TransformBiometricData request.
3130    </xsd:documentation>
3131    </xsd:annotation>
3132    <xsd:sequence>
3133        <xsd:element name="TransformBiometricDataResponsePackage" nillable="true">
3134            <xsd:complexType>
3135                <xsd:complexContent>
3136                    <xsd:extension base="tns:ResponseTemplate">
3137                        <xsd:sequence>
3138                            <xsd:element name="OutputBIR" type="tns:CBEFF_BIR_Type" minOccurs="0" maxOccurs="1">
3139                                <xsd:annotation>
3140                                    <xsd:documentation>Data structure containing the new, transformed biometric
3141 information.</xsd:documentation>
3142                                </xsd:annotation>
3143                            </xsd:element>
3144                        </xsd:sequence>
3145                    </xsd:extension>
3146                </xsd:complexContent>
3147            </xsd:complexType>
3148        </xsd:element>
3149    </xsd:sequence>
3150 </xsd:complexType>
3151 </xsd:element>
3152 <xsd:element name="UpdateBiographicData">
3153     <xsd:complexType>
3154         <xsd:annotation>
3155             <xsd:documentation>
3156                 Updates the biographic data for a given subject record.
3157             </xsd:documentation>
3158         </xsd:annotation>
3159     <xsd:sequence>
3160         <xsd:element name="UpdateBiographicDataRequest" nillable="true">
3161             <xsd:complexType>
3162                 <xsd:complexContent>
3163                     <xsd:extension base="tns:RequestTemplate">
3164                         <xsd:sequence>
3165                             <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">
3166                             <xsd:annotation>
```

```
3167      <xsd:documentation>Identifies the subject or, in the encounter-centric model, a subject and an  
3168      encounter, and includes the biographic data to update.</xsd:documentation>  
3169      </xsd:annotation>  
3170      </xsd:element>  
3171      </xsd:sequence>  
3172      </xsd:extension>  
3173      </xsd:complexContent>  
3174      </xsd:complexType>  
3175      </xsd:element>  
3176      </xsd:sequence>  
3177      </xsd:complexType>  
3178      </xsd:element>  
3179      <xsd:element name="UpdateBiographicDataResponse">  
3180          <xsd:complexType>  
3181              <xsd:annotation>  
3182                  <xsd:documentation>  
3183                      The response to an UpdateBiographicData request.  
3184              </xsd:documentation>  
3185          </xsd:annotation>  
3186          <xsd:sequence>  
3187              <xsd:element name="UpdateBiographicDataResponsePackage" nillable="true">  
3188                  <xsd:complexType>  
3189                      <xsd:complexContent>  
3190                          <xsd:extension base="tns:ResponseTemplate"/>  
3191                      </xsd:complexContent>  
3192                  </xsd:complexType>  
3193          </xsd:element>  
3194          </xsd:sequence>  
3195      </xsd:complexType>  
3196      </xsd:element>  
3197      <xsd:element name="UpdateBiometricData">  
3198          <xsd:complexType>  
3199              <xsd:annotation>  
3200                  <xsd:documentation>  
3201                      Updates a single biometric sample for a given subject record.  
3202                  </xsd:documentation>  
3203              </xsd:annotation>  
3204              <xsd:sequence>  
3205                  <xsd:element name="UpdateBiometricDataRequest" nillable="true">  
3206                      <xsd:complexType>
```

```

3207      <xsd:complexContent>
3208          <xsd:extension base="tns:RequestTemplate">
3209              <xsd:sequence>
3210                  <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">
3211                      <xsd:annotation>
3212                          <xsd:documentation>Identifies the subject or, in the encounter-centric model, a subject and an
3213 encounter, and includes the biometric data to update.</xsd:documentation>
3214                  </xsd:annotation>
3215              </xsd:element>
3216              <xsd:element name="Merge" type="xsd:boolean" minOccurs="0" maxOccurs="1">
3217                  <xsd:annotation>
3218                      <xsd:documentation>Value indicating if the input biometric sample should be merged with any existing
3219 biometric information.</xsd:documentation>
3220                  </xsd:annotation>
3221              </xsd:element>
3222          </xsd:sequence>
3223      </xsd:extension>
3224      </xsd:complexContent>
3225      </xsd:complexType>
3226      </xsd:element>
3227      </xsd:sequence>
3228  </xsd:complexType>
3229  </xsd:element>
3230  <xsd:element name="UpdateBiometricDataResponse">
3231      <xsd:complexType>
3232          <xsd:annotation>
3233              <xsd:documentation>
3234                  The response to an UpdateBiometricData request.
3235              </xsd:documentation>
3236          </xsd:annotation>
3237          <xsd:sequence>
3238              <xsd:element name="UpdateBiometricDataResponsePackage" nillable="true">
3239                  <xsd:complexType>
3240                      <xsd:complexContent>
3241                          <xsd:extension base="tns:ResponseTemplate"/>
3242                      </xsd:complexContent>
3243                  </xsd:complexType>
3244              </xsd:element>
3245          </xsd:sequence>
3246      </xsd:complexType>

```

```

3247    </xsd:element>
3248    <xsd:element name="VerifySubject">
3249      <xsd:complexType>
3250        <xsd:annotation>
3251          <xsd:documentation>
3252            Performs a 1:1 verification match between a given biometric and
3253            either a claim to identity in a given gallery or another given
3254            biometric.
3255          </xsd:documentation>
3256        </xsd:annotation>
3257        <xsd:sequence>
3258          <xsd:element name="VerifySubjectRequest" nillable="true">
3259            <xsd:complexType>
3260              <xsd:complexContent>
3261                <xsd:extension base="tns:RequestTemplate">
3262                  <xsd:sequence>
3263                    <xsd:element name="GalleryID" type="tns:BIASIDType" minOccurs="0" maxOccurs="1">
3264                      <xsd:annotation>
3265                        <xsd:documentation>The identifier of the gallery or population group of which the subject must be a
3266 member.</xsd:documentation>
3267                      </xsd:annotation>
3268                    </xsd:element>
3269                    <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">
3270                      <xsd:annotation>
3271                        <xsd:documentation>Includes the identifying information and/or input and reference biometric
3272 samples.</xsd:documentation>
3273                      </xsd:annotation>
3274                    </xsd:element>
3275                  </xsd:sequence>
3276                </xsd:extension>
3277              </xsd:complexContent>
3278            </xsd:complexType>
3279          </xsd:element>
3280        </xsd:sequence>
3281      </xsd:complexType>
3282    </xsd:element>
3283    <xsd:element name="VerifySubjectResponse">
3284      <xsd:complexType>
3285        <xsd:annotation>
3286          <xsd:documentation>

```

```

3287      The response to a VerifySubject request.
3288      </xsd:documentation>
3289      </xsd:annotation>
3290      <xsd:sequence>
3291          <xsd:element name="VerifySubjectResponsePackage" nillable="true">
3292              <xsd:complexType>
3293                  <xsd:complexContent>
3294                      <xsd:extension base="tns:ResponseTemplate">
3295                          <xsd:sequence>
3296                              <xsd:element name="Match" type="xsd:boolean" minOccurs="0" maxOccurs="1">
3297                                  <xsd:annotation>
3298                                      <xsd:documentation>Indicates if the Input BIR matched either the biometric information associated
3299 with the Identity Claim or the Reference BIR.</xsd:documentation>
3300                                  </xsd:annotation>
3301                          </xsd:element>
3302                          <xsd:element name="Score" type="tns:Score" minOccurs="0" maxOccurs="1">
3303                              <xsd:annotation>
3304                                  <xsd:documentation>The score if the biometric information matched.</xsd:documentation>
3305                              </xsd:annotation>
3306                          </xsd:element>
3307                      </xsd:sequence>
3308                  </xsd:extension>
3309                  </xsd:complexContent>
3310          </xsd:complexType>
3311      </xsd:element>
3312      </xsd:sequence>
3313  </xsd:complexType>
3314      </xsd:element>
3315  <xsd:element name="Enroll">
3316      <xsd:complexType>
3317          <xsd:annotation>
3318              <xsd:documentation>
3319                  The Enroll aggregate service adds a new subject or, in an
3320                  encounter-centric model, a new encounter to the system. This may
3321                  be accomplished in a number of different ways according to
3322                  system requirements and/or resources. If the Enroll aggregate
3323                  service is implemented as a synchronous service, the
3324                  implementing system immediately processes the request and
3325                  returns the results in the ReturnData parameter. If the Enroll
3326                  aggregate service is implemented as an asynchronous service, the

```

3327 implementing system returns a token in the ReturnData
3328 parameter, which is an indication that the request is being
3329 handled asynchronously. In this case, the GetEnrollResults
3330 service is used to poll for the results of the Enroll request.
3331 </xsd:documentation>
3332 </xsd:annotation>
3333 <xsd:sequence>
3334 <xsd:element name="EnrollRequest" nillable="true">
3335 <xsd:complexType>
3336 <xsd:complexContent>
3337 <xsd:extension base="tns:AggregateRequestTemplate"/>
3338 </xsd:complexContent>
3339 </xsd:complexType>
3340 </xsd:element>
3341 </xsd:sequence>
3342 </xsd:complexType>
3343 </xsd:element>
3344 <xsd:element name="EnrollResponse">
3345 <xsd:complexType>
3346 <xsd:annotation>
3347 <xsd:documentation>The response to an Enroll request.</xsd:documentation>
3348 </xsd:annotation>
3349 <xsd:sequence>
3350 <xsd:element name="EnrollResponsePackage" nillable="true">
3351 <xsd:complexType>
3352 <xsd:complexContent>
3353 <xsd:extension base="tns:AggregateResponseTemplate"/>
3354 </xsd:complexContent>
3355 </xsd:complexType>
3356 </xsd:element>
3357 </xsd:sequence>
3358 </xsd:complexType>
3359 </xsd:element>
3360 <xsd:element name="GetEnrollResults">
3361 <xsd:complexType>
3362 <xsd:annotation>
3363 <xsd:documentation>
3364 The GetEnrollResults aggregate service retrieves the enrollment
3365 results for the specified token. This service is used in
3366 conjunction with the Enroll aggregate service. If the Enroll

```
3367      aggregate service is implemented as an asynchronous service, the
3368      implementing system returns a token, and the GetEnrollResults
3369      service is used to poll for the results of the original Enroll
3370      request.
3371      </xsd:documentation>
3372      </xsd:annotation>
3373      <xsd:sequence>
3374          <xsd:element name="GetEnrollResultsRequest" nillable="true">
3375              <xsd:complexType>
3376                  <xsd:complexContent>
3377                      <xsd:extension base="tns:RequestTemplate">
3378                          <xsd:sequence>
3379                              <xsd:element name="Token" type="tns:TokenType" minOccurs="1" maxOccurs="1">
3380                                  <xsd:annotation>
3381                                      <xsd:documentation>A value used to retrieve the results of the Enroll request.</xsd:documentation>
3382                                  </xsd:annotation>
3383                          </xsd:element>
3384                      </xsd:sequence>
3385                  </xsd:extension>
3386                  </xsd:complexContent>
3387          </xsd:complexType>
3388      </xsd:element>
3389      </xsd:sequence>
3390  </xsd:complexType>
3391  </xsd:element>
3392  <xsd:element name="GetEnrollResultsResponse">
3393      <xsd:complexType>
3394          <xsd:annotation>
3395              <xsd:documentation>The response to a GetEnrollResults request.</xsd:documentation>
3396          </xsd:annotation>
3397          <xsd:sequence>
3398              <xsd:element name="GetEnrollResultsResponsePackage" nillable="true">
3399                  <xsd:complexType>
3400                      <xsd:complexContent>
3401                          <xsd:extension base="tns:AggregateResponseTemplate"/>
3402                      </xsd:complexContent>
3403                  </xsd:complexType>
3404              </xsd:element>
3405          </xsd:sequence>
3406      </xsd:complexType>
```

```

3407    </xsd:element>
3408    <xsd:element name="GetIdentifyResults">
3409      <xsd:complexType>
3410        <xsd:annotation>
3411          <xsd:documentation>
3412            The GetIdentifyResults aggregate service retrieves the
3413            identification results for the specified token. This service is
3414            used in conjunction with the Identify aggregate service. If the
3415            Identify aggregate service is implemented as an asynchronous
3416            service, the implementing system returns a token, and the
3417            GetIdentifyResults service is used to poll for the results of
3418            the original Identify request.
3419          </xsd:documentation>
3420        </xsd:annotation>
3421        <xsd:sequence>
3422          <xsd:element name="GetIdentifyResultsRequest" nillable="true">
3423            <xsd:complexType>
3424              <xsd:complexContent>
3425                <xsd:extension base="tns:RequestTemplate">
3426                  <xsd:sequence>
3427                    <xsd:element name="Token" type="tns:TokenType" minOccurs="1" maxOccurs="1">
3428                      <xsd:annotation>
3429                        <xsd:documentation>A value used to retrieve the results of the Identify request.</xsd:documentation>
3430                      </xsd:annotation>
3431                    </xsd:element>
3432                  </xsd:sequence>
3433                </xsd:extension>
3434              </xsd:complexContent>
3435            </xsd:complexType>
3436          </xsd:element>
3437        </xsd:sequence>
3438      </xsd:complexType>
3439    </xsd:element>
3440    <xsd:element name="GetIdentifyResultsResponse">
3441      <xsd:complexType>
3442        <xsd:annotation>
3443          <xsd:documentation>The response to a GetIdentifyResults request.</xsd:documentation>
3444        </xsd:annotation>
3445      <xsd:sequence>
3446        <xsd:element name="GetIdentifyResultsResponsePackage" nillable="true">

```

```

3447      <xsd:complexType>
3448          <xsd:complexContent>
3449              <xsd:extension base="tns:AggregateResponseTemplate"/>
3450          </xsd:complexContent>
3451      </xsd:complexType>
3452  </xsd:element>
3453  </xsd:sequence>
3454 </xsd:complexType>
3455 </xsd:element>
3456 <xsd:element name="GetVerifyResults">
3457     <xsd:complexType>
3458         <xsd:annotation>
3459             <xsd:documentation>
3460                 The GetVerifyResults aggregate service retrieves the verification
3461                 results for the specified token. This service is used in
3462                 conjunction with the Verify aggregate service. If the Verify
3463                 aggregate service is implemented as an asynchronous service, the
3464                 implementing system returns a token, and the GetVerifyResults
3465                 service is used to poll for the results of the original Verify
3466                 request.
3467             </xsd:documentation>
3468         </xsd:annotation>
3469         <xsd:sequence>
3470             <xsd:element name="GetVerifyResultsRequest" nillable="true">
3471                 <xsd:complexType>
3472                     <xsd:complexContent>
3473                         <xsd:extension base="tns:RequestTemplate">
3474                             <xsd:sequence>
3475                                 <xsd:element name="Token" type="tns:TokenType" minOccurs="1" maxOccurs="1">
3476                                     <xsd:annotation>
3477                                         <xsd:documentation>A value used to retrieve the results of the Verify request.</xsd:documentation>
3478                                     </xsd:annotation>
3479                             </xsd:element>
3480                         </xsd:sequence>
3481                     </xsd:extension>
3482                     </xsd:complexContent>
3483                 </xsd:complexType>
3484             </xsd:element>
3485         </xsd:sequence>
3486     </xsd:complexType>

```

```

3487    </xsd:element>
3488    <xsd:element name="GetVerifyResultsResponse">
3489        <xsd:complexType>
3490            <xsd:annotation>
3491                <xsd:documentation>The response to a GetVerifyResults request.</xsd:documentation>
3492            </xsd:annotation>
3493            <xsd:sequence>
3494                <xsd:element name="GetVerifyResultsResponsePackage" nillable="true">
3495                    <xsd:complexType>
3496                        <xsd:complexContent>
3497                            <xsd:extension base="tns:AggregateResponseTemplate">
3498                                <xsd:sequence>
3499                                    <xsd:element name="Match" type="xsd:boolean" minOccurs="0" maxOccurs="1">
3500                                        <xsd:annotation>
3501                                            <xsd:documentation>Indicates if the Input BIR matched either the biometric information associated
3502 with the Identity Claim or the Reference BIR.</xsd:documentation>
3503                                        </xsd:annotation>
3504                                </xsd:element>
3505                                <xsd:element name="Score" type="tns:Score" minOccurs="0" maxOccurs="1">
3506                                    <xsd:annotation>
3507                                        <xsd:documentation>The score if the biometric information matched.</xsd:documentation>
3508                                    </xsd:annotation>
3509                                </xsd:element>
3510                            </xsd:sequence>
3511                            </xsd:extension>
3512                            </xsd:complexContent>
3513                        </xsd:complexType>
3514                    </xsd:element>
3515                </xsd:sequence>
3516            </xsd:complexType>
3517        </xsd:element>
3518        <xsd:element name="Identify">
3519            <xsd:complexType>
3520                <xsd:annotation>
3521                    <xsd:documentation>
3522                        The Identify aggregate service performs an identification
3523                        function according to system requirements and/or resources. If
3524                        the Identify aggregate service is implemented as a synchronous
3525                        service, the implementing system immediately processes the
3526                        request and returns the results in the ReturnData parameter. If

```

3527 the Identify aggregate service is implemented as an asynchronous
3528 service, the implementing system returns a token in the
3529 ReturnData parameter, which is an indication that the request is
3530 being handled asynchronously. In this case, the
3531 GetIdentifyResults service is used to poll for the results of
3532 the Identify request.

```
3533     </xsd:documentation>
3534     </xsd:annotation>
3535     <xsd:sequence>
3536         <xsd:element name="IdentifyRequest" nillable="true">
3537             <xsd:complexType>
3538                 <xsd:complexContent>
3539                     <xsd:extension base="tns:AggregateRequestTemplate"/>
3540                 </xsd:complexContent>
3541             </xsd:complexType>
3542         </xsd:element>
3543     </xsd:sequence>
3544     </xsd:complexType>
3545 </xsd:element>
3546     <xsd:element name="IdentifyResponse">
3547         <xsd:complexType>
3548             <xsd:annotation>
3549                 <xsd:documentation>The response to an Identify request.</xsd:documentation>
3550             </xsd:annotation>
3551             <xsd:sequence>
3552                 <xsd:element name="IdentifyResponsePackage" nillable="true">
3553                     <xsd:complexType>
3554                         <xsd:complexContent>
3555                             <xsd:extension base="tns:AggregateResponseTemplate"/>
3556                         </xsd:complexContent>
3557                     </xsd:complexType>
3558                 </xsd:element>
3559             </xsd:sequence>
3560         </xsd:complexType>
3561     </xsd:element>
3562     <xsd:element name="RetrieveInformation">
3563         <xsd:complexType>
3564             <xsd:annotation>
3565                 <xsd:documentation>
3566                     The RetrieveInformation aggregate service retrieves requested
```

3567 information about a subject, or in an encounter-centric model
3568 about an encounter. In a person-centric model, this aggregate
3569 service may be used to retrieve both biographic and biometric
3570 information for a subject record. In an encounter-centric model,
3571 this aggregate service may be used to retrieve biographic and/or
3572 biometric information for either a single encounter or all
3573 encounters. Either a SubjectID or EncounterID must be specified
3574 in the Identify parameter.

3575 </xsd:documentation>

3576 </xsd:annotation>

3577 <xsd:sequence>

3578 <xsd:element name="RetrieveInformationRequest" nillable="true">

3579 <xsd:complexType>

3580 <xsd:complexContent>

3581 <xsd:extension base="tns:RequestTemplate">

3582 <xsd:sequence>

3583 <xsd:element name="ProcessingOptions" type="tns:ProcessingOptionsType" minOccurs="1"
3584 maxOccurs="1">

3585 <xsd:annotation>

3586 <xsd:documentation>Options that guide how the service request is processed, and may identify what
3587 type(s) of information should be returned.</xsd:documentation>

3588 </xsd:annotation>

3589 </xsd:element>

3590 <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">

3591 <xsd:annotation>

3592 <xsd:documentation>Includes the identifier of the subject or encounter.</xsd:documentation>

3593 </xsd:annotation>

3594 </xsd:element>

3595 </xsd:sequence>

3596 </xsd:extension>

3597 </xsd:complexContent>

3598 </xsd:complexType>

3599 </xsd:element>

3600 </xsd:sequence>

3601 </xsd:complexType>

3602 </xsd:element>

3603 <xsd:element name="RetrieveInformationResponse">

3604 <xsd:complexType>

3605 <xsd:annotation>

3606 <xsd:documentation>The response to a RetrieveInformation request.</xsd:documentation>

```

3607    </xsd:annotation>
3608    <xsd:sequence>
3609      <xsd:element name="RetrieveInformationResponsePackage" nillable="true">
3610        <xsd:complexType>
3611          <xsd:complexContent>
3612            <xsd:extension base="tns:AggregateResponseTemplate"/>
3613          </xsd:complexContent>
3614        </xsd:complexType>
3615      </xsd:element>
3616    </xsd:sequence>
3617  </xsd:complexType>
3618  </xsd:element>
3619  <xsd:element name="Verify">
3620    <xsd:complexType>
3621      <xsd:annotation>
3622        <xsd:documentation>
3623          The Verify aggregate service performs a 1:1 verification
3624          function according to system requirements and/or resources.
3625          Either the IdentityClaim or ReferenceBIR input data elements in
3626          the Identity parameter are required. If the Verify aggregate
3627          service is implemented as a synchronous service, the
3628          implementing system immediately processes the request and returns
3629          the results in the ReturnData parameter. If the Verify aggregate
3630          service is implemented as an asynchronous service, the
3631          implementing system returns a token in the ReturnData parameter,
3632          which is an indication that the request is being handled
3633          asynchronously. In this case, the GetVerifyResults service is
3634          used to poll for the results of the Verify request.
3635        </xsd:documentation>
3636      </xsd:annotation>
3637    <xsd:sequence>
3638      <xsd:element name="VerifyRequest" nillable="true">
3639        <xsd:complexType>
3640          <xsd:complexContent>
3641            <xsd:extension base="tns:AggregateRequestTemplate">
3642              <xsd:sequence>
3643                <xsd:element name="Identity" type="tns:BIASIdentity" minOccurs="1" maxOccurs="1">
3644                  <xsd:annotation>
3645                    <xsd:documentation>Includes either the IdentityClaim or ReferenceBIR.</xsd:documentation>
3646                  </xsd:annotation>

```

```

3647      </xsd:element>
3648      <xsd:element name="GalleryID" type="tns:BIASIDType" minOccurs="0" maxOccurs="1">
3649          <xsd:annotation>
3650              <xsd:documentation>The identifier of the gallery or population group of which the subject must be a
3651 member.</xsd:documentation>
3652          </xsd:annotation>
3653      </xsd:element>
3654      </xsd:sequence>
3655      </xsd:extension>
3656      </xsd:complexContent>
3657      </xsd:complexType>
3658      </xsd:element>
3659      </xsd:sequence>
3660      </xsd:complexType>
3661      </xsd:element>
3662      <xsd:element name="VerifyResponse">
3663          <xsd:complexType>
3664              <xsd:annotation>
3665                  <xsd:documentation>The response to a Verify request.</xsd:documentation>
3666              </xsd:annotation>
3667              <xsd:sequence>
3668                  <xsd:element name="VerifyResponsePackage" nillable="true">
3669                      <xsd:complexType>
3670                          <xsd:complexContent>
3671                              <xsd:extension base="tns:AggregateResponseTemplate">
3672                                  <xsd:sequence>
3673                                      <xsd:element name="Match" type="xsd:boolean" minOccurs="0" maxOccurs="1">
3674                                          <xsd:annotation>
3675                                              <xsd:documentation>Indicates if the Input BIR matched either the biometric information associated
3676 with the Identity Claim or the Reference BIR.</xsd:documentation>
3677                                          </xsd:annotation>
3678                                      </xsd:element>
3679                                      <xsd:element name="Score" type="tns:Score" minOccurs="0" maxOccurs="1">
3680                                          <xsd:annotation>
3681                                              <xsd:documentation>The score if the biometric information matched.</xsd:documentation>
3682                                          </xsd:annotation>
3683                                      </xsd:element>
3684                                      </xsd:sequence>
3685                                      </xsd:extension>
3686                                      </xsd:complexContent>

```

```

3687      </xsd:complexType>
3688      </xsd:element>
3689      </xsd:sequence>
3690      </xsd:complexType>
3691      </xsd:element>
3692      <xsd:element name="BIASFault" type="tns:BIASFaultDetail"/>
3693  </xsd:schema>
3694 </wsdl:types>
3695 <wsdl:message name="BIASFaultMessage">
3696   <wsdl:part name="parameters" element="tns:BIASFault"/>
3697 </wsdl:message>
3698 <wsdl:message name="AddSubjectToGalleryRequestMessage">
3699   <wsdl:part name="parameters" element="tns:AddSubjectToGallery"/>
3700 </wsdl:message>
3701 <wsdl:message name="AddSubjectToGalleryResponseMessage">
3702   <wsdl:part name="parameters" element="tns:AddSubjectToGalleryResponse"/>
3703 </wsdl:message>
3704 <wsdl:message name="CheckQualityRequestMessage">
3705   <wsdl:part name="parameters" element="tns:CheckQuality"/>
3706 </wsdl:message>
3707 <wsdl:message name="CheckQualityResponseMessage">
3708   <wsdl:part name="parameters" element="tns:CheckQualityResponse"/>
3709 </wsdl:message>
3710 <wsdl:message name="ClassifyBiometricDataRequestMessage">
3711   <wsdl:part name="parameters" element="tns:ClassifyBiometricData"/>
3712 </wsdl:message>
3713 <wsdl:message name="ClassifyBiometricDataResponseMessage">
3714   <wsdl:part name="parameters" element="tns:ClassifyBiometricDataResponse"/>
3715 </wsdl:message>
3716 <wsdl:message name="CreateSubjectRequestMessage">
3717   <wsdl:part name="parameters" element="tns>CreateSubject"/>
3718 </wsdl:message>
3719 <wsdl:message name="CreateSubjectResponseMessage">
3720   <wsdl:part name="parameters" element="tns>CreateSubjectResponse"/>
3721 </wsdl:message>
3722 <wsdl:message name="DeleteBiographicDataRequestMessage">
3723   <wsdl:part name="parameters" element="tns>DeleteBiographicData"/>
3724 </wsdl:message>
3725 <wsdl:message name="DeleteBiographicDataResponseMessage">
3726   <wsdl:part name="parameters" element="tns>DeleteBiographicDataResponse"/>

```

```
3727 </wsdl:message>
3728 <wsdl:message name="DeleteBiometricDataRequestMessage">
3729   <wsdl:part name="parameters" element="tns:DeleteBiometricData"/>
3730 </wsdl:message>
3731 <wsdl:message name="DeleteBiometricDataResponseMessage">
3732   <wsdl:part name="parameters" element="tns:DeleteBiometricDataResponse"/>
3733 </wsdl:message>
3734 <wsdl:message name="DeleteSubjectRequestMessage">
3735   <wsdl:part name="parameters" element="tns:DeleteSubject"/>
3736 </wsdl:message>
3737 <wsdl:message name="DeleteSubjectResponseMessage">
3738   <wsdl:part name="parameters" element="tns:DeleteSubjectResponse"/>
3739 </wsdl:message>
3740 <wsdl:message name="DeleteSubjectFromGalleryRequestMessage">
3741   <wsdl:part name="parameters" element="tns:DeleteSubjectFromGallery"/>
3742 </wsdl:message>
3743 <wsdl:message name="DeleteSubjectFromGalleryResponseMessage">
3744   <wsdl:part name="parameters" element="tns:DeleteSubjectFromGalleryResponse"/>
3745 </wsdl:message>
3746 <wsdl:message name="GetIdentifySubjectResultsRequestMessage">
3747   <wsdl:part name="parameters" element="tns:GetIdentifySubjectResults"/>
3748 </wsdl:message>
3749 <wsdl:message name="GetIdentifySubjectResultsResponseMessage">
3750   <wsdl:part name="parameters" element="tns:GetIdentifySubjectResultsResponse"/>
3751 </wsdl:message>
3752 <wsdl:message name="IdentifySubjectRequestMessage">
3753   <wsdl:part name="parameters" element="tns:IdentifySubject"/>
3754 </wsdl:message>
3755 <wsdl:message name="IdentifySubjectResponseMessage">
3756   <wsdl:part name="parameters" element="tns:IdentifySubjectResponse"/>
3757 </wsdl:message>
3758 <wsdl:message name="ListBiographicDataRequestMessage">
3759   <wsdl:part name="parameters" element="tns>ListBiographicData"/>
3760 </wsdl:message>
3761 <wsdl:message name="ListBiographicDataResponseMessage">
3762   <wsdl:part name="parameters" element="tns>ListBiographicDataResponse"/>
3763 </wsdl:message>
3764 <wsdl:message name="ListBiometricDataRequestMessage">
3765   <wsdl:part name="parameters" element="tns>ListBiometricData"/>
3766 </wsdl:message>
```

```
3767 <wsdl:message name="ListBiometricDataResponseMessage">
3768   <wsdl:part name="parameters" element="tns>ListBiometricDataResponse"/>
3769 </wsdl:message>
3770 <wsdl:message name="PerformFusionRequestMessage">
3771   <wsdl:part name="parameters" element="tns:PerformFusion"/>
3772 </wsdl:message>
3773 <wsdl:message name="PerformFusionResponseMessage">
3774   <wsdl:part name="parameters" element="tns:PerformFusionResponse"/>
3775 </wsdl:message>
3776 <wsdl:message name="QueryCapabilitiesRequestMessage">
3777   <wsdl:part name="parameters" element="tns:QueryCapabilities"/>
3778 </wsdl:message>
3779 <wsdl:message name="QueryCapabilitiesResponseMessage">
3780   <wsdl:part name="parameters" element="tns:QueryCapabilitiesResponse"/>
3781 </wsdl:message>
3782 <wsdl:message name="RetrieveBiographicInformationRequestMessage">
3783   <wsdl:part name="parameters" element="tns:RetrieveBiographicInformation"/>
3784 </wsdl:message>
3785 <wsdl:message name="RetrieveBiographicInformationResponseMessage">
3786   <wsdl:part name="parameters" element="tns:RetrieveBiographicInformationResponse"/>
3787 </wsdl:message>
3788 <wsdl:message name="RetrieveBiometricInformationRequestMessage">
3789   <wsdl:part name="parameters" element="tns:RetrieveBiometricInformation"/>
3790 </wsdl:message>
3791 <wsdl:message name="RetrieveBiometricInformationResponseMessage">
3792   <wsdl:part name="parameters" element="tns:RetrieveBiometricInformationResponse"/>
3793 </wsdl:message>
3794 <wsdl:message name="SetBiographicDataRequestMessage">
3795   <wsdl:part name="parameters" element="tns:SetBiographicData"/>
3796 </wsdl:message>
3797 <wsdl:message name="SetBiographicDataResponseMessage">
3798   <wsdl:part name="parameters" element="tns:SetBiographicDataResponse"/>
3799 </wsdl:message>
3800 <wsdl:message name="SetBiometricDataRequestMessage">
3801   <wsdl:part name="parameters" element="tns:SetBiometricData"/>
3802 </wsdl:message>
3803 <wsdl:message name="SetBiometricDataResponseMessage">
3804   <wsdl:part name="parameters" element="tns:SetBiometricDataResponse"/>
3805 </wsdl:message>
3806 <wsdl:message name="TransformBiometricDataRequestMessage">
```

```
3807 <wsdl:part name="parameters" element="tns:TransformBiometricData"/>
3808 </wsdl:message>
3809 <wsdl:message name="TransformBiometricDataResponseMessage">
3810   <wsdl:part name="parameters" element="tns:TransformBiometricDataResponse"/>
3811 </wsdl:message>
3812 <wsdl:message name="UpdateBiographicDataRequestMessage">
3813   <wsdl:part name="parameters" element="tns:UpdateBiographicData"/>
3814 </wsdl:message>
3815 <wsdl:message name="UpdateBiographicDataResponseMessage">
3816   <wsdl:part name="parameters" element="tns:UpdateBiographicDataResponse"/>
3817 </wsdl:message>
3818 <wsdl:message name="UpdateBiometricDataRequestMessage">
3819   <wsdl:part name="parameters" element="tns:UpdateBiometricData"/>
3820 </wsdl:message>
3821 <wsdl:message name="UpdateBiometricDataResponseMessage">
3822   <wsdl:part name="parameters" element="tns:UpdateBiometricDataResponse"/>
3823 </wsdl:message>
3824 <wsdl:message name="VerifySubjectRequestMessage">
3825   <wsdl:part name="parameters" element="tns:VerifySubject"/>
3826 </wsdl:message>
3827 <wsdl:message name="VerifySubjectResponseMessage">
3828   <wsdl:part name="parameters" element="tns:VerifySubjectResponse"/>
3829 </wsdl:message>
3830 <wsdl:message name="EnrollRequestMessage">
3831   <wsdl:part name="parameters" element="tns:Enroll"/>
3832 </wsdl:message>
3833 <wsdl:message name="EnrollResponseMessage">
3834   <wsdl:part name="parameters" element="tns:EnrollResponse"/>
3835 </wsdl:message>
3836 <wsdl:message name="GetEnrollResultsRequestMessage">
3837   <wsdl:part name="parameters" element="tns:GetEnrollResults"/>
3838 </wsdl:message>
3839 <wsdl:message name="GetEnrollResultsResponseMessage">
3840   <wsdl:part name="parameters" element="tns:GetEnrollResultsResponse"/>
3841 </wsdl:message>
3842 <wsdl:message name="GetIdentifyResultsRequestMessage">
3843   <wsdl:part name="parameters" element="tns:GetIdentifyResults"/>
3844 </wsdl:message>
3845 <wsdl:message name="GetIdentifyResultsResponseMessage">
3846   <wsdl:part name="parameters" element="tns:GetIdentifyResultsResponse"/>
```

```

3847 </wsdl:message>
3848 <wsdl:message name="GetVerifyResultsRequestMessage">
3849   <wsdl:part name="parameters" element="tns:GetVerifyResults"/>
3850 </wsdl:message>
3851 <wsdl:message name="GetVerifyResultsResponseMessage">
3852   <wsdl:part name="parameters" element="tns:GetVerifyResultsResponse"/>
3853 </wsdl:message>
3854 <wsdl:message name="IdentifyRequestMessage">
3855   <wsdl:part name="parameters" element="tns:Identify"/>
3856 </wsdl:message>
3857 <wsdl:message name="IdentifyResponseMessage">
3858   <wsdl:part name="parameters" element="tns:IdentifyResponse"/>
3859 </wsdl:message>
3860 <wsdl:message name="RetrieveInformationRequestMessage">
3861   <wsdl:part name="parameters" element="tns:RetrieveInformation"/>
3862 </wsdl:message>
3863 <wsdl:message name="RetrieveInformationResponseMessage">
3864   <wsdl:part name="parameters" element="tns:RetrieveInformationResponse"/>
3865 </wsdl:message>
3866 <wsdl:message name="VerifyRequestMessage">
3867   <wsdl:part name="parameters" element="tns:Verify"/>
3868 </wsdl:message>
3869 <wsdl:message name="VerifyResponseMessage">
3870   <wsdl:part name="parameters" element="tns:VerifyResponse"/>
3871 </wsdl:message>
3872 <wsdl:portType name="BIAS_v1">
3873   <wsdl:operation name="AddSubjectToGallery">
3874     <wsdl:input name="AddSubjectToGallery" message="tns:AddSubjectToGalleryRequestMessage"/>
3875     <wsdl:output name="AddSubjectToGalleryResponse" message="tns:AddSubjectToGalleryResponseMessage"/>
3876     <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3877   </wsdl:operation>
3878   <wsdl:operation name="CheckQuality">
3879     <wsdl:input name="CheckQuality" message="tns:CheckQualityRequestMessage"/>
3880     <wsdl:output name="CheckQualityResponse" message="tns:CheckQualityResponseMessage"/>
3881     <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3882   </wsdl:operation>
3883   <wsdl:operation name="ClassifyBiometricData">
3884     <wsdl:input name="ClassifyBiometricData" message="tns:ClassifyBiometricDataRequestMessage"/>
3885     <wsdl:output name="ClassifyBiometricDataResponse" message="tns:ClassifyBiometricDataResponseMessage"/>
3886     <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>

```

```

3887    </wsdl:operation>
3888    <wsdl:operation name="CreateSubject">
3889      <wsdl:input name="CreateSubject" message="tns:CreateSubjectRequestMessage"/>
3890      <wsdl:output name="CreateSubjectResponse" message="tns:CreateSubjectResponseMessage"/>
3891      <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3892    </wsdl:operation>
3893    <wsdl:operation name="DeleteBiographicData">
3894      <wsdl:input name="DeleteBiographicData" message="tns:DeleteBiographicDataRequestMessage"/>
3895      <wsdl:output name="DeleteBiographicDataResponse" message="tns:DeleteBiographicDataResponseMessage"/>
3896      <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3897    </wsdl:operation>
3898    <wsdl:operation name="DeleteBiometricData">
3899      <wsdl:input name="DeleteBiometricData" message="tns:DeleteBiometricDataRequestMessage"/>
3900      <wsdl:output name="DeleteBiometricDataResponse" message="tns:DeleteBiometricDataResponseMessage"/>
3901      <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3902    </wsdl:operation>
3903    <wsdl:operation name="DeleteSubject">
3904      <wsdl:input name="DeleteSubject" message="tns:DeleteSubjectRequestMessage"/>
3905      <wsdl:output name="DeleteSubjectResponse" message="tns:DeleteSubjectResponseMessage"/>
3906      <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3907    </wsdl:operation>
3908    <wsdl:operation name="DeleteSubjectFromGallery">
3909      <wsdl:input name="DeleteSubjectFromGallery" message="tns:DeleteSubjectFromGalleryRequestMessage"/>
3910      <wsdl:output name="DeleteSubjectFromGalleryResponse"
3911      message="tns:DeleteSubjectFromGalleryResponseMessage"/>
3912      <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3913    </wsdl:operation>
3914    <wsdl:operation name="GetIdentifySubjectResults">
3915      <wsdl:input name="GetIdentifySubjectResults" message="tns:GetIdentifySubjectResultsRequestMessage"/>
3916      <wsdl:output name="GetIdentifySubjectResultsResponse"
3917      message="tns:GetIdentifySubjectResultsResponseMessage"/>
3918      <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3919    </wsdl:operation>
3920    <wsdl:operation name="IdentifySubject">
3921      <wsdl:input name="IdentifySubject" message="tns:IdentifySubjectRequestMessage"/>
3922      <wsdl:output name="IdentifySubjectResponse" message="tns:IdentifySubjectResponseMessage"/>
3923      <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3924    </wsdl:operation>
3925    <wsdl:operation name="ListBiographicData">
3926      <wsdl:input name="ListBiographicData" message="tns>ListBiographicDataRequestMessage"/>

```

```

3927    <wsdl:output name="ListBiographicDataResponse" message="tns>ListBiographicDataResponseMessage"/>
3928    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3929  </wsdl:operation>
3930  <wsdl:operation name="ListBiometricData">
3931    <wsdl:input name="ListBiometricData" message="tns>ListBiometricDataRequestMessage"/>
3932    <wsdl:output name="ListBiometricDataResponse" message="tns>ListBiometricDataResponseMessage"/>
3933    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3934  </wsdl:operation>
3935  <wsdl:operation name="PerformFusion">
3936    <wsdl:input name="PerformFusion" message="tns:PerformFusionRequestMessage"/>
3937    <wsdl:output name="PerformFusionResponse" message="tns:PerformFusionResponseMessage"/>
3938    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3939  </wsdl:operation>
3940  <wsdl:operation name="QueryCapabilities">
3941    <wsdl:input name="QueryCapabilities" message="tns:QueryCapabilitiesRequestMessage"/>
3942    <wsdl:output name="QueryCapabilitiesResponse" message="tns:QueryCapabilitiesResponseMessage"/>
3943    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3944  </wsdl:operation>
3945  <wsdl:operation name="RetrieveBiographicInformation">
3946    <wsdl:input name="RetrieveBiographicInformation"
3947 message="tns:RetrieveBiographicInformationRequestMessage"/>
3948    <wsdl:output name="RetrieveBiographicInformationResponse"
3949 message="tns:RetrieveBiographicInformationResponseMessage"/>
3950    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3951  </wsdl:operation>
3952  <wsdl:operation name="RetrieveBiometricInformation">
3953    <wsdl:input name="RetrieveBiometricInformation"
3954 message="tns:RetrieveBiometricInformationRequestMessage"/>
3955    <wsdl:output name="RetrieveBiometricInformationResponse"
3956 message="tns:RetrieveBiometricInformationResponseMessage"/>
3957    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3958  </wsdl:operation>
3959  <wsdl:operation name="SetBiographicData">
3960    <wsdl:input name="SetBiographicData" message="tns:SetBiographicDataRequestMessage"/>
3961    <wsdl:output name="SetBiographicDataResponse" message="tns:SetBiographicDataResponseMessage"/>
3962    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3963  </wsdl:operation>
3964  <wsdl:operation name="SetBiometricData">
3965    <wsdl:input name="SetBiometricData" message="tns:SetBiometricDataRequestMessage"/>
3966    <wsdl:output name="SetBiometricDataResponse" message="tns:SetBiometricDataResponseMessage"/>
3967    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>

```

```

3968    </wsdl:operation>
3969    <wsdl:operation name="TransformBiometricData">
3970      <wsdl:input name="TransformBiometricData" message="tns:TransformBiometricDataRequestMessage"/>
3971      <wsdl:output name="TransformBiometricDataResponse" message="tns:TransformBiometricDataResponseMessage"/>
3972    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3973  </wsdl:operation>
3974  <wsdl:operation name="UpdateBiographicData">
3975    <wsdl:input name="UpdateBiographicData" message="tns:UpdateBiographicDataRequestMessage"/>
3976    <wsdl:output name="UpdateBiographicDataResponse" message="tns:UpdateBiographicDataResponseMessage"/>
3977    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3978  </wsdl:operation>
3979  <wsdl:operation name="UpdateBiometricData">
3980    <wsdl:input name="UpdateBiometricData" message="tns:UpdateBiometricDataRequestMessage"/>
3981    <wsdl:output name="UpdateBiometricDataResponse" message="tns:UpdateBiometricDataResponseMessage"/>
3982    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3983  </wsdl:operation>
3984  <wsdl:operation name="VerifySubject">
3985    <wsdl:input name="VerifySubject" message="tns:VerifySubjectRequestMessage"/>
3986    <wsdl:output name="VerifySubjectResponse" message="tns:VerifySubjectResponseMessage"/>
3987    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3988  </wsdl:operation>
3989  <wsdl:operation name="Enroll">
3990    <wsdl:input name="Enroll" message="tns:EnrollRequestMessage"/>
3991    <wsdl:output name="EnrollResponse" message="tns:EnrollResponseMessage"/>
3992    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3993  </wsdl:operation>
3994  <wsdl:operation name="GetEnrollResults">
3995    <wsdl:input name="GetEnrollResults" message="tns:GetEnrollResultsRequestMessage"/>
3996    <wsdl:output name="GetEnrollResultsResponse" message="tns:GetEnrollResultsResponseMessage"/>
3997    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
3998  </wsdl:operation>
3999  <wsdl:operation name="GetIdentifyResults">
4000    <wsdl:input name="GetIdentifyResults" message="tns:GetIdentifyResultsRequestMessage"/>
4001    <wsdl:output name="GetIdentifyResultsResponse" message="tns:GetIdentifyResultsResponseMessage"/>
4002    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
4003  </wsdl:operation>
4004  <wsdl:operation name="GetVerifyResults">
4005    <wsdl:input name="GetVerifyResults" message="tns:GetVerifyResultsRequestMessage"/>
4006    <wsdl:output name="GetVerifyResultsResponse" message="tns:GetVerifyResultsResponseMessage"/>
4007  </wsdl:operation>

```

```

4008    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
4009  </wsdl:operation>
4010  <wsdl:operation name="Identify">
4011    <wsdl:input name="Identify" message="tns:IdentifyRequestMessage"/>
4012    <wsdl:output name="IdentifyResponse" message="tns:IdentifyResponseMessage"/>
4013    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
4014  </wsdl:operation>
4015  <wsdl:operation name="RetrieveInformation">
4016    <wsdl:input name="RetrieveInformation" message="tns:RetrieveInformationRequestMessage"/>
4017    <wsdl:output name="RetrieveInformationResponse" message="tns:RetrieveInformationResponseMessage"/>
4018    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
4019  </wsdl:operation>
4020  <wsdl:operation name="Verify">
4021    <wsdl:input name="Verify" message="tns:VerifyRequestMessage"/>
4022    <wsdl:output name="VerifyResponse" message="tns:VerifyResponseMessage"/>
4023    <wsdl:fault name="BIASFault" message="tns:BIASFaultMessage"/>
4024  </wsdl:operation>
4025 </wsdl:portType>
4026 <wsdl:binding name="BIAS_v1HttpBinding" type="tns:BIAS_v1">
4027   <soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>
4028   <wsdl:operation name="AddSubjectToGallery">
4029     <soap:operation soapAction="AddSubjectToGallery"/>
4030     <wsdl:input name="AddSubjectToGallery">
4031       <soap:body use="literal"/>
4032     </wsdl:input>
4033     <wsdl:output name="AddSubjectToGalleryResponse">
4034       <soap:body use="literal"/>
4035     </wsdl:output>
4036     <wsdl:fault name="BIASFault">
4037       <soap:fault name="BIASFault" use="literal"/>
4038     </wsdl:fault>
4039   </wsdl:operation>
4040   <wsdl:operation name="CheckQuality">
4041     <soap:operation soapAction="CheckQuality"/>
4042     <wsdl:input name="CheckQuality">
4043       <soap:body use="literal"/>
4044     </wsdl:input>
4045     <wsdl:output name="CheckQualityResponse">
4046       <soap:body use="literal"/>
4047     </wsdl:output>

```

```
4048    <wsdl:fault name="BIASFault">
4049        <soap:fault name="BIASFault" use="literal"/>
4050    </wsdl:fault>
4051    </wsdl:operation>
4052    <wsdl:operation name="ClassifyBiometricData">
4053        <soap:operation soapAction="ClassifyBiometricData"/>
4054        <wsdl:input name="ClassifyBiometricData">
4055            <soap:body use="literal"/>
4056        </wsdl:input>
4057        <wsdl:output name="ClassifyBiometricDataResponse">
4058            <soap:body use="literal"/>
4059        </wsdl:output>
4060        <wsdl:fault name="BIASFault">
4061            <soap:fault name="BIASFault" use="literal"/>
4062        </wsdl:fault>
4063    </wsdl:operation>
4064    <wsdl:operation name="CreateSubject">
4065        <soap:operation soapAction="CreateSubject"/>
4066        <wsdl:input name="CreateSubject">
4067            <soap:body use="literal"/>
4068        </wsdl:input>
4069        <wsdl:output name="CreateSubjectResponse">
4070            <soap:body use="literal"/>
4071        </wsdl:output>
4072        <wsdl:fault name="BIASFault">
4073            <soap:fault name="BIASFault" use="literal"/>
4074        </wsdl:fault>
4075    </wsdl:operation>
4076    <wsdl:operation name="DeleteBiographicData">
4077        <soap:operation soapAction="DeleteBiographicData"/>
4078        <wsdl:input name="DeleteBiographicData">
4079            <soap:body use="literal"/>
4080        </wsdl:input>
4081        <wsdl:output name="DeleteBiographicDataResponse">
4082            <soap:body use="literal"/>
4083        </wsdl:output>
4084        <wsdl:fault name="BIASFault">
4085            <soap:fault name="BIASFault" use="literal"/>
4086        </wsdl:fault>
4087    </wsdl:operation>
```

```
4088 <wsdl:operation name="DeleteBiometricData">
4089   <soap:operation soapAction="DeleteBiometricData"/>
4090   <wsdl:input name="DeleteBiometricData">
4091     <soap:body use="literal"/>
4092   </wsdl:input>
4093   <wsdl:output name="DeleteBiometricDataResponse">
4094     <soap:body use="literal"/>
4095   </wsdl:output>
4096   <wsdl:fault name="BIASFault">
4097     <soap:fault name="BIASFault" use="literal"/>
4098   </wsdl:fault>
4099 </wsdl:operation>
4100 <wsdl:operation name="DeleteSubject">
4101   <soap:operation soapAction="DeleteSubject"/>
4102   <wsdl:input name="DeleteSubject">
4103     <soap:body use="literal"/>
4104   </wsdl:input>
4105   <wsdl:output name="DeleteSubjectResponse">
4106     <soap:body use="literal"/>
4107   </wsdl:output>
4108   <wsdl:fault name="BIASFault">
4109     <soap:fault name="BIASFault" use="literal"/>
4110   </wsdl:fault>
4111 </wsdl:operation>
4112 <wsdl:operation name="DeleteSubjectFromGallery">
4113   <soap:operation soapAction="DeleteSubjectFromGallery"/>
4114   <wsdl:input name="DeleteSubjectFromGallery">
4115     <soap:body use="literal"/>
4116   </wsdl:input>
4117   <wsdl:output name="DeleteSubjectFromGalleryResponse">
4118     <soap:body use="literal"/>
4119   </wsdl:output>
4120   <wsdl:fault name="BIASFault">
4121     <soap:fault name="BIASFault" use="literal"/>
4122   </wsdl:fault>
4123 </wsdl:operation>
4124 <wsdl:operation name="GetIdentifySubjectResults">
4125   <soap:operation soapAction="GetIdentifySubjectResults"/>
4126   <wsdl:input name="GetIdentifySubjectResults">
4127     <soap:body use="literal"/>
```

```
4128    </wsdl:input>
4129    <wsdl:output name="GetIdentifySubjectResultsResponse">
4130      <soap:body use="literal"/>
4131    </wsdl:output>
4132    <wsdl:fault name="BIASFault">
4133      <soap:fault name="BIASFault" use="literal"/>
4134    </wsdl:fault>
4135  </wsdl:operation>
4136  <wsdl:operation name="IdentifySubject">
4137    <soap:operation soapAction="IdentifySubject"/>
4138    <wsdl:input name="IdentifySubject">
4139      <soap:body use="literal"/>
4140    </wsdl:input>
4141    <wsdl:output name="IdentifySubjectResponse">
4142      <soap:body use="literal"/>
4143    </wsdl:output>
4144    <wsdl:fault name="BIASFault">
4145      <soap:fault name="BIASFault" use="literal"/>
4146    </wsdl:fault>
4147  </wsdl:operation>
4148  <wsdl:operation name="ListBiographicData">
4149    <soap:operation soapAction="ListBiographicData"/>
4150    <wsdl:input name="ListBiographicData">
4151      <soap:body use="literal"/>
4152    </wsdl:input>
4153    <wsdl:output name="ListBiographicDataResponse">
4154      <soap:body use="literal"/>
4155    </wsdl:output>
4156    <wsdl:fault name="BIASFault">
4157      <soap:fault name="BIASFault" use="literal"/>
4158    </wsdl:fault>
4159  </wsdl:operation>
4160  <wsdl:operation name="ListBiometricData">
4161    <soap:operation soapAction="ListBiometricData"/>
4162    <wsdl:input name="ListBiometricData">
4163      <soap:body use="literal"/>
4164    </wsdl:input>
4165    <wsdl:output name="ListBiometricDataResponse">
4166      <soap:body use="literal"/>
4167    </wsdl:output>
```

```
4168    <wsdl:fault name="BIASFault">
4169        <soap:fault name="BIASFault" use="literal"/>
4170    </wsdl:fault>
4171    </wsdl:operation>
4172    <wsdl:operation name="PerformFusion">
4173        <soap:operation soapAction="PerformFusion"/>
4174        <wsdl:input name="PerformFusion">
4175            <soap:body use="literal"/>
4176        </wsdl:input>
4177        <wsdl:output name="PerformFusionResponse">
4178            <soap:body use="literal"/>
4179        </wsdl:output>
4180        <wsdl:fault name="BIASFault">
4181            <soap:fault name="BIASFault" use="literal"/>
4182        </wsdl:fault>
4183    </wsdl:operation>
4184    <wsdl:operation name="QueryCapabilities">
4185        <soap:operation soapAction="QueryCapabilities"/>
4186        <wsdl:input name="QueryCapabilities">
4187            <soap:body use="literal"/>
4188        </wsdl:input>
4189        <wsdl:output name="QueryCapabilitiesResponse">
4190            <soap:body use="literal"/>
4191        </wsdl:output>
4192        <wsdl:fault name="BIASFault">
4193            <soap:fault name="BIASFault" use="literal"/>
4194        </wsdl:fault>
4195    </wsdl:operation>
4196    <wsdl:operation name="RetrieveBiographicInformation">
4197        <soap:operation soapAction="RetrieveBiographicInformation"/>
4198        <wsdl:input name="RetrieveBiographicInformation">
4199            <soap:body use="literal"/>
4200        </wsdl:input>
4201        <wsdl:output name="RetrieveBiographicInformationResponse">
4202            <soap:body use="literal"/>
4203        </wsdl:output>
4204        <wsdl:fault name="BIASFault">
4205            <soap:fault name="BIASFault" use="literal"/>
4206        </wsdl:fault>
4207    </wsdl:operation>
```

```
4208 <wsdl:operation name="RetrieveBiometricInformation">
4209   <soap:operation soapAction="RetrieveBiometricInformation"/>
4210   <wsdl:input name="RetrieveBiometricInformation">
4211     <soap:body use="literal"/>
4212   </wsdl:input>
4213   <wsdl:output name="RetrieveBiometricInformationResponse">
4214     <soap:body use="literal"/>
4215   </wsdl:output>
4216   <wsdl:fault name="BIASFault">
4217     <soap:fault name="BIASFault" use="literal"/>
4218   </wsdl:fault>
4219 </wsdl:operation>
4220 <wsdl:operation name="SetBiographicData">
4221   <soap:operation soapAction="SetBiographicData"/>
4222   <wsdl:input name="SetBiographicData">
4223     <soap:body use="literal"/>
4224   </wsdl:input>
4225   <wsdl:output name="SetBiographicDataResponse">
4226     <soap:body use="literal"/>
4227   </wsdl:output>
4228   <wsdl:fault name="BIASFault">
4229     <soap:fault name="BIASFault" use="literal"/>
4230   </wsdl:fault>
4231 </wsdl:operation>
4232 <wsdl:operation name="SetBiometricData">
4233   <soap:operation soapAction="SetBiometricData"/>
4234   <wsdl:input name="SetBiometricData">
4235     <soap:body use="literal"/>
4236   </wsdl:input>
4237   <wsdl:output name="SetBiometricDataResponse">
4238     <soap:body use="literal"/>
4239   </wsdl:output>
4240   <wsdl:fault name="BIASFault">
4241     <soap:fault name="BIASFault" use="literal"/>
4242   </wsdl:fault>
4243 </wsdl:operation>
4244 <wsdl:operation name="TransformBiometricData">
4245   <soap:operation soapAction="TransformBiometricData"/>
4246   <wsdl:input name="TransformBiometricData">
4247     <soap:body use="literal"/>
```

```
4248    </wsdl:input>
4249    <wsdl:output name="TransformBiometricDataResponse">
4250      <soap:body use="literal"/>
4251    </wsdl:output>
4252    <wsdl:fault name="BIASFault">
4253      <soap:fault name="BIASFault" use="literal"/>
4254    </wsdl:fault>
4255  </wsdl:operation>
4256  <wsdl:operation name="UpdateBiographicData">
4257    <soap:operation soapAction="UpdateBiographicData"/>
4258    <wsdl:input name="UpdateBiographicData">
4259      <soap:body use="literal"/>
4260    </wsdl:input>
4261    <wsdl:output name="UpdateBiographicDataResponse">
4262      <soap:body use="literal"/>
4263    </wsdl:output>
4264    <wsdl:fault name="BIASFault">
4265      <soap:fault name="BIASFault" use="literal"/>
4266    </wsdl:fault>
4267  </wsdl:operation>
4268  <wsdl:operation name="UpdateBiometricData">
4269    <soap:operation soapAction="UpdateBiometricData"/>
4270    <wsdl:input name="UpdateBiometricData">
4271      <soap:body use="literal"/>
4272    </wsdl:input>
4273    <wsdl:output name="UpdateBiometricDataResponse">
4274      <soap:body use="literal"/>
4275    </wsdl:output>
4276    <wsdl:fault name="BIASFault">
4277      <soap:fault name="BIASFault" use="literal"/>
4278    </wsdl:fault>
4279  </wsdl:operation>
4280  <wsdl:operation name="VerifySubject">
4281    <soap:operation soapAction="VerifySubject"/>
4282    <wsdl:input name="VerifySubject">
4283      <soap:body use="literal"/>
4284    </wsdl:input>
4285    <wsdl:output name="VerifySubjectResponse">
4286      <soap:body use="literal"/>
4287    </wsdl:output>
```

```
4288 <wsdl:fault name="BIASFault">
4289   <soap:fault name="BIASFault" use="literal"/>
4290 </wsdl:fault>
4291 </wsdl:operation>
4292 <wsdl:operation name="Enroll">
4293   <soap:operation soapAction="Enroll"/>
4294   <wsdl:input name="Enroll">
4295     <soap:body use="literal"/>
4296   </wsdl:input>
4297   <wsdl:output name="EnrollResponse">
4298     <soap:body use="literal"/>
4299   </wsdl:output>
4300 <wsdl:fault name="BIASFault">
4301   <soap:fault name="BIASFault" use="literal"/>
4302 </wsdl:fault>
4303 </wsdl:operation>
4304 <wsdl:operation name="GetEnrollResults">
4305   <soap:operation soapAction="GetEnrollResults"/>
4306   <wsdl:input name="GetEnrollResults">
4307     <soap:body use="literal"/>
4308   </wsdl:input>
4309   <wsdl:output name="GetEnrollResultsResponse">
4310     <soap:body use="literal"/>
4311   </wsdl:output>
4312 <wsdl:fault name="BIASFault">
4313   <soap:fault name="BIASFault" use="literal"/>
4314 </wsdl:fault>
4315 </wsdl:operation>
4316 <wsdl:operation name="GetIdentifyResults">
4317   <soap:operation soapAction="GetIdentifyResults"/>
4318   <wsdl:input name="GetIdentifyResults">
4319     <soap:body use="literal"/>
4320   </wsdl:input>
4321   <wsdl:output name="GetIdentifyResultsResponse">
4322     <soap:body use="literal"/>
4323   </wsdl:output>
4324 <wsdl:fault name="BIASFault">
4325   <soap:fault name="BIASFault" use="literal"/>
4326 </wsdl:fault>
4327 </wsdl:operation>
```

```
4328 <wsdl:operation name="GetVerifyResults">
4329   <soap:operation soapAction="GetVerifyResults"/>
4330   <wsdl:input name="GetVerifyResults">
4331     <soap:body use="literal"/>
4332   </wsdl:input>
4333   <wsdl:output name="GetVerifyResultsResponse">
4334     <soap:body use="literal"/>
4335   </wsdl:output>
4336   <wsdl:fault name="BIASFault">
4337     <soap:fault name="BIASFault" use="literal"/>
4338   </wsdl:fault>
4339 </wsdl:operation>
4340 <wsdl:operation name="Identify">
4341   <soap:operation soapAction="Identify"/>
4342   <wsdl:input name="Identify">
4343     <soap:body use="literal"/>
4344   </wsdl:input>
4345   <wsdl:output name="IdentifyResponse">
4346     <soap:body use="literal"/>
4347   </wsdl:output>
4348   <wsdl:fault name="BIASFault">
4349     <soap:fault name="BIASFault" use="literal"/>
4350   </wsdl:fault>
4351 </wsdl:operation>
4352 <wsdl:operation name="RetrieveInformation">
4353   <soap:operation soapAction="RetrieveInformation"/>
4354   <wsdl:input name="RetrieveInformation">
4355     <soap:body use="literal"/>
4356   </wsdl:input>
4357   <wsdl:output name="RetrieveInformationResponse">
4358     <soap:body use="literal"/>
4359   </wsdl:output>
4360   <wsdl:fault name="BIASFault">
4361     <soap:fault name="BIASFault" use="literal"/>
4362   </wsdl:fault>
4363 </wsdl:operation>
4364 <wsdl:operation name="Verify">
4365   <soap:operation soapAction="Verify"/>
4366   <wsdl:input name="Verify">
4367     <soap:body use="literal"/>
```

```
4368    </wsdl:input>
4369    <wsdl:output name="VerifyResponse">
4370      <soap:body use="literal"/>
4371    </wsdl:output>
4372    <wsdl:fault name="BIASFault">
4373      <soap:fault name="BIASFault" use="literal"/>
4374    </wsdl:fault>
4375  </wsdl:operation>
4376 </wsdl:binding>
4377 <wsdl:service name="BIAS_v1">
4378   <wsdl:port name="BIAS_v1HttpBindingPort" binding="tns:BIAS_v1HttpBinding">
4379     <soap:address location="http://your_URI/IRI_to_your_BIAS_implementation"/>
4380   </wsdl:port>
4381 </wsdl:service>
4382 </wsdl:definitions>
4383
```

4384 Annex B. Use Cases (non-normative)

4385 The intent of this annex is to provide operational sequence diagrams / flow charts that show how the
4386 higher level usage scenarios within [INCITS-BIAS] could be implemented using the BIAS SOAP profile.
4387


The following use cases are given:

- 4388 • Verification (synchronous/aggregate)
- 4389 • Verification (asynchronous/aggregate)
- 4390 • Verification (primitive)
- 4391 • Identification (primitive)
- 4392 • Enrollment (aggregate)
- 4393 • Enrollment (primitive)

4394 B.1 Verification Use Case

4395 This use case uses the aggregate Verify operation in which a single request results in some set of
4396 operations (in this case, a series of primitive BIAS operations) being performed by the BIAS service
4397 provider.

4398




4399 Note that
4400 1. CheckQuality, TransformBiometricData, VerifySubject can be exposed as interfaces of BIAS server agent.

4401 **B.2 Asynchronous Verification**

4402 In this use case, the requester issues two requests – the BIAS Verify request to initiate the operation
4403 followed by a BIAS GetVerifyResult request to retrieve the results of that operation.

4404




4405 Note that
4406 1. CheckQuality, TransformBiometricData, VerifySubject can be exposed as interfaces of BIAS server agent.
4407

4408 **B.3 Primitive Verification**

4409 In this use case, the verification operation is performed as a series of requests using the BIAS primitive
4410 operations. In this case, the client rather than the service provider controls the workflow of the higher
4411 level operation.

4412



4413

4414


4415 **B.4 Identification Use Case**

4416 This use case uses the aggregate Identify operation in which a single request results in some set of
4417 operations (in this case, a series of primitive BIAS operations) being performed by the BIAS service
4418 provider.

4419

4420

4421



4422 Note that


4423 1. CheckQuality, TransformBiometricData, IdentifySubject can be exposed as interfaces of BIAS server agent.

4424 **B.5 Biometric Enrollment**

4425 This use case uses the aggregate Enroll operation in which a single request results in some set of
4426 operations (in this case, a series of primitive BIAS operations) being performed by the BIAS service
4427 provider.

4428 Here, if the result of the IdentifySubject is no matches found, then the subject is added to the gallery. If a
4429 match had been found then other logic may have been applied (e.g., return candidate list, add encounter
4430 for existing subject, etc.).

4431



4432


4433

4434

4435 **B.6 Primitive Enrollment**

4436 In this use case, the enrollment operation is performed as a series of requests using the BIAS primitive
4437 operations. In this case, the client rather than the service provider controls the workflow of the higher
4438 level operation.

4439



4440

4441 Annex C. Samples (non-normative)

4442 C.1 Create Subject Request/Response Example

4443 *INCITS BIAS Specification*

```
4444 <interface name="CreateSubject">
4445     <parameter name="SubjectID" type="xs:string" direction="inout"
4446     use="optional" />
4447     <parameter name="Return" type="xs:unsignedLong" direction="out" />
4448 </interface>
```

4449 *OASIS BIAS Examples*

4450 Simple Create Subject Request:

```
4451 POST /bias HTTP/1.1
4452 Host: www.acme.com
4453 Content-Type: application/soap+xml; charset="utf-8"
4454 Content-Length: nnnn
4455 SOAPAction: "CreateSubject"
4456 <?xml version="1.0"?>
4457 <soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
4458     <soap:Body>
4459         <tns>CreateSubject
4460             xmlns:tns="http://docs.oasis-open.org/bias/bias-1.0/"
4461         />
4462     </soap:Body>
4463 </soap:Envelope>
```

4464 Create Subject Request with SubjectID Parameter:

```
4465 POST /bias HTTP/1.1
4466 Host: www.acme.com
4467 Content-Type: application/soap+xml; charset="utf-8"
4468 Content-Length: nnnn
4469 SOAPAction: "CreateSubject"
4470 <?xml version="1.0"?>
4471 <soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
4472     <soap:Body>
4473         <tns>CreateSubject xmlns:tns="http://docs.oasis-open.org/bias/bias-
4474 1.0/">
4475             <tns:Identity>
4476                 <tns:SubjectID>123456789</tns:SubjectID>
4477             </tns:Identity>
4478         </tns>CreateSubject>
4479     </soap:Body>
```

```
4480  </soap:Envelope>

4481 Create Subject Request with Optional OASIS BIAS Content:
4482 POST /bias HTTP/1.1
4483 Host: www.acme.com
4484 Content-Type: application/soap+xml; charset="utf-8"
4485 Content-Length: nnnn
4486 SOAPAction: "CreateSubject"
4487 <?xml version="1.0"?>
4488 <soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
4489     <soap:Body>
4490         <tns:CreateSubject xmlns:tns="http://docs.oasis-open.org/bias/bias-
4491 1.0/">
4492             <tns:GenericRequestParameters>
4493                 <tns:Application>BIAS Application</tns:Application>
4494                 <tns:ApplicationUser>BIAS User</tns:ApplicationUser>
4495             </tns:GenericRequestParameters>
4496             <tns:Identity>
4497                 <tns:SubjectID>123456789</tns:SubjectID>
4498             </tns:Identity>
4499         </tns:CreateSubject>
4500     </soap:Body>
4501 </soap:Envelope>
```

4502 Simple Create Subject Response:

```
4503 HTTP/1.1 200 OK
4504 Content-Type: application/soap+xml; charset="utf-8"
4505 Content-Length: nnnn
4506 <?xml version="1.0"?>
4507 <soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
4508     <soap:Body>
4509         <tns:CreateSubjectResponse xmlns:tns="http://docs.oasis-
4510 open.org/bias/bias-1.0/">
4511             <tns:ResponseStatus>
4512                 <tns:Return>0</tns:Return>
4513             </tns:ResponseStatus>
4514             <tns:Identity>
4515                 <tns:SubjectID>123456789</tns:SubjectID>
4516             </tns:Identity>
4517         </tns:CreateSubjectResponse>
4518     </soap:Body>
4519 </soap:Envelope>
```

4520 Create Subject Response with Optional OASIS BIAS Content:

```

4521 HTTP/1.1 200 OK
4522 Content-Type: application/soap+xml; charset="utf-8"
4523 Content-Length: nnnn
4524 <?xml version="1.0"?>
4525 <soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
4526     <soap:Body>
4527         <tns:CreateSubjectResponse xmlns:tns="http://docs.oasis-
4528 open.org/bias/bias-1.0/">
4529             <tns:ResponseStatus>
4530                 <tns:Return>0</tns:Return>
4531                 <tns:Message>Subject ID 123456789 successfully
4532 created.</tns:Message>
4533             </tns:ResponseStatus>
4534             <tns:Identity>
4535                 <tns:SubjectID>123456789</tns:SubjectID>
4536             </tns:Identity>
4537         </tns:CreateSubjectResponse>
4538     </soap:Body>
4539 </soap:Envelope>
4540

```

4541 C.2 Set Biographic Data Request/Response Example

4542 *INCITS BIAS Specification*

```

4543 <interface name="SetBiographicData">
4544     <parameter name="SubjectID" type="xs:string" direction="in" />
4545     <parameter name="IdentityModel" type="IdentityModelType" direction="in"
4546 />
4547     <parameter name="EncounterID" type="xs:string" direction="inout"
4548 use="optional" />
4549     <parameter name="BiographicData" type="BiographicDataType" direction="in"
4550 />
4551     <parameter name="Return" type="xs:unsignedLong" direction="out" />
4552 </interface>

```

4553 *OASIS BIAS Examples*

4554 Set Biographic Data Request:

```

4555 POST /bias HTTP/1.1
4556 Host: www.acme.com
4557 Content-Type: application/soap+xml; charset="utf-8"
4558 Content-Length: nnnn
4559 SOAPAction: "SetBiographicData"
4560 <?xml version="1.0"?>
4561 <soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
4562     <soap:Body>

```

```

4563     <tns:SetBiographicData
4564         xmlns:tns="http://docs.oasis-open.org/bias/bias-1.0/">
4565         <tns:Identity>
4566             <tns:SubjectID>123456789</tns:SubjectID>
4567             <tns:BiographicData>
4568                 <tns:BiographicDataItem>
4569                     <tns:Name>Last</tns:Name>
4570                     <tns>Type>string</tns>Type>
4571                     <tns:Value>Doe</tns:Value>
4572                 </tns:BiographicDataItem>
4573             </tns:BiographicData>
4574         </tns:Identity>
4575         <tns:IdentityModel>person</tns:IdentityModel>
4576     </tns:SetBiographicData>
4577 </soap:Body>
4578 </soap:Envelope>
```

4579 Set Biographic Data Response:

```

4580 HTTP/1.1 200 OK
4581 Content-Type: application/soap+xml; charset="utf-8"
4582 Content-Length: nnnn
4583 <?xml version="1.0"?>
4584 <soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
4585     <soap:Body>
4586         <tns:SetBiographicDataResponse
4587             xmlns:tns="http://docs.oasis-open.org/bias/bias-1.0/">
4588             <tns:ResponseStatus>
4589                 <tns:Return>0</tns:Return>
4590             </tns:ResponseStatus>
4591         </tns:SetBiographicDataResponse>
4592     </soap:Body>
4593 </soap:Envelope>
4594
```

4595 C.3 Set Biometric Data Request/Response Example

4596 *INCITS BIAS Specification*

```

4597 <interface name="SetBiometricData">
4598     <parameter name="SubjectID" type="xs:string" direction="in" />
4599     <parameter name="IdentityModel" type="IdentityModelType" direction="in" />
4600     <parameter name="EncounterID" type="xs:string" direction="inout" use="optional" />
4601     <parameter name="BIRList" type="CBEFF_BIR_ListType" direction="in" />
```

```

4604      <parameter name="Return" type="xs:unsignedLong" direction="out" />
4605  </interface>

4606  OASIS BIAS Examples

4607  Set Biometric Data Request:

4608  POST /bias HTTP/1.1
4609  Host: www.acme.com
4610  Content-Type: application/soap+xml; charset="utf-8"
4611  Content-Length: nnnn
4612  SOAPAction: "SetBiometricData"
4613  <?xml version="1.0"?>
4614  <soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
4615      <soap:Body>
4616          <tns:SetBiometricData
4617              xmlns:tns="http://docs.oasis-open.org/bias/bias-1.0/">
4618              <tns:Identity>
4619                  <tns:SubjectID>123456789</tns:SubjectID>
4620                  <tns:BiometricData>
4621                      <tns:BIRList>
4622                          <tns:BIR>biometric data</tns:BIR>
4623                      </tns:BIRList>
4624                  </tns:BiometricData>
4625              </tns:Identity>
4626              <tns:IdentityModel>person</tns:IdentityModel>
4627          </tns:SetBiometricData>
4628      </soap:Body>
4629  </soap:Envelope>

4630  Set Biometric Data Response:

4631  HTTP/1.1 200 OK
4632  Content-Type: application/soap+xml; charset="utf-8"
4633  Content-Length: nnnn
4634  <?xml version="1.0"?>
4635  <soap:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">
4636      <soap:Body>
4637          <tns:SetBiometricDataResponse
4638              xmlns:tns="http://docs.oasis-open.org/bias/bias-1.0/">
4639              <tns:ResponseStatus>
4640                  <tns:Return>0</tns:Return>
4641              </tns:ResponseStatus>
4642          </tns:SetBiometricDataResponse>
4643      </soap:Body>
4644  </soap:Envelope>
```

4645 Annex D. Acknowledgements

4646 The following individuals have participated in the creation of this specification and are gratefully
4647 acknowledged:

4648

4649 **Participants:**

4650

Name	Affiliation
Mr. Young Bang	Booz Allen Hamilton
Mr. Ed. Clay	Sun
Mr. Murty Gurajada *	Raining Data Corporation
Mr. Dale Hapeman	US Department of Defense
Dr. Charles Li	Raytheon
Mr. Kevin Mangold	NIST
Mr. John Mayer-Splain	US Department of Homeland Security
Dr. Ross Michaels	NIST
Mr. Ramesh Nagappan	Sun
Mr. Ash Parikh *	Raining Data Corporation
Mr. Matthew Swayze	Daon
Mr. Guy Swope	Raytheon
Mrs. Catherine Tilton	Daon
Mr. Alessandro Triglia	OSS Nokalva
Mr. Brad Wing	NIST (formerly DHS)
Mr. Michael Wittman	Raytheon
Mr. Gregory Zektser	Booz Allen Hamilton

4651

4652 * Though no longer members of the BIAS TC, these individuals contributed in the early stages of the
4653 development of this standard.

4654 In addition, the inputs from the INCITS technical committee M1 are also gratefully appreciated.

4655

Annex E. Revision History

4656

Revision	Date	Editor	Changes Made
0.01	2008-05-23	TBD	Initial draft
0.02	2008-07-23	TBD	Inserted data dictionary Added normative references Updated sec 3 & 5 + Annex B
0.03	2008-08-19	TBD	WSDL updated
0.04	2008-09-11	TBD	Updated references Added security requirements Corrected Fig. 3
0.05	2008-09-29	TBD	SSL/TLS requirement clarified Reordered material in 5.3 & App C/D Updated references 2 new use cases added (App C) Updated examples in App D
0.06	2008-11-17	TBD	Added BIAS operation name methods (new 5.3 + 4.2.27 & App B)
0.06a	2008-11-20	TBD	Updated references
0.07	2008-11-27	TBD	Revised fault structures and error handling
0.08	2009-06-22	TBD	Incorporated comments from informal public review.
0.09	2009-07-24	Tilton/Swayze	Incorporated comments from June review/meeting. Major changes included: - Breaking Clause 3 into 2 clauses for data elements and operations - Specification of URI & IRI - Clarifications and formatting
0.10	2009-10-19	Tilton/Swayze	Expansion of conformance clause
0.11	2009-11-16	Tilton/Swayze	Miscellaneous edits and clarifications

4657