
Component comparison

The following table compares the mapping between XDITA and HDITA elements. It also lists the value of the @data-class attribute for the HDITA element.

XDITA element	HDITA representation	HDITA: Value of @data-class attribute
<alt>	@alt on 	Not applicable?
<audio>	<audio>	audio
		b
<body>	<body>	body
<data>	<meta>	
<dd>	<dd>	dd
<desc>	@title on <audio> and <video>	Not applicable?
<div>	<div>	div
<dl>	<dl>	dl
<dlentry>	Not applicable	Not applicable
<dt>	<dt>	dt
		em
<example>	<div data-class="example">	example
<fallback>		
<fig>	<figure>	figure? fig?
<fn>	<div data-class="fn">	fn
<i>	<i>	i
<image>		img? image?
<keydef>	<div data-class="keydef">	keydef
<keytext>	<div data-class="keytext">	keytext
		li
<map>	<nav>	nav
<media-source>	<source>	source? media-source?
<media-track>	<track>	track? media-track?
<navtitle>	Not applicable	
<note>	div data-class="note">	note
		ol
<p>	<p>	p
<ph>		span

XDITA element	HDITA representation	HDITA: Value of @data-class attribute
<pre>	<pre>	pre
<prolog>	<meta>	
<section>	<section>	section
<shortdesc>		
<simpletable>	<table>	table
<stentry>	<td>	td
<sthead>	<th>	th
		strong
<strow>	<tr>	tr
<sub>	<sub>	sub
<sup>	<sup>	sup
<title>		
<topic>	<article>	article? topic?
<topicmeta>	Not applicable	Not applicable
<topicref>		
<u>	<u>	u
		ul
<video>	<video>	video
<xref>	@href on <a>	Not applicable?