

Stage 3 proposal: Feature #107 Add and elements, and redefine and <i> in a more semantic manner

Add and elements to a new domain, and redefine and <i> in a more semantic manner.

Champion

Keith Schengili-Roberts

Tracking information

Event	Date	Links
Stage 1 proposal accepted	5 Mar 2018	https://lists.oasis-open.org/archives/dita/201803/msg00012.html
Stage 2 proposal submitted	23 Mar 2018	<ul style="list-style-type: none"> DITA version: https://tools.oasis-open.org/version-control/svn/dita/trunk/DITA-2.0/stage-2/Issue107-strong_and_em.dita HTML version: https://lists.oasis-open.org/archives/dita/201803/msg00065.html
Stage 2 proposal discussed	16 October 2018	https://www.oasis-open.org/apps/org/workgroup/dita/download.php/64149/minutes20181016.txt
Stage 2 proposal approved	30 October 2018	https://www.oasis-open.org/apps/org/workgroup/dita/download.php/64192/minutes20181030.txt
Stage 3 proposal submitted to reviewers	28 May 2019	<ul style="list-style-type: none"> Bill Burns Scott Hudson
Stage 3 proposal (this document) submitted to TC	30 May 2019	<ul style="list-style-type: none"> DITA version: https://tools.oasis-open.org/version-control/svn/dita/trunk/DITA-2.0/stage-3/Issue107-stage3-strong_and_em.dita HTML version: Pending

Approved technical requirements

1. Creation of a new domain ("emphasis") which will hold two new elements: and .
2. Clarification of the definitions for the existing elements and <i> within the highlighting domain, along with additional examples.

Dependencies or interrelated proposals

Not applicable.

Modified grammar files

highlightDomain.rng (before)

```
<define name="b.element">
```

highlightDomain.rng (after)

```
<define name="b.element">
```

highlightDomain.rng (before)

```

<element name="b"
dita:longName="Bold">
  <a:documentation>The bold
  (&lt;b>) element is used to
  apply bold highlighting to
  the content of the element.
  Use this element only when
  there is not some other more
  proper element. For
  example, for specific items such
  as
    GUI controls, use the
    &lt;uicontrol> element. This
    element is part of the
  DITA highlighting domain.
  Category: Typographic
  elements</a:documentation>
  <ref name="b.attlist"/>
  <ref name="b.content"/>
</element>
</define>

```

highlightDomain.rng (after)

```

<element name="b"
dita:longName="Bold">
  <a:documentation>The bold
  (<xmlelement>b</xmlelement>)
  element is used to draw
  attention to a word or phrase
  for utilitarian purposes
  without implying that there
  is any extra importance.
  There is also no implication
  of an alternate voice or
  mood, or that its content
  should be actionable. For
  example, it can be used to
  indicate product names
  within a review, highlighting
  roles within a process, or
  for use in spans of text
  where the typical
  presentation is expected to be in
  a
    boldface. Category:
  Typographic elements
  </a:documentation>
  <ref name="b.attlist"/>
  <ref name="b.content"/>
</element>
</define>

```

```

<define name="i.element">
  <element name="i"
dita:longName="Italic">
  <a:documentation>The
  italic (&lt;i>) element is used to
  apply italic highlighting
  to the content of the element.
  Category: Typographic
  elements</a:documentation>
  <ref name="i.attlist"/>
  <ref name="i.content"/>
</element>
</define>

```

```

<define name="i.element">
  <element name="i"
dita:longName="Italic">
  <a:documentation>The
  italic (<xmlelement>i</
xmlelement>)
  element is used to
  indicate either an alternate voice
  or
    mood, or to otherwise
  offset it from the content around
  it to indicate a different
  quality of text, to indicate
  a taxonomic designation, a
  phrase from another language,
  or a ship name.
  Category: Typographic
  elements
  </a:documentation>
  <ref name="i.attlist"/>
  <ref name="i.content"/>
</element>
</define>

```

taskMod.rng (new)

```

<?xml version="1.0" encoding="UTF-8"?>
<?xml-model href="urn:oasis:names:tc:dita:rng:vocabularyModuleDesc.rng"
  schematypens="http://relaxng.org/ns/
  structure/1.0"?>

```

taskMod.rng (new)

```

<grammar xmlns:a="http://relaxng.org/ns/compatibility/annotations/1.0"
  xmlns:dita="http://dita.oasis-open.org/architecture/2005/"
  xmlns="http://relaxng.org/ns/structure/1.0">
  <moduleDesc xmlns="http://dita.oasis-open.org/architecture/2005/">
    <moduleTitle>DITA Emphasis Domain</moduleTitle>
    <headerComment>
MODULE: DITA Emphasis Domain VERSION: 2.0 DATE: November 2018

SYSTEM: Darwin Information Typing Architecture (DITA)
PURPOSE: Define elements and specialization attributes for Emphasis Domain

ORIGINAL CREATION DATE: November 2018

(C) Copyright OASIS Open 2005, 2009.
(C) Copyright IBM Corporation 2001, 2004. All Rights Reserved.

    </headerComment>
    <moduleMetadata>
      <moduleType>elementdomain</moduleType>
      <moduleShortName>emphasis</moduleShortName>
      <modulePublicIds>
        <dtdMod>-//OASIS//ELEMENTS DITA<var presep=" " name="ditaver"/>
Emphasis Domain//EN</dtdMod>
        <dtdEnt>-//OASIS//ENTITIES DITA<var presep=" " name="ditaver"/>
Emphasis Domain//EN</dtdEnt>
        <xsdMod>urn:oasis:names:tc:dita:xsd:emphasisDomain.xsd<var
presep=":" name="ditaver"/></xsdMod>
        <rncMod>urn:oasis:names:tc:dita:rnc:emphasisDomain.rnc<var
presep=":" name="ditaver"/></rncMod>
        <rngMod>urn:oasis:names:tc:dita:rng:emphasisDomain.rng<var
presep=":" name="ditaver"/></rngMod>
      </modulePublicIds>
      <domainsContribution>(topic emphasis-d)</domainsContribution>
    </moduleMetadata>
  </moduleDesc>

  <div>
    <a:documentation>DOMAIN EXTENSION PATTERNS</a:documentation>

    <define name="emphasis-ph">
      <choice>
        <ref name="strong.element"/>
        <ref name="em.element"/>
      </choice>
    </define>

    <define name="ph" combine="choice">
      <ref name="emphasis-ph"/>
    </define>
  </div>
  <div>
    <a:documentation>ELEMENT TYPE NAME PATTERNS</a:documentation>
    <define name="strong">
      <ref name="strong.element"/>
    </define>
    <define name="em">
      <ref name="em.element"/>
    </define>
  </div>
  <div>
    <a:documentation>ELEMENT TYPE DECLARATIONS</a:documentation>
  </div>

```

taskMod.rng (new)

```

<a:documentation>LONG NAME: Strong</a:documentation>
<define name="strong.content">
  <zeroOrMore>
    <choice>
      <text/>
      <ref name="basic.ph"/>
      <ref name="data.elements.incl"/>
      <ref name="draft-comment" dita/>
      <ref name="foreign.unknown.incl"/>
      <ref name="required-cleanup" dita/>
    </choice>
  </zeroOrMore>
</define>
<define name="strong.attributes">
  <ref name="univ-atts"/>
  <optional>
    <attribute name="outputclass"/>
  </optional>
</define>
<define name="strong.element">
  <element name="strong" dita:longName="Strong">
    <a:documentation>The strong (<xmlelement>strong</xmlelement>)
element is used to indicate
    the importance, seriousness, or urgency of content. Typically,
it's content will be
    rendered in boldface at output. This element is part of the emphasis
domain. Use this
    element only when a more semantically appropriate element is not
available. For example,
    for a specific warning, consider using an appropriate element from the
hazard statement
    domain, such as <xmlelement>hazardstatement</xmlelement>.
Category: Emphasis elements
  </a:documentation>
  <ref name="strong.attlist"/>
  <ref name="strong.content"/>
</element>
</define>
<define name="strong.attlist" combine="interleave">
  <ref name="strong.attributes"/>
</define>
</div>
<div>
<a:documentation>LONG NAME: Emphasis</a:documentation>
<define name="em.content">
  <zeroOrMore>
    <choice>
      <text/>
      <ref name="basic.ph"/>
      <ref name="data.elements.incl"/>
      <ref name="draft-comment" dita/>
      <ref name="foreign.unknown.incl"/>
      <ref name="required-cleanup" dita/>
    </choice>
  </zeroOrMore>
</define>
<define name="em.attributes">
  <ref name="univ-atts"/>
  <optional>
    <attribute name="outputclass"/>
  </optional>
</define>

```

taskMod.rng (new)

```

    <define name="em.element">
      <element name="em" dita:longName="Emphasis">
        <a:documentation>The em (<xmlelement>em</xmlelement>) element is
used to indicate emphasis.
        A stress emphasis is designed to change the meaning of a phrase
or sentence, or to stress the
        importance of a particular noun, verb or adjective. Typically,
it's content will be rendered
        in italics at output. This element is part of the emphasis
domain. Use this element only when
        a more semantically appropriate element is not available. For example,
when indicating a
        different mood or voice, the <xmlelement>i</xmlelement> element
may be more relevant.
        Category: Emphasis elements
      </a:documentation>
      <ref name="em.attlist"/>
      <ref name="em.content"/>
    </element>
  </define>
  <define name="em.attlist" combine="interleave">
    <ref name="em.attributes"/>
  </define>
</div>
<div>
  <a:documentation>SPECIALIZATION ATTRIBUTE DECLARATIONS</
a:documentation>
  <define name="strong.attlist" combine="interleave">
    <ref name="global-atts"/>
    <optional>
      <attribute name="class" a:defaultValue="+ topic/ph emphasis-d/
strong "/>
    </optional>
  </define>
  <define name="em.attlist" combine="interleave">
    <ref name="global-atts"/>
    <optional>
      <attribute name="class" a:defaultValue="+ topic/ph emphasis-d/em "/
>
    </optional>
  </define>
</div>
</grammar>

```

Modified terminology

N/A

Modified specification documentation

The following changes are necessary for existing DITA 1.3 documentation:

1. Changed/expanded descriptions and accompanying example code for the redefined and <i> elements
2. New documentation plus examples to describe the emphasis domain and the and elements that belong to it

** element reference topic (before)**

The element is typically used to apply bold highlighting to the content of the element. This element

** element reference topic (after)**

The element is used to draw attention to a word or phrase for utilitarian purposes without implying that there is any extra importance. There is also no

** element reference topic (before)**

is part of the highlighting domain. Use this element only when a more semantically appropriate element is not available. For example, for specific items such as GUI controls, use the <uicontrol> element.

Example

```
<p><b>STOP!</b> This is <b>very</b>
  important!</p>
```

** element reference topic (after)**

implication of an alternate voice or mood, or that its content should be actionable. For example, it can be used to indicate product names within a review, highlighting roles within a process, or for use in spans of text where the typical presentation is expected to be in a boldface.

Redefining this element brings DITA more into alignment with the equivalent element in the current HTML specification.

Examples

The element can be used to indicate a product name within a review:

```
<p>One of the best features of
  <b>Mr. Flip-it</b>
  is its ability to manipulate objects
  within a
  three-dimensional space so that you
  can see the
  other side.</b>
```

The element can be used to highlight related concepts within a topic:

```
<p>The <b>Solid Waste Operations
  Manager</b> plans
  and manages the countywide transfer
  station and
  landfill operations, coordinates
  solid waste
  processing operations with the
  planning and
  engineering staff, and performs
  related duties as
  required.</p>

[... Lots of intervening text.]

<p>The <b>Sanitation Engineer</b>
  creates
  strategies for landfill sites that
  minimize the
  impact on the environment.</p>
```

The element can also be used in situations where boldfaced text is expected for stylistic purposes, such as when the house style for an article lede is to be rendered in boldface:

```
<p><strong>Know where to get help.</strong> Before
  proceeding to wrangle your first
  ostrich, ensure
  you know the location of the closest
  first aid
  station.</p>
```

<i> element reference topic (after)

The <i> element is typically used to apply italic highlighting to the content of the element. This element is part of the highlighting domain. Use this element only when a more semantically appropriate element is not available. For example, for specific items such as citations, use the <cite> element.

Example

```
<p>Unplug the unit <i>before</i>
  placing the metal
  screwdriver against the terminal
  screw.</p>
```

<i> element reference topic (before)

The <i> element is used to indicate either an alternate voice or mood, or to otherwise offset it from the content around it to indicate a different quality of text, such as a taxonomic designation, a phrase from another language, or a ship name.

Redefining this element brings DITA more into alignment with the equivalent element in the current HTML specification.

Examples

The <i> element can be used for indicating text in a different voice, such as when foreign words or phrases are used:

```
<note type="caution">Even highly
  experienced
  operators of heavy machinery should
  remain alert
  for dangerous situations. Having a
  <i>laissez-faire</i> attitude is a
  recipe for
  disaster.</note>
```

The <i> element can also be used to indicate different character voices:

```
<p><i>Edgar</i>: I know thee well—a
  serviceable
  villain, as duteous to the vices of
  thy mistress
  as badness would desire.</p>
```

```
<p><i>Gloucester</i>: What, is he
  dead?</p>
```

It can also be used to indicate a taxonomic designation:

```
<p>When wrangling ostriches
  (<i>Struthio camelus</i>)
  people are advised that while they
  are a type of bird
  (Class: <i>Aves</i>), they are
  thought to be
  descendants of their extinct
  dinosaur (Suborder:
  <i>Theropoda</i>) relatives and
  share the same type
  of temperament.</p>
```

The <i> element can also be used to designate the name of a ship:

```
<p>The <i>MV Rena</i> was a
  container ship that ran
  aground near Tauranga, New Zealand,
  resulting in an
```

<i> element reference topic (after)**<i> element reference topic (before)**

```
oil spill.</p>
```

** element reference topic**

The element can be used to indicate content that is considered to be important or serious, or that has some form of urgency (without being a specific warning). Typically, its content will be rendered in bold at output. Use this element only when a more semantically appropriate element is not available. For example, for a specific warning, consider using an appropriate element from the hazard statement domain, such as <hazardstatement>.

This element is part of the emphasis domain. The addition of this element brings DITA more into alignment with its equivalent in the current HTML specification.

Examples

The following examples show how it can be used.

Emphasizing an important detail:

```
<p>Your doctor prescribed this medicine to treat an infection. It is
  important that you <strong>take all of
  the medicine</strong> as described.</p>
```

Another example:

```
<p>When starting a car with a keyless ignition, you must <strong>step on
  the brake pedal</strong> before
  pressing the start button.</p>
```

Underscoring a serious point:

```
Use the word <em>very</em> <strong>sparingly</strong>. Where emphasis is
  necessary, use words strong in
  themselves.
```

Pointing out a critical/urgent detail:

```
<p>SERVICE HEADLIGHT—<strong>Black</strong> wire with <strong>red tracer</
strong> from handlebar toggle switch
to large terminal screw; <strong>red</strong> wire with <strong>yellow
  tracer</strong> from handlebar toggle
switch to small terminal screw.</p>
```

** element reference topic**

The element can be used to indicate emphasis. A stress emphasis is designed to change the meaning of a phrase or sentence, or stressing the importance of a particular noun, verb or adjective. Typically, its content will be rendered in italics at output. Use this element only when a more semantically appropriate element is not available. For example, when indicating a different mood or voice, the <i> element may be more relevant.

Examples

The following examples show how it can be used.

Emphasizing meaning within a sentence:

```
<p>What was previously called <em>block-level</em> content up to HTML 4.1
  is now called
```


 element reference topic

```
<em>flow</em> content in HTML5.</p>
```

Stressing the importance of a noun within a sentence:

```
<p>A <em>condenser</em> is an apparatus for condensing a large quantity of  
electricity  
on a comparatively small surface.</p>
```

Stressing the importance of a verb or actions within a sentence:

```
To remove a message from a pigeon, first <em>catch</em> the bird, then  
<em>hold</em> it  
in one hand, <em>extend</em> its leg, and <em>remove</em> the message  
holder with the other hand.
```

Stressing the importance of an adjective or adjectival phrase within a sentence:

```
<p>A good plan once adopted and put into execution <em>should not be  
abandoned</em> unless it  
becomes clear that it can not succeed.</p>
```

This element is part of the emphasis domain. The addition of this element brings DITA more into alignment with its equivalent in the current HTML specification.

Migration plans for backwards incompatibilities

Not applicable. Two new elements are created, and two existing ones are redefined but not substantially changed.

Element reference topic:

The element is used to draw attention to a word or phrase for utilitarian purposes without implying that there is any extra importance. There is also no implication of an alternate voice or mood, or that its content should be actionable.

Usage information

 can be used to indicate product names within a review, highlighting roles within a process, or for use in spans of text where the typical presentation is expected to be in a boldface.

Formatting expectations

Content enclosed within the element ought to be rendered using a bold font.

Processing expectations

N/A

Specialization hierarchy

+ topic/ph hi-d/b

Attributes

The following attributes are available on this element: [Link]Universal attribute group[/Link] and [Link]outputclass[/Link].

Examples

The element can be used to indicate a product name within a review:

```
<p>One of the best features of <b>Mr. Flip-it</b>
  is its ability to manipulate objects within a
  three-dimensional space so that you can see the
  other side.</b>
```

The element can be used to highlight related concepts within a topic:

```
<p>The <b>Solid Waste Operations Manager</b> plans
  and manages the countywide transfer station and
  landfill operations, coordinates solid waste
  processing operations with the planning and
  engineering staff, and performs related duties as
  required.</p>
```

```
[... Lots of intervening text.]
```

```
<p>The <b>Sanitation Engineer</b> creates
  strategies for landfill sites that minimize the
  impact on the environment.</p>
```

The element can also be used in situations where boldfaced text is expected for stylistic purposes, such as when the house style for an article lede is to be rendered in boldface:

```
<p><strong>Know where to get help.</strong> Before
  proceeding to wrangle your first ostrich, ensure
  you know the location of the closest first aid
  station.</p>
```

The redefining of this element brings DITA more into alignment with the equivalent element in the current HTML specification.

Element reference topic: <i>

The <i> element is used to indicate either an alternate voice or mood, or to otherwise offset it from the content around it to indicate a different quality of text, such as a taxonomic designation, a phrase from another language, or a ship name.

Usage information

The redefining of this element brings DITA more into alignment with the equivalent element in the current HTML specification.

Formatting expectations

Content enclosed within the <i> element ought to be rendered using an italic font.

Processing expectations

N/A

Specialization hierarchy

+ topic/ph hi-d/i

Attributes

The following attributes are available on this element: [Link]Universal attribute group[/Link] and [Link]outputclass[/Link].

Examples

The <i> element can be used for indicating text in a different voice, such as when foreign words or phrases are used:



CAUTION: Even highly experienced operators of heavy machinery should remain alert for dangerous situations. Having a *laissez-faire* attitude is a recipe for disaster.

The <i> element can also be used to indicate different character voices:

Edgar: I know thee well—a serviceable villain, as duteous to the vices of thy mistress as badness would desire.

Gloucester: What, is he dead?

It can also be used to indicate a taxonomic designation:

When wrangling ostriches (*Struthio camelus*) people are advised that while they are a type of bird (Class: *Aves*), they are thought to be descendants of their extinct dinosaur (Suborder: *Theropoda*) relatives and share the same type of temperament.

The <i> element can also be used to designate the name of a ship:

The *MV Rena* was a container ship that ran aground near Tauranga, New Zealand, resulting in an oil spill.

Emphasis elements

The emphasis elements are intended for marking up content that is important, serious, or requires emphasis. Its two elements (and) are designed as semantic alternatives to the bold () and italic (<i>) elements from the highlighting domain.

[Link][/Link]

The element is typically used to indicate content that is considered to be important or serious, or that has some form of urgency (without being a specific warning). This element is part of the emphasis domain.

[Link][/Link]

The element is typically used to indicate content that should be stressed. This element is part of the emphasis domain.

Element reference topic:

The element can be used to indicate content that is considered to be important or serious, or that has some form of urgency (without being a specific warning). Typically, its content will be rendered in bold at output.

Usage information

Use this element only when a more semantically appropriate element is not available. For example, for a specific warning, consider using an appropriate element from the hazard statement domain, such as <hazardstatement>.

This element is part of the emphasis domain. The addition of this element brings DITA more into alignment with its equivalent in the current HTML specification.

Formatting expectations

Content enclosed within the `` element ought to be rendered using an bold font.

Processing expectations

N/A

Specialization hierarchy

+ topic/ph emphasis-ph/strong

Attributes

The following attributes are available on this element: [\[Link\]Universal attribute group\[/Link\]](#) and [\[Link\]outputclass\[/Link\]](#).

Examples

The following examples show how it can be used.

Emphasizing an important detail:

```
<p>Your doctor prescribed this medicine to treat an infection.  
It is important that you <strong>take all of  
the medicine</strong> as described.</p>
```

Another example:

```
<p>When starting a car with a keyless ignition, you must  
<strong>step on the brake pedal</strong> before  
pressing the start button.</p>
```

Underscoring a serious point:

```
Use the word <em>very</em> <strong>sparingly</strong>. Where  
emphasis is necessary, use words strong in  
themselves.
```

Pointing out a critical/urgent detail:

```
<p>SERVICE HEADLIGHT—<strong>Black</strong> wire with  
<strong>red tracer</strong> from handlebar toggle switch  
to large terminal screw; <strong>red</strong> wire with  
<strong>yellow tracer</strong> from handlebar toggle  
switch to small terminal screw.</p>
```

Element reference topic: ``

The `` element can be used to indicate emphasis. A stress emphasis is designed to change the meaning of a phrase or sentence, or stressing the importance of a particular noun, verb or adjective.

Usage information

Typically, its content will be rendered in italics at output. Use this element only when a more semantically appropriate element is not available. For example, when indicating a different mood or voice, the `<i>` element may be more relevant.

This element is part of the emphasis domain. The addition of this element brings DITA more into alignment with its equivalent in the current HTML specification.

Formatting expectations

Content enclosed within the `` element ought to be rendered using an italic font.

Processing expectations

N/A

Specialization hierarchy

+ topic/ph emphasis-ph/em

Attributes

The following attributes are available on this element: [\[Link\]Universal attribute group\[/Link\]](#) and [\[Link\]outputclass\[/Link\]](#).

Examples

The following examples show how it can be used.

Emphasizing meaning within a sentence:

```
<p>What was previously called <em>block-level</em> content up to HTML 4.1 is now called <em>flow</em> content in HTML5.</p>
```

Stressing the importance of a noun within a sentence:

```
<p>A <em>condenser</em> is an apparatus for condensing a large quantity of electricity on a comparatively small surface.</p>
```

Stressing the importance of a verb or actions within a sentence:

```
To remove a message from a pigeon, first <em>catch</em> the bird, then <em>hold</em> it in one hand, <em>extend</em> its leg, and <em>remove</em> the message holder with the other hand.
```

Stressing the importance of an adjective or adjectival phrase within a sentence:

```
<p>A good plan once adopted and put into execution <em>should not be abandoned</em> unless it becomes clear that it can not succeed.</p>
```