

NOTE

This is a review of the EML needs identified by the previous P1622 Working Group against the current version 6 of EML.

Items are color coded to facilitate review. Those colored **blue** are resolved. Those colored **red** are not resolved. There is an item colored **burnt-orange** to indicate it needs tweaking. **Green** is used to color code some of the comments in the EML examples.

Voter Roll [EML-330 Election List]

Within the Voter Roll (Poll Book going out to the polling location) the following four items were needed.

Need	xpath	status
An element to indicate the ballot form(s) an individual is entitled to	ElectionList:VoterDetails:BallotFormIdentifier should be ElectionList:VoterDetails:VoterRegistration:Voter:BallotFormIdentifier	Added but currently at Election List level – should be at Voter level
A Unique Identifier for the VToken assigned to a Voter	ElectionList:VoterDetails:VoterRegistration:Voter:VoterIdentification:VToken(IdNumber)	Still Missing
An element to hold the image of a voter's signature as it has been saved in the voter registration process	ElectionList:VoterDetails:VoterRegistration:Voter:VoterIdentification:VoterSignature	Added (Resolved)
An element to hold the party to which the voter has registered his/her affiliation	ElectionList:VoterDetails:VoterRegistration:Voter:VoterInformation:AffiliationDetails:AffiliationAssociation:AffiliationIdentifier NOTE: the schema has a misspelling on the AffiliationDetails node	Added (Resolved)

Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<EML xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="urn:oasis:names:tc:evs:schema:eml file:\\server\330-electionlist-v6-0.xsd"
  xmlns="urn:oasis:names:tc:evs:schema:eml"
  xmlns:ts="urn:oasis:names:tc:evs:schema:eml:ts"
  xmlns:ds="urn:oasis:names:tc:evs:schema:eml:ds"
  xmlns:al="urn:oasis:names:tc:ciq:xal:3"
  xmlns:nl="urn:oasis:names:tc:ciq:xnl:3"
  Id="330"
  SchemaVersion="6.0">
```

```

<!-- this stuff up-front is the stuff that identifies what kind of EML message and how to handle it -->
<TransactionId> 330</TransactionId>
<SequenceNumber>1</SequenceNumber>
<NumberInSequence>1</NumberInSequence>
<SequencedElementName>whoknows</SequencedElementName>
<!-- end of up-front stuff -->
<ElectionList>
<EventIdentifier IdNumber="thiseventid"/>
<VoterDetails>
  <VoterRegistration>
    <!-- Repeat the Below Lines for each Voter -->
    <Voter>
      <VoterIdentification Id="12345678">
        <VoterName>
          <nl:NameElement>John Q Public</nl:NameElement>
        </VoterName>
        <ElectoralAddress>
          <al:FreeTextAddress>
            <al:AddressLine>123 Main Street, Hometown, AK 22034</al:AddressLine>
          </al:FreeTextAddress>
        </ElectoralAddress>
        <!-- The next line shows what is desired for indicating the unique id for a VToken -->
        <VToken Id="A23456789"><Component/></VToken>
        <VoterId/>
        <VoterSignature><Binary ContentFormat="bmp"></Binary></VoterSignature>
        <!-- The next 2 lines shows what is desired for indicating the Identification Types and their numbers that are on file for the voter
        <Id Type="DL">12345678</Id>
        <Id Type="SSN">123456789</Id>
        -->
      </VoterIdentification>
    </Voter>
  </VoterRegistration>
  <VoterInformation>
    <DateOfBirth>2000-01-01</DateOfBirth>
    <PreferredLanguage>en-us</PreferredLanguage>
    <!-- NOTE: The spelling of the AffiliationDetails element name is invalid in the schema for the next set of lines -->
    <AffiliationDetails>
      <AffiliationAssociation>
        <AffiliationIdentifier>DEM</AffiliationIdentifier>
      </AffiliationAssociation>
    </AffiliationDetails>
  </VoterInformation>
  <VoterRegistrar >
    <AgentIdentifier><AgentName></AgentName></AgentIdentifier>

```

```

<RegistrarDate>2000-01-01T11:22:33</RegistrarDate>

<VoterRegistrar >
<!--We want the BallotFormIdentifier element to go here -->

</Voter>

<!-- Repeat the Above Lines for each Voter -->

</VoterRegistration>

<!--This is where the BallotFormIdentifier element currently goes -->

<BallotFormIdentifier>F2Z3456</BallotFormIdentifier>

</VoterDetails>
</ElectionList>

</EML>

```

Voter History [EML-470 VToken List]

Within the Voter History (Poll Book coming back from the polling location) the following three items were needed, with one of those being a multi facettted item (id type and id number).

Need	xpath	status
A unique identification for the VToken	VTokenLog:VTokens:VToken(Id)	still missing
An Attribute to indicate the type of identification used to verify the voter examples: Military Id=1234xy, drivers license=GA23456A7, etc.	VTokenLog:VTokens:VToken:Component(Type) types might be : MilitaryId, DriverLicense, StateId, etc.	still missing
An element to hold the image of a voter's signature (the signature of the person executing the right to cast a vote based on the VToken) as it has been captured at the polling location	VTokenLog:VTokens:VToken:VoterSignature	still missing

Example:

```

<?xml version="1.0" encoding="UTF-8"?>
<EML xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="urn:oasis:names:tc:evs:schema:eml file:\\server/470-vtokenlist-v6-0.xsd"
  xmlns="urn:oasis:names:tc:evs:schema:eml"
  xmlns:ts="urn:oasis:names:tc:evs:schema:eml:ts"
  xmlns:ds="urn:oasis:names:tc:evs:schema:eml:ds"
  xmlns:al="urn:oasis:names:tc:ciq:xl:3"
  xmlns:nl="urn:oasis:names:tc:ciq:xnl:3"
  Id="470"
  SchemaVersion="6.0">

```

```

<!-- this stuff up-front is the stuff that identifies what kind of EML message and how to handle it -->
<TransactionId> 470</TransactionId>
<SequenceNumber>1</SequenceNumber>
<NumberInSequence>1</NumberInSequence>
<SequencedElementName>whoknows</SequencedElementName>
<!-- end of up-front stuff -->

<VTokenLog>
  <EventIdentifier IdNumber="20000001"/>
  <ElectionIdentifier IdNumber="1001"/>

  <VTokens>
    <VotingChannel>polling</VotingChannel>
    <VToken Status="voted" Id="A12345"> <!-- We want to know that this specific token was voted or unvoted -->
      <Component Type="DL">TX1234567</Component> <!-- this is a proof of identity -->
      <!-- Some jurisdictions may ask for more than one and some voters may use different ones -->
      <!-- Insert the captured image of voter signature from poll book in the line below -->
      <VoterSignature><Binary ContentFormat="bmp"></Binary></VoterSignature> <!-- we want to capture the image of the
signature the voter makes at voting time -->
    </VToken>
    <VToken Status="voted" Id="A12346">
      <Component Type="DL">TX2345678</Component>
      <VoterSignature><Binary ContentFormat="bmp"></Binary></VoterSignature>
    </VToken>
    <VToken Status="voted" Id="B12347">
      <Component Type="DL">TX3456789</Component>
      <VoterSignature><Binary ContentFormat="bmp"></Binary></VoterSignature>
    </VToken>
  </VTokens>

  <VTokens>
    <VotingChannel>postal</VotingChannel>
    <VToken Status="voted" Id="C12348">
      <Component Type="DL">TX1345678</Component>
      <VoterSignature><Binary ContentFormat="bmp"></Binary></VoterSignature>
    </VToken>
    <VToken Status="voted" Id="C12349">
      <Component Type="DL">TX1456789</Component>
      <VoterSignature><Binary ContentFormat="bmp"></Binary></VoterSignature>
    </VToken>
  </VTokens>
</VTokenLog>
</EML>

```

Election Definition [EML-110 Election Event]

Within the Election Definition there were several items needed. They are shown in the following table.

Need	xpath	status
An attribute to indicate the election scope (e.g., Federal, State, Local)	ElectionEvent:Election(Scope)	still missing
An attribute to indicate the election style/type (General, Special, Primary, Open Primary, Closed Primary, Modified Closed Primary, Pick-a-Party Primary, Blanket Primary, etc.)	ElectionEvent:Election(Type)	still missing
An element to hold the date for the deadline for filing for candidates	ElectionEvent:Election:DateRange(Type="CandidateFilingPeriod")	Exists(Resolved)
Need for an element to hold the date for the deadline for registering to vote	ElectionEvent:Election:DateRange(Type="VoterRegistrationPeriod")	Exists(Resolved)
An element to hold the list of valid parties for the election and their display order	ElectionEvent:Election:AffiliationList and ElectionEvent:Election:AffiliationList:Affiliation:AffiliationOrder [you could make this an optional attribute of Affiliation instead of a child element of it]	still missing
An attribute to indicate if Rotation is used on the Contest (default is none; optional values from and enumeration)	ElectionEvent:Election:Contest(Rotation) [I know there are several different rotation methods; usually locale specific. So I think this needs to be more than a yes/no but I don't know all the values for an enumeration.]	still missing
An element to tell us a contest is used as a straight party control selection	ElectionEvent:Election:Contest:ContestType	Exists(Resolved)
An element to tell us a contest is	ElectionEvent:Election:Contest:ControlContest	Exists(Resolved)

controlled by the straight party control selection		
--	--	--

Example:

```
<?xml version="1.0" encoding="UTF-8"?>
<EML xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="urn:oasis:names:tc:evs:schema:eml file:\\server/110-electionevent-v6-0.xsd"
  xmlns="urn:oasis:names:tc:evs:schema:eml"
  xmlns:ts="urn:oasis:names:tc:evs:schema:eml:ts"
  xmlns:ds="urn:oasis:names:tc:evs:schema:eml:ds"
  xmlns:al="urn:oasis:names:tc:ciq:xl:3"
  xmlns:nl="urn:oasis:names:tc:ciq:xnl:3"
  Id="110"
  SchemaVersion="6.0">
  <!-- this stuff up-front is the stuff that identifies what kind of EML message and how to handle it -->
  <TransactionId> 110</TransactionId>
  <SequenceNumber>1</SequenceNumber>
  <NumberInSequence>1</NumberInSequence>
  <SequencedElementName>whoknows</SequencedElementName>
  <!-- end of up-front stuff -->

  <ElectionEvent>
    <EventIdentifier IdNumber="20061220"/>
    <ManagingAuthority>
      <!-- this would equate to the US use for JURISDICTION -->
      <!-- NOTE it is possible for multiple jurisdictions to be included,
            with one overall e.g. a STATE-LEVEL, by having the
            overall provided here for the EVENT and the others
            provided below for the ELECTIONS in the EVENT -->
      <AuthorityIdentifier IdNumber="TheStateId"/>
      <AuthorityAddress>
        <al:FreeTextAddress><al:AddressLine>123 Main Street, NoNameCity, MyState</al:AddressLine></al:FreeTextAddress>
      </AuthorityAddress>
    </ManagingAuthority>
    <AllowedChannels>
      <Channel>
        <ChannelName>polling</ChannelName>
      </Channel>
      <Channel>
        <ChannelName>postal</ChannelName>
      </Channel>
```

```

</AllowedChannels>
<Languages>
  <Language>en-US</Language>
  <Language>ga</Language> <!--irish -->
  <Language>el</Language> <!--modern greek -->
  <Language>pl</Language> <!--polish -->
  <Language>yi</Language> <!--yiddish -->
  <DefaultLanguage>en-US</DefaultLanguage>
</Languages>
<Election Scope="Federal" Type="General">
  <ElectionIdentifier IdNumber="20061210"/>
  <Description>
    <Message>
      MyState Federal Offices Election of December 20, 2006
    </Message>
  </Description>
  <DateRange Type="ElectionPeriod">
    <Start>2006-11-27T00:00:01</Start>
    <End>2006-12-10T20:00:00</End>
  </DateRange>
  <DateRange Type="CandidateFilingPeriod">
    <Start>2006-09-27T00:00:01</Start>
    <End>2006-10-27T20:00:00</End>
  </DateRange>
  <DateRange Type="VoterRegistrationPeriod">
    <Start>1906-01-01T00:00:01</Start>
    <End>2006-11-22T20:00:00</End>
  </DateRange>
  <ManagingAuthority>
    <!-- this would equate to the US use for JURISDICTION -->
    <AuthorityIdentifier IdNumber="TheStateId"/>
    <AuthorityAddress>
      <al:FreeTextAddress><al:AddressLine>123 Main Street, NoNameCity, MyState</al:AddressLine></al:FreeTextAddress>
    </AuthorityAddress>
  </ManagingAuthority>
  <!-- We want a list of the parties that are valid for this election and the order they should be displayed in
  <AffiliationList>
    <Affiliation>
      <AffiliationIdentifier IdNumber="123"><RegisteredName>Democrat</RegisteredName></AffiliationIdentifier>
      <Type>Party</Type>
      <AffiliationOrder>1</AffiliationOrder>
    </Affiliation>

```

```

<Affiliation>
  <AffiliationIdentifier IdNumber="135"><RegisteredName>Republican</RegisteredName></AffiliationIdentifier>
  <Type>Party</Type>
  <AffiliationOrder>2</AffiliationOrder>
</Affiliation>
</AffiliationList>

  We want a list of the parties that are valid for this election and the order they should be displayed in -->
<Contest Rotation="2">
  <ContestIdentifier IdNumber="Contest20061210F01">
    <ContestName>Contest for the Office of
      President and Vice President of the
      United States</ContestName>
  </ContestIdentifier>
  <ReportingUnit>
    <!-- this would equate to the US use for PRECINCT -->
    <ReportingUnitIdentifier IdNumber="Precinct001"/>
  </ReportingUnit>
  <ReportingUnit>
    <ReportingUnitIdentifier IdNumber="Precinct002a"/>
  </ReportingUnit>
  <ReportingUnit>
    <ReportingUnitIdentifier IdNumber="Precinct002b"/>
  </ReportingUnit>
  <Area Type="FedUSPresVP" IdNumber="001"/>
  <!-- Area is the equivalent of the US use for DISTRICT -->
  <VotingMethod>other</VotingMethod>
  <MaxVotes>1</MaxVotes>
  <PollingPlace Channel="polling">
    <PhysicalLocation IdNumber="PollingPlace001">
      <Address>
        <al:FreeTextAddress>
          <al:AddressLine>108th and Main, SouthTown, MyState</al:AddressLine>
        </al:FreeTextAddress>
      </Address>
    </PhysicalLocation>
    <TimeAvailable>
      <Start>2006-12-10T08:00:00</Start>
      <End>2006-12-10T20:00:00</End>
    </TimeAvailable>
  </PollingPlace>
  <PollingPlace Channel="polling">
    <PhysicalLocation IdNumber="PollingPlace002">

```



```

<Address>
  <al:FreeTextAddress>
    <al:AddressLine>11120 West Dodge Road, Municipality, MyState</al:AddressLine>
  </al:FreeTextAddress>
</Address>
</PhysicalLocation>
<TimeAvailable>
  <Start>2006-12-10T08:00:00</Start>
  <End>2006-12-10T20:00:00</End>
</TimeAvailable>
</PollingPlace>
<PollingPlace Channel="postal">
  <PostalLocation IdNumber="PollingPlace003">
    <al:FreeTextAddress>
      <al:AddressLine>PO Box 1234, Municipality, MyState 98765-1234</al:AddressLine>
    </al:FreeTextAddress>
  </PostalLocation>
  <TimeAvailable>
    <Start>2006-11-27T00:00:01</Start>
    <End>2006-12-10T20:00:00</End>
  </TimeAvailable>
</PollingPlace>
</Contest>
<Contest Rotation="1">
  <ContestIdentifier IdNumber="Contest20061210F02">
    <ContestName>xxx</ContestName>
  </ContestIdentifier>
  <ReportingUnit>
    <ReportingUnitIdentifier IdNumber="Precinct001"/>
  </ReportingUnit>
  <ReportingUnit>
    <ReportingUnitIdentifier IdNumber="Precinct002b"/>
  </ReportingUnit>
  <Area Type="FedUSHouse" IdNumber="001"/>
  <!--Area is the equivalent of the US use for DISTRICT -->
  <Description>
    <Message>
      Federal Contest for the Office of
      US House of Representatives for District 1
    </Message>
  </Description>
  <VotingMethod>partisan</VotingMethod><!-- allowed values include FPP, cumulative, STV, ... -->

```

```

<VotingMethod>FPP</VotingMethod><!-- allowed values include FPP, cumulative, STV, ... -->
<MaxVotes>2</MaxVotes>
<MaxWriteIn>2</MaxWriteIn>
<PollingPlace Channel="polling">
  <PhysicalLocation IdNumber="PollingPlace001">
    <Address>
      <al:FreeTextAddress>
        <al:AddressLine>108th and Main, SouthTown, MyState</al:AddressLine>
      </al:FreeTextAddress>
    </Address>
  </PhysicalLocation>
  <TimeAvailable>
    <Start>2006-12-10T08:00:00</Start>
    <End>2006-12-10T20:00:00</End>
  </TimeAvailable>
</PollingPlace>
<PollingPlace Channel="polling">
  <PhysicalLocation IdNumber="PollingPlace002">
    <Address>
      <al:FreeTextAddress>
        <al:AddressLine>11120 West Dodge Road, Municipality, MyState</al:AddressLine>
      </al:FreeTextAddress>
    </Address>
  </PhysicalLocation>
  <TimeAvailable>
    <Start>2006-12-10T08:00:00</Start>
    <End>2006-12-10T20:00:00</End>
  </TimeAvailable>
</PollingPlace>
</Contest>
</Election>
<Election Scope="Municipal" Type="General">
  <ElectionIdentifier IdNumber="Election20061210M1"/>
  <Description>
    <Message>
      MyMunicipality Offices Election of December 20, 2006
    </Message>
  </Description>
  <DateRange Type="ElectionPeriod">
    <Start>2006-11-27T00:00:01</Start>
    <End>2006-12-10T20:00:00</End>
  </DateRange>

```

```

<ManagingAuthority>
  <!-- this would equate to the US use for JURISDICTION -->
  <AuthorityIdentifier IdNumber="TheMunicipalityId"/>
  <AuthorityAddress>
    <al:FreeTextAddress><al:AddressLine>13 Ash Street, Municipality, MyState</al:AddressLine></al:FreeTextAddress>
  </AuthorityAddress>
</ManagingAuthority>

  <!-- We want a list of the parties that are valid for this election and the order they should be displayed in -->
  <AffiliationList>
    <Affiliation>
      <AffiliationIdentifier IdNumber="123"><RegisteredName>Democrat</RegisteredName></AffiliationIdentifier>
      <Type>Party</Type>
      <AffiliationOrder>1</AffiliationOrder>
    </Affiliation>
    <Affiliation>
      <AffiliationIdentifier IdNumber="135"><RegisteredName>Republican</RegisteredName></AffiliationIdentifier>
      <Type>Party</Type>
      <AffiliationOrder>2</AffiliationOrder>
    </Affiliation>
  </AffiliationList>

  <!-- We want a list of the parties that are valid for this election and the order they should be displayed in -->
  <Contest Rotation="none">
    <ContestIdentifier IdNumber="control01">
      <ContestName>StraightPartySelection</ContestName>
    </ContestIdentifier>
    <VotingMethod>other</VotingMethod>
    <!-- The next line tells us this contest is used to control the straight party vote -->
    <ContestType>straight party</ContestType>
    <MaxVotes>1</MaxVotes>
  </Contest>

  <Contest Rotation="none">
    <ContestIdentifier IdNumber="Contest20061210M01">
      <ContestName>Contest for the Office of Mayor of Municipality</ContestName>
    </ContestIdentifier>
    <ReportingUnit>
      <ReportingUnitIdentifier IdNumber="Precinct002a"/>
    </ReportingUnit>
    <Area Type="MunMayor" IdNumber="001"/>
    <VotingMethod>other</VotingMethod>
    <!-- The next line tells us this contest is controlled by the straight party contest selection -->
    <ControlContest ContestIdentifier="StraightPartySelection"></ControlContest>
  </Contest>

```

```

<MaxVotes>1</MaxVotes>
<PollingPlace Channel="polling">
  <PhysicalLocation IdNumber="PollingPlace002">
    <Address>
      <al:FreeTextAddress>
        <al:AddressLine>11120 West Dodge Road, Municipality, MyState</al:AddressLine>
      </al:FreeTextAddress>
    </Address>
  </PhysicalLocation>
  <TimeAvailable>
    <Start>2006-12-10T08:00:00</Start>
    <End>2006-12-10T20:00:00</End>
  </TimeAvailable>
</PollingPlace>
</Contest>
</Election>
<EventDate>
  <Start>2006-11-27T00:00:01</Start>
  <End>2006-12-10T20:00:00</End>
</EventDate>
</ElectionEvent>
</EML>

```

Election Definition Candidates [EML-230 Candidate List]

In EML, the candidate list is a separate structure from the definition of the election. There are two items desired for the candidate, as shown in the table below.

Need	xpath	status
An attribute to hold the fact that a candidate is the incumbent (e.g., Boolean attribute (yes/no) within candidate)	CandidateList:Election:Contest:Candidate(Incumbent)	still missing
A new value in the enumeration for StatusDetails to show the candidate has been "certified"	CandidateList:Election:Contest:Candidate:StatusDetails:StatusItem	still missing

Example:

```

<?xml version="1.0" encoding="UTF-8"?>
<EML xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="urn:oasis:names:tc:evs:schema:eml file:\\server/330-electionlist-v6-0.xsd"
  xmlns="urn:oasis:names:tc:evs:schema:eml"
  xmlns:ts="urn:oasis:names:tc:evs:schema:eml:ts"
  xmlns:ds="urn:oasis:names:tc:evs:schema:eml:ds"
  xmlns:al="urn:oasis:names:tc:ciq:xal:3"
  xmlns:nl="urn:oasis:names:tc:ciq:xnl:3"
  Id="330"
  SchemaVersion="6.0">
  <!-- this stuff up-front is the stuff that identifies what kind of EML message and how to handle it -->
  <TransactionId> 330</TransactionId>
  <SequenceNumber>1</SequenceNumber>
  <NumberInSequence>1</NumberInSequence>
  <SequencedElementName>whoknows</SequencedElementName>
  <!-- end of up-front stuff -->

  <CandidateList>
  <EventIdentifier IdNumber="Event20061210G"/>
  <Election>
  <ElectionIdentifier IdNumber="Election20061210F"/>
  <Contest>
    <ContestIdentifier IdNumber="Contest20061210F01"/>
    <Candidate DisplayOrder="1" Incumbent="yes">
      <CandidateIdentifier IdNumber="dem1"/>
      <CandidateFullName>
        <nl:NameElement>Homer Simpson and Marge Simpson</nl:NameElement>
      </CandidateFullName>
      <StatusDetails><StatusItem setting="certified"/></StatusDetails>
    <Affiliation>
      <AffiliationIdentifier IdNumber="DEM">
        <RegisteredName>Democrat Party</RegisteredName>
      </AffiliationIdentifier>
      <Type/>
    </Affiliation>
  </Candidate>
  <Candidate DisplayOrder="2" Incumbent="no">
    <CandidateIdentifier IdNumber="rep1"/>
    <CandidateFullName>
      <nl:NameElement>Charlie Brown and Snoopy</nl:NameElement>
    </CandidateFullName>
    <StatusDetails><StatusItem setting="new"/></StatusDetails>
  </Candidate>
  </Contest>
  </Election>
  </CandidateList>

```

```

    <Affiliation>
      <AffiliationIdentifier IdNumber="REP">
        <RegisteredName>Republican Party</RegisteredName>
      </AffiliationIdentifier>
      <Type/>
    </Affiliation>
  </Candidate>
  <Candidate DisplayOrder="3">
    <CandidateIdentifier IdNumber="ind1"/>
    <CandidateFullName>
      <nl:NameElement>Dagwood and Blondie Bumstead</nl:NameElement>
    </CandidateFullName>
    <StatusDetails><StatusItem setting="new"/></StatusDetails>
  <Affiliation>
    <AffiliationIdentifier IdNumber="IND">
      <RegisteredName>Independent</RegisteredName>
    </AffiliationIdentifier>
    <Type/>
  </Affiliation>
</Candidate>
</Contest>
<Contest>
  <ContestIdentifier IdNumber="Contest20061210F02"/>
  <Candidate DisplayOrder="4">
    <CandidateIdentifier IdNumber="dem2"/>
    <CandidateFullName>
      <nl:NameElement>Batman</nl:NameElement>
    </CandidateFullName>
    <StatusDetails><StatusItem setting="new"/></StatusDetails>
  <Affiliation>
    <AffiliationIdentifier IdNumber="DEM">
      <RegisteredName>Democrat Party</RegisteredName>
    </AffiliationIdentifier>
    <Type/>
  </Affiliation>
</Candidate>
  <Candidate DisplayOrder="5">
    <CandidateIdentifier IdNumber="rep2"/>
    <CandidateFullName>
      <nl:NameElement>Wonder Woman</nl:NameElement>
    </CandidateFullName>
    <StatusDetails><StatusItem setting="new"/></StatusDetails>
  
```

```

    <Affiliation>
      <AffiliationIdentifier IdNumber="REP">
        <RegisteredName>Republican Party</RegisteredName>
      </AffiliationIdentifier>
      <Type/>
    </Affiliation>
  </Candidate>
</Contest>
</Election>
<Election>
  <ElectionIdentifier IdNumber="Election20061210M"/>
  <Contest>
    <ContestIdentifier IdNumber="Contest20061210M01"/>
    <Candidate DisplayOrder="7">
      <CandidateIdentifier IdNumber="dem3"/>
      <CandidateFullName>
        <nl:NameElement>Bozo The Clown</nl:NameElement>
      </CandidateFullName>
      <StatusDetails><StatusItem setting="new"/></StatusDetails>
    <Affiliation>
      <AffiliationIdentifier IdNumber="DEM">
        <RegisteredName>Democrat Party</RegisteredName>
      </AffiliationIdentifier>
      <Type/>
    </Affiliation>
  </Candidate>
  <Candidate DisplayOrder="6">
    <CandidateIdentifier IdNumber="rep3"/>
    <CandidateFullName>
      <nl:NameElement>Red Skelton</nl:NameElement>
    </CandidateFullName>
    <StatusDetails><StatusItem setting="new"/></StatusDetails>
  <Affiliation>
    <AffiliationIdentifier IdNumber="REP">
      <RegisteredName>Republican Party</RegisteredName>
    </AffiliationIdentifier>
    <Type/>
  </Affiliation>
</Candidate>
</Contest>
</Election>
</CandidateList>

```

</EML>

Ballot Form [EML-410 Ballots]

The group did not think there was any change needed for the Ballot Forms.

Ballot Form List [EML-410 Ballots]

The group did not think there was any change needed for Ballot Form List.

Cast Ballot [EML-460 Votes]

The group did not think there was any change needed for reporting Cast Ballots.

Tabulation Report [EML-510 Count]

The group did not identify anything that was missing from the Tabulation Report, provided the tabulation is generated at the lowest level polling group.

Post Election Canvass Report [EML-520 Result]

The group did not identify anything that was missing from the Post Election Canvass Report but noted the requirement that a digital signature was **required** to make it official.