



Test Assertions for the SCA WS-BPEL Client and Implementation Version 1.1 Specification

Working Draft 0510

1110 AprilJun 2009

Specification URIs:

This Version:

[http://docs.oasis-open.org/sca-bpel/\[additional path/filename\].html](http://docs.oasis-open.org/sca-bpel/[additional path/filename].html)
[http://docs.oasis-open.org/sca-bpel/\[additional path/filename\].odt](http://docs.oasis-open.org/sca-bpel/[additional path/filename].odt)
[http://docs.oasis-open.org/sca-bpel/\[additional path/filename\].pdf](http://docs.oasis-open.org/sca-bpel/[additional path/filename].pdf)

Previous Version:

Latest Version:

[http://docs.oasis-open.org/sca-bpel/\[additional path/filename\].html](http://docs.oasis-open.org/sca-bpel/[additional path/filename].html)
[http://docs.oasis-open.org/\[sca-bpel/\[additional path/filename\].odt](http://docs.oasis-open.org/[sca-bpel/[additional path/filename].odt)
[http://docs.oasis-open.org/sca-bpel/\[additional path/filename\].pdf](http://docs.oasis-open.org/sca-bpel/[additional path/filename].pdf)

Technical Committee:

OASIS SCA-BPEL TC

Chair(s):

Anish Karmarkar, Oracle
Sanjay Patil, SAP

Editor(s):

Anish Karmarkar, Oracle
Sanjay Patil, SAP
Khanderao Kand, Oracle

Related Work:

This specification is related to:

- Service Component Architecture WS-BPEL Client and Implementation Specification Version 1.1

Declared XML Namespace(s):

[list namespaces here]
[list namespaces here]

Abstract:

[Summary of the technical purpose of the document.]

Status:

This document was last revised or approved by the [TC name | membership of OASIS] on the above date. The level of approval is also listed above. Check the "Latest Version" or "Latest Approved Version" location noted above for possible later revisions of this document.

Technical Committee members should send comments on this specification to the Technical Committee's email list. Others should send comments to the Technical Committee by using the "Send A Comment" button on the Technical Committee's web page at [http://www.oasis-open.org/committees/\[specific location\]](http://www.oasis-open.org/committees/[specific location]).

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the Technical Committee web page ([http://www.oasis-open.org/committees/\[specific location\]/ipr.php](http://www.oasis-open.org/committees/[specific location]/ipr.php)).

The non-normative errata page for this specification is located at [http://www.oasis-open.org/committees/\[specific location\]](http://www.oasis-open.org/committees/[specific location]).

Notices

Copyright © OASIS® 2009. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The names "OASIS", [insert specific trademarked names, abbreviations, etc. here] are trademarks of OASIS, the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <http://www.oasis-open.org/who/trademark.php> for above guidance.

Table of Contents

1 Introduction.....	5
1.1 Terminology.....	5
1.2 Normative References.....	5
1.3 Non-normative References.....	5
2 [Section Title].....	6

1 Introduction

This document defines the Test Assertions for the SCA WS-BPEL Client and Implementation Version 1.1 specification.

The test assertions in this document follow the format defined in the OASIS Test Assertion Guidelines specification [TA-GUIDE].

1.1 Example Test Assertion

Test assertions are presented in a tabular format with rows corresponding to the entry types defined in [TA-GUIDE].

Assertion ID	SBL-TA-xxxx
Source	[SBPELyyyy]
Target	<kitchenSink/> element of composite file
Prerequisites	The <kitchenSink/> element has a @drain attribute
Predicate	The @drain attribute value of the <kitchenSink/> element is a URI that identifies a portal into the sewage system of the Domain.
Prescription Level	Mandatory
Tags	kitchenSink drain sewage

Assertion ID: Is a unique ID for the test assertion. Its format starts with a 3 letter string that identifies the specification to which it relates - "SBL" is for the SCA WS-BPEL Client and Implementation specification. This is followed by "-TA-" to indicate that this identifier is for a test assertion. This is then followed by a unique 4 digit number.

Source: Is the identifier(s) of the normative statement(s) in the specification to which this assertion relates.

Target: Identifies the target which is addressed by this assertion. This is typically some SCA document element, or other SCA artifact but possibly could identify an SCA runtime and its behaviour.

Prerequisites: Defines any prerequisites for this test assertion. The prerequisites may be defined in terms of one or more other test assertions that must be true.

Predicate: The meat of the assertion - something that should evaluate to true or false for the given target.

Prescription Level: Mandatory (for MUST requirements) or Preferred (for SHOULD requirements) or Permitted (for MAY requirements).

Tags: Zero or more labels that may be attached to this test assertion - these tags can be used to group sets of assertions.

1.2 Terminology

The keywords "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this specification are to be interpreted as described in IETF RFC 2119 Error: Reference source not found.

1.3 Normative References

- [RFC 2119] S. Bradner. *Key words for use in RFCs to Indicate Requirement Levels*. IETF RFC 2119, March 1997. <http://www.ietf.org/rfc/rfc2119.txt>.
- [TA-GUIDE] Test Assertion Guidelines, Draft 0.9.9.6, 16 November, 2008.

1.4 Non-normative References

- [TBD] [TBD]

NOTE: The proper format for a citation to an OASIS Technical Committee's work (whether Normative or Non-Normative) is:

OASIS
Stage (Committee Draft 01, Committee Draft 02, Committee Specification 01, etc. or Standard)
Title (italicized or in quotation marks)
Approval Date (Month YYYY)
URI of the actual Authoritative Specification (namespace is not acceptable as the content changes over time)

For example:

- [EDXL-HAVE] OASIS Standard, "Emergency Data Exchange Language (EDXL) Hospital AVailability Exchange (HAVE) Version 1.0", November 2008.
http://docs.oasis-open.org/emergency/edxl-have/os/emergency_edxl_have-1.0-spec-os.doc

2 Test Assertions

Assertion ID	SBL-TA-1001
Source	[SBPEL1001]
Target	The @process attribute of a <implementation.bpel> element
Prerequisites	The <component> element has a <implementation.bpel> child element
Predicate	The value of the @process attribute is a QName that identifies an executable BPEL process
Prescription Level	Mandatory
Tags	"implementation.bpel" "BPEL process"
Comment	

Assertion ID	SBL-TA-2001
Source	[SBPEL2001] [SBPEL2002]
Target	The component type of the component that uses <implementation.bpel>
Prerequisites	A partner link of a BPEL process that is pointed to by <implementation.bpel> has the @sca-bpel:service attribute specified
Predicate	The component type contain a <service> element that corresponds to the partner link and whose @name attribute value is the same as the @sca:service attribute value
Prescription Level	Mandatory
Tags	"component type" "service" "sca-bpel:service" "partner link"
Comment	

Assertion ID	SBL-TA-2002
Source	[SBPEL2003] [SBPEL2004]
Target	The component type of the component that uses <implementation.bpel>
Prerequisites	A partner link of a BPEL process that is pointed to by <implementation.bpel> has the @sca-bpel:reference attribute specified
Predicate	The component type contains a <reference> element that corresponds to the partner link and whose @name attribute value is the same as the @sca:service attribute value
Prescription Level	Mandatory
Tags	"component type" "reference" "sca-bpel:reference" "partner link"
Comment	

Assertion ID	SBL-TA-2003
Source	[SBPEL2005]
Target	The component type of the component that uses <implementation.bpel>
Prerequisites	The partner link of a BPEL process that is pointed to by <implementation.bpel>: a) does not have either the @sca-bpel:service attribute nor the @sca-bpel:reference attribute b) static analysis of the process determines that it is possible that the first message for the partner link will be received in a <receive> activity, the <onMessage> element of a <pick> activity or the <onEvent> element of an event handler
Predicate	The component type contains a <service> element that corresponds to the partner link
Prescription Level	Mandatory
Tags	"component type" "service" "partner link" "static analysis"
Comment	

Assertion ID	SBL-TA-2004
Source	[SBPEL2006]
Target	The component type of the component that uses <implementation.bpel>
Prerequisites	a) Those specified for SBL-TA-2003 b) The name of the partner link is unique within the BPEL process
Predicate	The component type contains a <service> element that corresponds to the partner link and the @name attribute value of the <service> element is the same as the @name attribute value of the <bpel:partnerLink> element
Prescription Level	Mandatory
Tags	"component type" "service" "partner link" "static analysis"
Comment	

Assertion ID	SBL-TA-2005
Source	[SBPEL2007]
Target	The component type of the component that uses <implementation.bpel>
Prerequisites	a) A partner link of a BPEL process that is pointed to by <implementation.bpel> has neither the @sca-bpel:reference or the @sca-bpel:service attribute specified b) static analysis of the process does not determines that it is possible that the first message for the partner link will be received in a <receive> activity, the <onMessage> element of a <pick> activity or the <onEvent> element of

	an event handler
Predicate	The component type contains a <reference> element that corresponds to the partner link
Prescription Level	Mandatory
Tags	“component type” “reference” “partner link” “static analysis”
Comment	SBPEL2007 incorrectly talks about the range SBPEL2001-SBPEL2006. It is actually the rules: 2001, 2003 and 2005.

Assertion ID	SBL-TA-2006
Source	[SBPEL2008]
Target	The component type of the component that uses <implementation.bpel>
Prerequisites	a) Those specified for SBL-TA-2005 b) The name of the partner link is unique within the BPEL process
Predicate	The component type contains a <reference> element that corresponds to the partner link and the @name attribute value of the <reference> element is the same as the @name attribute value of the <bpel:partnerLink> element
Prescription Level	Mandatory
Tags	“component type” “reference” “partner link” “static analysis”
Comment	

Assertion ID	SBL-TA-2007
Source	[SBPEL2009]
Target	
Prerequisites	
Predicate	
Prescription Level	Mandatory
Tags	
Comment	SBPEL-2009 is not necessary. It reiterates what is already covered by 2010-2013

Assertion ID	SBL-TA-2008
Source	[SBPEL2010]
Target	The component type of the component that uses <implementation.bpel>
Prerequisites	A partnerLink in the BPEL process has the @sca-bpel:multiRefFrom

	attribute
Predicate	The multiplicity of the <reference> that corresponds to the parnerLink, in the generated component type, is the same as the multiplicity specified by the <sca-bpel:multiRerence> child element of the variable pointed to by the @sca-bpel:multiRefFrom attribute
Prescription Level	Mandatory
Tags	"component type" "reference" "partner link" "multiplicity" "multiReference" "multiRefFrom"
Comment	

Assertion ID	SBL-TA-2009
Source	[SBPEL2011]
Target	The component type of the component that uses <implementation.bpel>
Prerequisites	The partnerLink in the BPEL process: a) does not have the @sca-bpel:multiRefFrom attribute, and b) has the attribute @initializePartnerRole attribute with a value of "yes"
Predicate	The multiplicity of the <reference> that corresponds to the parnerLink, in the generated component type, is "1..1"
Prescription Level	Mandatory
Tags	"component type" "reference" "partner link" "multiplicity" "initializePartnerRole"
Comment	

Assertion ID	SBL-TA-2010
Source	[SBPEL2012]
Target	The component type of the component that uses <implementation.bpel>
Prerequisites	The partnerLink in the BPEL process: a) does not have the @sca-bpel:multiRefFrom attribute, and b) does not have the attribute @initializePartnerRole attribute with a value of "yes" c) static analysis of the process determines that the first use of the partner link by any activity is in an <assign> activity that sets the partner role
Predicate	The multiplicity of the <reference> that corresponds to the parnerLink, in the generated component type, is "0..1" and the value of the attribute @wiredByImpl is "true"
Prescription Level	Mandatory
Tags	"component type" "reference" "partner link" "multiplicity"

Comment	
---------	--

Assertion ID	SBL-TA-2011
Source	[SBPEL2013]
Target	The component type of the component that uses <implementation.bpel>
Prerequisites	The partnerLink in the BPEL process: a) does not have the @sca-bpel:multiRefFrom attribute, and b) does not have the attribute @initializePartnerRole attribute with a value of "yes" c) static analysis of the process does not determines that the first use of the partner link by any activity is in an <assign> activity that sets the partner role.
Predicate	The multiplicity of the <reference> that corresponds to the parnerLink, in the generated component type, is "0..1"
Prescription Level	Mandatory
Tags	"component type" "reference" "partner link" "multiplicity"
Comment	

Assertion ID	SBL-TA-2012
Source	[SBPEL2014]
Target	<binding> associated with a service that is provided by <implementation.bpel>
Prerequisites	The partnerLink in the BPEL process maps to a <sca:service> in the component type associated with the process and has the @initializePartnerRole attribute with a value of "yes"
Predicate	The binding used knows the identity of the partner as soon as the partner link associated with the service becomes active
Prescription Level	Mandatory
Tags	"component type" "service" "partner link" "binding" "initializePartnerRole"
Comment	Is this testable?

Assertion ID	SBL-TA-2013
Source	[SBPEL2015]
Target	The component type of the component that uses <implementation.bpel>
Prerequisites	The partnerLink in the BPEL process maps to a <sca:service> in the component type associated with the process

Predicate	The WSDL portType of the forward interface specified in the <interface.wSDL> child element of the service is the same as WSDL portType of the role pointed to by the value of the @myRole attribute of the <partnerLink>
Prescription Level	Mandatory
Tags	“component type” “service” “partner link” “interface” “portType” “role” “myRole”
Comment	

Assertion ID	SBL-TA-2014
Source	[SBPEL2016]
Target	The component type of the component that uses <implementation.bpel>
Prerequisites	a) The partnerLink in the BPEL process maps to a <sca:service> in the component type associated with the process b) The partnerLinkType associated with the partnerLink has two roles
Predicate	The WSDL portType of the callback interface specified in the <interface.wSDL> child element of the service is the same as WSDL portType of the role pointed to by the value of the @partnerRole attribute of the <partnerLink>
Prescription Level	Mandatory
Tags	“component type” “service” “partner link” “interface” “portType” “role” “partnerRole” “callback”
Comment	The assertion does not say that the partnerLink has to be mapped to a service. It is clear from the context. If we want the assertion to stand on its own we should include the fact that this is for services only

Assertion ID	SBL-TA-2015
Source	[SBPEL2017]
Target	The component type of the component that uses <implementation.bpel>
Prerequisites	The partnerLink in the BPEL process maps to a <sca:reference> in the component type associated with the process
Predicate	The WSDL portType of the forward interface specified in the <interface.wSDL> child element of the reference is the same as WSDL portType of the role pointed to by the value of the @partnerRole attribute of the <partnerLink>
Prescription Level	Mandatory
Tags	“component type” “reference” “partner link” “interface” “portType” “role” “partnerRole”
Comment	

Assertion ID	SBL-TA-2016
Source	[SBPEL2018]
Target	The component type of the component that uses <implementation.bpel>
Prerequisites	a) The partnerLink in the BPEL process maps to a <sca:reference> in the component type associated with the process b) The partnerLinkType associated with the partnerLink has two roles
Predicate	The WSDL portType of the callback interface specified in the <interface.wsdl> child element of the reference is the same as WSDL portType of the role pointed to by the value of the @myRole attribute of the <partnerLink>
Prescription Level	Mandatory
Tags	“component type” “reference” “partner link” “interface” “portType” “role” “myRole” “callback”
Comment	The assertion does not say that the partnerLink has to be mapped to a reference. It is clear from the context. If we want the assertion to stand on its own we should include the fact that this is for references only

Assertion ID	SBL-TA-2020
Source	[SBPEL2020]
Target	The component type of the BPEL process
Prerequisites	Multiple partner links, defined in different scopes, share the same name
Predicate	The component type contains services or references corresponding to the partner links with names: “_originalName_i” where “originalName” is the original NCName used in multiple partner link declarations and “i” is a sequential number. For example. “_invoicing_1”, “_invoicing_2”.
Prescription Level	Mandatory
Tags	“component type” “service” “reference” “local partner link” “static analysis”
Comment	

Assertion ID	SBL-TA-2021
Source	[SBPEL2021]
Target	The component type of the component that uses <implementation.bpel>

Prerequisites	a) As in SBL-TA-2020
Predicate	The number suffixes for the partner links is based on the lexical order of the corresponding partner link occurrences in the process definition.
Prescription Level	Mandatory
Tags	“component type” “service” “reference” “local partner link” “static analysis”
Comment	

Assertion ID	SBL-TA-2022
Source	[SBPEL2022]
Target	The component type of the component that uses <implementation.bpel>
Prerequisites	Name “_originalName_i” is already the name of a partner link declaration in the process definition.
Predicate	Additional underscore characters are added at the beginning of all aliases consistently.
Prescription Level	Permitted
Tags	“component type” “service” “reference” “local partner link” “static analysis”
Comment	

Assertion ID	SBL-TA-3001
Source	[SBPEL3001]
Target	Variable declaration in WS-BPEL process definition
Prerequisites	In the WS-BPEL process definition, sca-bpel:property=”yes” is used on two or more variable declaration.
Predicate	The name of a variable used as a property of the component type is unique within the process.
Prescription Level	Mandatory
Tags	“sca bpel extension” “sca property” “variable”
Comment	

Assertion ID	SBL-TA-3002
Source	[SBPEL3002]
Target	Runtime
Prerequisites	•a) A variable declaration has an sca-bpel property attribute

	•b) A value is provided for the property via component configuration
Predicate	Any initialization from-spec is first evaluated and immediately after the evaluation, the value of the variable is changed to the provided property value.
Prescription Level	Mandatory
Tags	“sca bpel extension” “sca property” “variable initialization from-spec” “runtime analysis”
Comment	Any side effects that result from the execution of the initialization from-spec will occur irrespective of whether the property is set.

Assertion ID	SBL-TA-3003
Source	[SBPEL3003]
Target	Component Type of the BPEL process
Prerequisites	a) As in SBL-TA-3001 b) the variable has an initialization from-spec
Predicate	On component type property declaration, mustSupply=”false” is specified.
Prescription Level	Mandatory
Tags	“sca bpel extension” “sca property” “variable initialization from-spec”
Comment	This should be specified even if the default value is not literal and not in the component type.

Assertion ID	SBL-TA-3004
Source	[SBPEL3004]
Target	A WS-BPEL process definition
Prerequisites	Component Types has a reference with multiplicity
Predicate	A variable includes an sca-bpel:multiReference extension element.
Prescription Level	MANDATORY (As per Issue BPEL-42)
Tags	“sca bpel extension” “sca property” “multi value references”
Comment	

Assertion ID	SBL-TA-3005
Source	[SBPEL3005]
Target	Variable declaration in WS-BPEL process definition

Prerequisites	A variable has sca-bpel:multiReference extension element
Predicate	The type of variable is an element of sca-bpel:serviceReferenceList.
Prescription Level	Mandatory
Tags	"sca bpel extension" "sca property" "multi value references"
Comment	

Assertion ID	SBL-TA-3006
Source	[SBPEL3006]
Target	The component type of the BPEL process
Prerequisites	A variable has sca-bpel:multiReference extension element (As in SBL-TA-3005)
Predicate	The component type includes a reference with multiplicity of either "0..n" or "1..n" corresponding to a variable with the sca-bpel:multiReference extension element.
Prescription Level	Mandatory
Tags	"sca bpel extension" "sca property" "multi value references"
Comment	

Assertion ID	SBL-TA-3007
Source	[SBPEL3007]
Target	The component type of the BPEL process
Prerequisites	As in SBL-TA-3005
Predicate	The reference type in component type is determined by the partner link type and partner role attributes of the sca-bpel:multiReference extension element.
Prescription Level	Mandatory
Tags	"sca bpel extension" "sca property" "multi value references"
Comment	

Assertion ID	SBL-TA-3008
Source	[SBPEL3008]
Target	Partner link element in a BPEL process

Prerequisites	Partner link has a myRole attribute referencing to a role which is the only role of a partner link type.
Predicate	Partner link element has no sca-bpel:multiRefFrom attribute declared
Prescription Level	Mandatory
Tags	"sca bpel extension" "sca property" "multi value references"
Comment	

Assertion ID	SBL-TA-3009
Source	[SBPEL3009]
Target	The WS BPEL Definition, partner link element
Prerequisites	Partner link has a sca-bpel:service attribute. •
Predicate	Partnerlink does not have the sca-bpel:multiRefFrom attribute
Prescription Level	Mandatory
Tags	"sca bpel extension" "sca property" "multi value references"
Comment	

Assertion ID	SBL-TA-3010
Source	[SBPEL3010]
Target	Sca-bpel:multiRefFrom attribute on partnerLink element
Prerequisites	•Partner link has a sca-bpel:multiRefFrom attribute.
Predicate	The value of sca-bpel:mutiRefFrom attribute refers to the name of a variable manifesting an SCA multi-valued reference.
Prescription Level	Mandatory
Tags	"sca bpel extension" "sca property" "multi value references"
Comment	

Assertion ID	SBL-TA- SP01-13011
Source	[SBPEL3011]
Target	partnerLink element

Prerequisites	The WS-BPEL process has <ul style="list-style-type: none"> •A variable representing a multi-valued Reference in a manner specified by the section 3.2 (see SBPEL3004 and SBPEL3005). •A partnerLink associated with the multi-valued reference via a sca-bpel:multiRefFrom attribute (see SBPEL3010, SBPEL3008 and SBPEL3009).
Predicate	The partnerLinkType attribute has same value for: <ul style="list-style-type: none"> – the target <partnerLink> element – the <sca-bpel:multiReference> child element of the variable associated with the target <partnerLink> element
Prescription Level	Mandatory
Tags	“sca bpel extensions” “multi-valued references”
Comment	The RFC 2119 statement is ambiguous/incorrect

Assertion ID	SBL-TA- SP04-23012
Source	[SBPEL3011]
Target	partnerLink element
Prerequisites	The WS-BPEL process has <ul style="list-style-type: none"> •A variable representing a multi-valued Reference in a manner specified by the section 3.2 (see SBPEL3004 and SBPEL3005). •A partnerLink associated with the multi-valued reference via a sca-bpel:multiRefFrom attribute (see SBPEL3010, SBPEL3008 and SBPEL3009).
Predicate	Following have the same value: <ul style="list-style-type: none"> – name of the partnerRole for the target <partnerLink> element – partnerRole attribute of the the <sca-bpel:multiReference> child element of the variable associated with the target <partnerLink> element
Prescription Level	Mandatory
Tags	“sca bpel extensions” “multi-valued references”
Comment	The RFC 2119 statement is ambiguous/incorrect

Assertion ID	SBL-TA- SP023013
--------------	----------------------------------

Source	[SBPEL3012]
Target	A WS-BPEL process definition
Prerequisites	The WS-BPEL process has <ul style="list-style-type: none"> •A variable representing a multi-valued Reference in a manner specified by the section 3.2 (see SBPEL3005 and SBPEL3004). •A partnerLink associated with the multi-valued reference via a sca-bpel:multiRefFrom attribute (see SBPEL3011, SBPEL3010, SBPEL3009 and SBPEL3008).
Predicate	At least one code path exists that copies the values from the multi-valued reference to the partner link.
Prescription Level	Mandatory
Tags	“sca bpel extension” “multi-valued references”
Comment	A code analyzer for the WS-BPEL process will be required for testing this assertion. The predicate for this assertion will have to be formatted in a manner required by the WS-BPEL code analyzer.

Assertion ID	SBL-TA- SP03-13014
Source	[SBPEL3015]
Target	partnerLink with sca-bpel:service attribute
Prerequisites	The WS-BPEL process has more than one instances of partnerLink with sca-bpel:service attribute
Predicate	The value of the sca-bpel:service attribute of the target partnerLink is not the same as that of any other partnerLink elements in the WS-BPEL process (see SBPEL2001 and SBPEL2002).
Prescription Level	Mandatory
Tags	“sca bpel extensions”
Comment	

Assertion ID	SBL-TA- SP03-23015
Source	[SBPEL3015]
Target	partnerLink with sca-bpel:service attribute
Prerequisites	The WS-BPEL process contains 1 or more partnerLinks with no sca-bpel:service attribute which are SCA services when analyzed through static analysis (as described by section 2.1.1)
Predicate	The value of the sca-bpel:service attribute of the target partnerLink is not the same as the name of any of the partnerLink elements identified as an SCA service via static analysis of the WS-BPEL process (see SBPEL2005 and SBPEL2006).
Prescription Level	Mandatory

Tags	"sca bpel extensions"
Comment	

Assertion ID	SBL-TA- SP03-33016
Source	[SBPEL3015]
Target	partnerLink with sca-bpel:service attribute
Prerequisites	The WS-BPEL process contains 1 or more partnerLinks local to a <scope> with no sca-bpel:service attribute which are SCA services when analyzed through static analysis (as described by section 2.3)
Predicate	The value of the sca-bpel:service attribute of the target partnerLink is not the same as the disambiguated name (see SBPEL2019 SBPEL2020 , SBPEL2021 and SBPEL2022) of a partnerLink local to a <scope> identified as an SCA service via static analysis of the WS-BPEL process.
Prescription Level	Mandatory
Tags	"sca bpel extensions"
Comment	

Assertion ID	SBL-TA- SP043017
Source	[SBPEL3016]
Target	partnerLink element
Prerequisites	<ul style="list-style-type: none"> •A partnerLink with sca-bpel:service attribute •The partner link type of the partnerLink has only one role
Predicate	The partnerRole attribute of the partnerLink is not specified.
Prescription Level	Mandatory
Tags	"sca bpel extensions"
Comment	

Assertion ID	SBL-TA- SP05-13018
Source	[SBPEL3018]
Target	partnerLink with sca-bpel:reference attribute
Prerequisites	The WS-BPEL process has more than one instances of partnerLink with sca-bpel:reference attribute
Predicate	The value of the sca-bpel:reference attribute is not the same as that of any other partnerLink elements in the WS-BPEL process (see SBPEL2003 and SBPEL2004)
Prescription Level	Mandatory

Tags	"sca bpel extensions"
Comment	

Assertion ID	SBL-TA- SP05-23019
Source	[SBPEL3018]
Target	partnerLink with sca-bpel:reference attribute
Prerequisites	The WS-BPEL process contains 1 or more partnerLinks with no sca-bpel:reference attribute which are SCA references when analyzed through static analysis (as described by section 2.1.1).
Predicate	The value of the sca-bpel:reference attribute of the target partnerLink is not the same as the name of any of the partnerLink elements identified as an SCA reference via static analysis of the WS-BPEL process (see SBPEL2007 and SBPEL2008).
Prescription Level	Mandatory
Tags	"sca bpel extensions"
Comment	

Assertion ID	SBL-TA- SP05-33020
Source	[SBPEL3018]
Target	partnerLink with sca-bpel:reference attribute
Prerequisites	The WS-BPEL process contains 1 or more partnerLinks local to a <scope> with no sca-bpel:reference attribute which are SCA references when analyzed through static analysis (as described by section 2.3).
Predicate	The value of the sca-bpel:reference attribute of the target partnerLink is not the same as the disambiguated name (see SBPEL2019 SBPEL2020 , SBPEL2021 and SBPEL2022) of a partnerLink local to a <scope> identified as an SCA reference via static analysis of the WS-BPEL process.
Prescription Level	Mandatory
Tags	"sca bpel extensions"
Comment	

Assertion ID	SBL-TA- SP063021
Source	[SBPEL3019]
Target	partnerLink element
Prerequisites	<ul style="list-style-type: none"> •A partnerLink with sca-bpel:reference attribute •The partner link type of the partnerLink has only one role
Predicate	The myRole attribute of the partnerLink is not the only role of the partner link type.
Prescription	Mandatory

Level	
Tags	"sca bpel extensions"
Comment	

Assertion ID	SBL-TA- SP073022
Source	[SBPEL3020]
Target	partnerLink element
Prerequisites	
Predicate	partnerLink element does not have both the sca-bpel:service and sca-bpel:reference attributes.
Prescription Level	Mandatory
Tags	"sca bpel extensions"
Comment	Although the target of the conformance statement is the WS-BPEL process definition, the test assertion targets the individual partnerLink elements.

Assertion ID	SBL-TA- SP083023
Source	[SBPEL3022]
Target	WS-BPEL process
Prerequisites	sca-bpel:requires attribute of partnerLink element
Predicate	The value of sca-bpel:requires is valid as per the specification of the sca:requires attribute defined in the SCA Policy Framework (space separated list of SCA intent Qnames).
Prescription Level	Mandatory
Tags	"sca bpel extensions" "required intents"
Comment	Testing this SCA BPEL assertion should invoke (or borrow code from) a SCA Policy Framework test for validating the value of sca:requires attribute. Should SBPEL3021 use RFC2119 'MAY'?

Assertion ID	SBL-TA- SP093024
Source	[SBPEL3023]
Target	Service element of the introspected Gcomponent type of a component that uses <implementation.bpel>
Prerequisites	partnerLink element(s) in the implementing WS-BPEL process corresponding to the service element of the introspected component type has an sca-bpel:requires attribute.
Predicate	The service element or reference in the component type has an

	sca:requires attribute with the same value as that of the sca-bpel:requires attribute of the corresponding partnerLink in the WS-BPEL process .
Prescription Level	Mandatory
Tags	"sca bpel extensions" "required intents"
Comment	

<u>Assertion ID</u>	<u>SBL-TA-3025</u>
<u>Source</u>	<u>[SBPEL3023]</u>
<u>Target</u>	<u>Reference element of the introspected component type.</u>
<u>Prerequisites</u>	<u>partnerLink element corresponding to the reference element of the introspected component type has an sca-bpel:requires attribute.</u>
<u>Predicate</u>	<u>The reference element in the component type has an sca:requires attribute with the same value as that of the sca-bpel:requires attribute of the corresponding partnerLink in the WS-BPEL process .</u>
<u>Prescription Level</u>	<u>Mandatory</u>
<u>Tags</u>	<u>"sca bpel extensions" "required intents"</u>
<u>Comment</u>	

Assertion ID	SBL-TA-XXXX
Source	[SBPELYYYY]
Target	
Prerequisites	
Predicate	
Prescription Level	
Tags	
Comment	

2.1 Cross Mapping of Conformance Statements to Assertions

Conformance statement	Test Assertion

Conformance statement	Test Assertion
SBPEL1001	SBL-TA-1001
SBPEL2001 , SBPEL2002	SBL-TA-2001
SBPEL2003 , SBPEL2004	SBL-TA-2002
SBPEL2005	SBL-TA-2003
SBPEL2006	SBL-TA-2004
SBPEL2007	SBL-TA-2005
SBPEL2008	SBL-TA-2006
SBPEL2009	SBL-TA-2007
SBPEL2010	SBL-TA-2008
SBPEL2011	SBL-TA-2009
SBPEL2012	SBL-TA-2010
SBPEL2013	SBL-TA-2011
SBPEL2014	SBL-TA-2012
SBPEL2015	SBL-TA-2013
SBPEL2016	SBL-TA-2014
SBPEL2017	SBL-TA-2015
SBPEL2018	SBL-TA-2016
SBPEL2020	SBL-TA-2020
SBPEL2021	SBL-TA-2021
SBPEL2022	SBL-TA-2022
SBPEL3001	SBL-TA-3001
SBPEL3002	SBL-TA-3002
SBPEL3003	SBL-TA-3003
SBPEL3004	SBL-TA-3004
SBPEL3005	SBL-TA-3005
SBPEL3006	SBL-TA-3006
SBPEL3007	SBL-TA-3007
SBPEL3008	SBL-TA-3008
SBPEL3009	SBL-TA-3009
SBPEL3010	SBL-TA-3010
SBPEL3011	SBL-TA-SP01 3011 , SBL-TA-3012
SBPEL3012	SBL-TA-SP02 3013
SBPEL3013 (implicitly covered)	SBL-TA-SP03 , SBL-TA-SP05
SBPEL3014 (implicitly covered)	SBL-TA-SP03
SBPEL3015	SBL-TA-SP03 3014 , SBL-TA-3015 , SBL-TA-3016
SBPEL3016	SBL-TA-SP04 3017
SBPEL3017 (implicitly covered)	SBL-TA-SP05
SBPEL3018	SBL-TA-SP05 3018 , SBL-TA-3019 , SBL-TA-3020
SBPEL3019	SBL-TA-SP06 3021
SBPEL3020	SBL-TA-SP07 3022
SBPEL3021	
SBPEL3022	SBL-TA-SP08 3023
SBPEL3023	SBL-TA-SP09 3024 , SBL-TA-3025

|
|

3 # Conformance

The last numbered section in the specification must be the Conformance section. Conformance Statements/Clauses go here.

Appendix A. Acknowledgments

The following individuals have participated in the creation of this specification and are gratefully acknowledged

Participants:

- [Participant name, affiliation | Individual member]
- [Participant name, affiliation | Individual member]
- [Participant name, affiliation | Individual member]

Appendix A. Non-Normative Text

Appendix B. Revision History