



Web Services Reliable Messaging Policy Assertion (WS-RM Policy)

Working Draft 09, May 30, 2006

Document identifier:

wsrmp-1.1-spec-wd-09

Location:

Editors:

Doug Davis, IBM <dug@us.ibm.com>

Anish Karmarkar, Oracle <Anish.Karmarkar@oracle.com>

Gilbert Pilz, BEA <gpilz@bea.com>

Ümit Yalçınalp, SAP <umit.yalcinalp@sap.com>

Contributors:

TBD

Abstract:

This specification describes a domain-specific policy assertion for WS-ReliableMessaging [WS-RM] that can be specified within a policy alternative as defined in WS-Policy Framework [WS-Policy].

By using the XML [XML], SOAP [SOAP 1.1], [SOAP 1.2] and WSDL [WSDL 1.1] extensibility models, the WS* specifications are designed to be composed with each other to provide a rich Web services environment. This by itself does not provide a negotiation solution for Web services. This is a building block that is used in conjunction with other Web service and application-specific protocols to accommodate a wide variety of policy exchange models.

Status:

This document is a work in progress and will be updated to reflect issues as they are resolved by the Web Services Reliable Exchange (WS-RX) Technical Committee.

Table of Contents

28		
29	1 Introduction.....	3
30	1.1 Goals and Requirements.....	3
31	1.1.1 Requirements.....	3
32	1.2 Notational Conventions.....	3
33	1.3 Namespace.....	3
34	1.4 Compliance.....	4
35	2 RM Policy Assertions.....	5
36	2.1 Assertion Model	5
37	2.2 Normative Outline.....	5
38	2.3 Assertion Attachment.....	6
39	2.4 Assertion Example.....	6
40	3 Security Considerations.....	8
41	4 References.....	9
42	4.1 Normative.....	9
43	4.2 Non Normative.....	9
44	A. Acknowledgments.....	11
45	B. XML Schema.....	12
46	C. Revision History.....	14
47	D. Notices.....	16

1 Introduction

This specification defines a domain-specific policy assertion for reliable messaging for use with WS-Policy [WS-Policy] and WS-ReliableMessaging [WS-RM].

1.1 Goals and Requirements

1.1.1 Requirements

1.2 Notational Conventions

The keywords "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in RFC 2119 [KEYWORDS].

This specification uses the following syntax to define normative outlines for messages:

- The syntax appears as an XML instance, but values in italics indicate data types instead of values.
- Characters are appended to elements and attributes to indicate cardinality:
 - "?" (0 or 1)
 - "*" (0 or more)
 - "+" (1 or more)
- The character "|" is used to indicate a choice between alternatives.
- The characters "[" and "]" are used to indicate that contained items are to be treated as a group with respect to cardinality or choice.
- An ellipsis (i.e. "...") indicates a point of extensibility that allows other child, or attribute, content. Additional children and/or attributes MAY be added at the indicated extension points but MUST NOT contradict the semantics of the parent and/or owner, respectively. If an extension is not recognized it SHOULD be ignored.
- XML namespace prefixes (See Section [Namespace](#)) are used to indicate the namespace of the element being defined.

1.3 Namespace

The XML namespace [XML-ns] URI that MUST be used by implementations of this specification is:

<http://docs.oasis-open.org/ws-rx/wsrmp/200602>

Dereferencing the above URI will produce the Resource Directory Description Language [RDDL 2.0] document that describes this namespace.

Table 1 lists the XML namespaces that are used in this specification. The choice of any namespace prefix is arbitrary and not semantically significant.

The following namespaces are used in this document:

80 *Table 1*

Prefix	Namespace	Specification
wsdl	http://schemas.xmlsoap.org/wsdl/	[WSDL 1.1]
wsp	http://schemas.xmlsoap.org/ws/2004/09/policy	[WS-Policy]
wsrmp	http://docs.oasis-open.org/ws-rx/wsrmp/200602	This specification.
wsu	http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd	WS-Security-Utility Schema

81 **1.4 Compliance**

82 An implementation is not compliant with this specification if it fails to satisfy one or more of the MUST or
 83 REQUIRED level requirements defined herein. A SOAP Node MUST NOT use the XML namespace
 84 identifier for this specification (listed in Section [Namespace](#)) within SOAP Envelopes unless it is compliant
 85 with this specification.

86 Normative text within this specification takes precedence over normative outlines, which in turn take
 87 precedence over the XML Schema [\[XML-Schema Part1\]](#), [\[XML-Schema Part2\]](#) descriptions.

2 RM Policy Assertions

WS-Policy Framework [WS-Policy] and WS-Policy Attachment [WS-PolicyAttachment] collectively define a framework, model and grammar for expressing the requirements, and general characteristics of entities in an XML Web services-based system. To enable an RM Destination and an RM Source to describe their requirements for a given Sequence, this specification defines a single RM policy assertion that leverages the WS-Policy framework.

2.1 Assertion Model

The RM policy assertion indicates that the RM Source and RM Destination MUST use WS-ReliableMessaging [WS-RM] to ensure reliable delivery of messages. Specifically, the WS-ReliableMessaging protocol determines invariants maintained by the reliable messaging endpoints and the directives used to track and manage the delivery of a Sequence of messages.

2.2 Normative Outline

The normative outline for the RM assertion is:

```
<wsrmp:RMAssertion [wsp:Optional="true"]? ... >
...
</wsrmp:RMAssertion>
```

The following describes additional, normative constraints on the outline listed above:

/wsrmp:RMAssertion

A policy assertion that specifies that WS-ReliableMessaging [WS-RM] protocol MUST be used for a Sequence.

/wsrmp:RMAssertion/@wsp:Optional="true"

Per WS-Policy [WS-Policy], this is compact notation for two policy alternatives, one with and one without the assertion. The intuition is that the behavior indicated by the assertion is optional, or in this case, that WS-ReliableMessaging MAY be used.

/wsrmp:RMAssertion/{any}

This is an extensibility mechanism to allow different (extensible) types of information, based on a schema, to be passed.

/wsrmp:RMAssertion/@{any}

This is an extensibility mechanism to allow different (extensible) types of information, based on a schema, to be passed.

2.3 Assertion Attachment

The RM policy assertion is allowed to have the following Policy Subjects [WS-PolicyAttachment]:

- Endpoint Policy Subject
- Message Policy Subject

WS-PolicyAttachment defines a set of WSDL/1.1 [WSDL 1.1] policy attachment points for each of the above Policy Subjects. Since an RM policy assertion specifies a concrete behavior, it MUST NOT be attached to the abstract WSDL policy attachment points.

125 The following is the list of WSDL/1.1 elements whose scope contains the Policy Subjects allowed for an
126 RM policy assertion but which MUST NOT have RM policy assertions attached:

- 127 • wsdl:message
- 128 • wsdl:portType/wsdl:operation/wsdl:input
- 129 • wsdl:portType/wsdl:operation/wsdl:output
- 130 • wsdl:portType/wsdl:operation/wsdl:fault
- 131 • wsdl:portType

132 The following is the list of WSDL/1.1 elements whose scope contains the Policy Subjects allowed for an
133 RM policy assertion and which MAY have RM policy assertions attached:

- 134 • wsdl:port
- 135 • wsdl:binding
- 136 • wsdl:binding/wsdl:operation/wsdl:input
- 137 • wsdl:binding/wsdl:operation/wsdl:output
- 138 • wsdl:binding/wsdl:operation/wsdl:fault

139 If an RM policy assertion is attached to any of:

- 140 • wsdl:binding/wsdl:operation/wsdl:input
- 141 • wsdl:binding/wsdl:operation/wsdl:output
- 142 • wsdl:binding/wsdl:operation/wsdl:fault

143 then an RM policy assertion, specifying `wsp:Optional=true` MUST be attached to the corresponding
144 `wsdl:binding` or `wsdl:port`, indicating that the endpoint supports WS-RM. Any messages, regardless of
145 whether they have an attached Message Policy Subject RM policy assertion, MAY be sent to that endpoint
146 using WS-RM. Additionally, the receiving endpoint MUST NOT reject any message belonging to a
147 Sequence, simply because there was no Message Policy Subject RM policy assertion attached to that
148 message. There might be certain RM implementations that are incapable of applying RM QoS semantics
149 on a per-message basis. In order to ensure the broadest interoperability, when an endpoint decorates its
150 WSDL with RM policy assertions using Message Policy Subject, it must also be prepared to accept that all
151 messages sent to that endpoint might be sent within the context of an RM Sequence, regardless of
152 whether the corresponding `wsdl:input`, `wsdl:output` or `wsdl:fault` had an attached RM policy assertion.

153 Rather than turn away messages that were unnecessarily sent with RM semantics, the receiving endpoint
154 described by the WSDL must accept these messages.

155 By attaching an RM policy assertion that specifies `wsp:Optional="true"` to the corresponding endpoint that
156 has attached RM policy assertions at the Message Policy Subject level, the endpoint is describing the
157 above constraint in policy.

158 In the case where an optional RM Assertion applies to an output message, there is no requirement on the
159 client to support an RMD implementation

160 **2.4 Assertion Example**

161 Table 2 lists an example use of the RM policy assertion.

162 Table 2: Example policy with RM policy assertion

```

163 (01) <wsdl:definitions
164 (02)     targetNamespace="example.com"
165 (03)     xmlns:tns="example.com"
166 (04)     xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
167 (05)     xmlns:wsp="http://schemas.xmlsoap.org/ws/2004/09/policy"
168 (06)     xmlns:wsrmp="http://docs.oasis-open.org/ws-rx/wsrmp/200602"
169 (07)     xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-
170 wss-wssecurity-utility-1.0.xsd">
171 (08)
172 (09)     <wsp:UsingPolicy wsdl:required="true" />
173 (10)
174 (11)     <wsp:Policy wsu:Id="MyPolicy" >
175 (12)         <wsrmp:RMAssertion/>
176
177 (13)         <!-- omitted assertions -->
178 (14)     </wsp:Policy>
179 (15)
180 (16)     <!-- omitted elements -->
181 (17)
182 (18)     <wsdl:binding name="MyBinding" type="tns:MyPortType" >
183 (19)         <wsp:PolicyReference URI="#MyPolicy" />
184 (20)         <!-- omitted elements -->
185 (21)     </wsdl:binding>
186 (22)
187 (23) </wsdl:definitions>

```

187 Line (09) in Table 2 indicates that WS-Policy [WS-Policy] is in use as a required extension.

188 Lines (11-14) are a policy expression that includes a RM policy assertion (Line 12) to indicate that WS-
189 ReliableMessaging [WS-RM] must be used.

190 Lines (18-21) are a WSDL [WSDL 1.1] binding. Line (19) indicates that the policy in Lines (11-14) applies
191 to this binding, specifically indicating that WS-ReliableMessaging must be used over all the messages in
192 the binding.

3 Security Considerations

It is strongly RECOMMENDED that policies and assertions be signed to prevent tampering.

It is RECOMMENDED that policies SHOULD NOT be accepted unless they are signed and have an associated security token to specify the signer has proper claims for the given policy. That is, a relying party shouldn't rely on a policy unless the policy is signed and presented with sufficient claims to pass the relying parties acceptance criteria.

It should be noted that the mechanisms described in this document could be secured as part of a SOAP message using WS-Security [\[WSS\]](#) or embedded within other objects using object-specific security mechanisms.

4 References

4.1 Normative

[KEYWORDS]

S. Bradner, "Key words for use in RFCs to Indicate Requirement Levels," RFC 2119, Harvard University, March 1997.

[SOAP 1.1]

W3C Note, "SOAP: Simple Object Access Protocol 1.1" 08 May 2000.

[SOAP 1.2]

W3C Recommendation, "[SOAP Version 1.2 Part 1: Messaging Framework](#)" June 2003.

[URI]

T. Berners-Lee, R. Fielding, L. Masinter, "Uniform Resource Identifiers (URI): Generic Syntax," RFC 3986, MIT/LCS, U.C. Irvine, Xerox Corporation, January 2005.

[WS-RM]

OASIS WS-RX Technical Committee Draft, "Web Services Reliable Messaging (WS-ReliableMessaging)," September 2005.

[WS-Policy]

D. Box, et al, "Web Services Policy Framework (WS-Policy)," September 2004.

[WS-PolicyAttachment]

D. Box, et al, "Web Services Policy Attachment (WS-PolicyAttachment)," September 2004.

[WSDL 1.1]

W3C Note, "Web Services Description Language (WSDL 1.1)," 15 March 2001.

[XML]

W3C Recommendation, "[Extensible Markup Language \(XML\) 1.0 \(Second Edition\)](#)", October 2000.

[XML-ns]

W3C Recommendation, "Namespaces in XML," 14 January 1999.

[XML-Schema Part1]

W3C Recommendation, "XML Schema Part 1: Structures," 2 May 2001.

[XML-Schema Part2]

W3C Recommendation, "XML Schema Part 2: Datatypes," 2 May 2001.

4.2 Non Normative

[RDDDL 2.0]

Johnathan Borden, Tim Bray, eds. "[Resource Directory Description Language \(RDDDL\) 2.0](#)," January 2004

234 **[WSS]**

235 OASIS Web Services Security: SOAP Message Security 1.0 (WS-Security 2004)", Chris Kaler, Phillip
236 Hallam-Baker, Ronald Monzillo, eds, OASIS Standard 200401, March 2004.

237 **A. Acknowledgments**

238 This document is based on initial contribution to OASIS WS-RX Technical Committee by the following
239 authors: Stefan Batres, Microsoft (Editor), Ruslan Bilorusets, BEA, Don Box, Microsoft, Luis Felipe
240 Cabrera, Microsoft, Derek Collison, TIBCO Software, Donald Ferguson, IBM, Christopher Ferris, IBM
241 (Editor), Tom Freund, IBM, Mary Ann Hondo, IBM, John Ibbotson, IBM, Lei Jin, BEA, Chris Kaler,
242 Microsoft, David Langworthy, Microsoft, Amelia Lewis, TIBCO Software, Rodney Limprecht, Microsoft,
243 Steve Lucco, Microsoft, Don Mullen, TIBCO Software, Anthony Nadalin, IBM, Mark Nottingham, BEA,
244 David Orchard, BEA, Shivajee Samdarshi, TIBCO Software, John Shewchuk, Microsoft, Tony Storey,
245 IBM.

246 The following individuals have provided invaluable input into the initial contribution:

247 Keith Ballinger, Microsoft, Allen Brown, Microsoft, Michael Conner, IBM, Francisco Curbera, IBM, Steve
248 Graham, IBM, Pat Helland, Microsoft, Rick Hill, Microsoft, Scott Hinkelman, IBM, Tim Holloway, IBM, Efim
249 Hudis, Microsoft, Johannes Klein, Microsoft, Frank Leymann, IBM, Martin Nally, IBM, Peter Niblett, IBM,
250 Jeffrey Schlimmer, Microsoft, Chris Sharp, IBM, James Snell, IBM, Keith Stobie, Microsoft, Satish Thatte,
251 Microsoft, Stephen Todd, IBM, Sanjiva Weerawarana, IBM, Roger Wolter, Microsoft.

252 The following individuals were members of the committee during the development of this specification:

253 TBD

254 **B. XML Schema**

255 A normative copy of the XML Schema [XML-Schema Part1, XML-Schema Part2] description for this
256 specification may be retrieved from the following address:

257 <http://docs.oasis-open.org/ws-rx/wsrmp/200602/wsrmp-1.1-schema-200602.xsd>

258 The following copy is provided for reference.

```

259 <?xml version="1.0" encoding="UTF-8"?>
260 <!--
261 OASIS takes no position regarding the validity or scope of any
262 intellectual property or other rights that might be claimed to pertain to
263 the implementation or use of the technology described in this document or
264 the extent to which any license under such rights might or might not be
265 available; neither does it represent that it has made any effort to
266 identify any such rights. Information on OASIS's procedures with respect
267 to rights in OASIS specifications can be found at the OASIS website.
268 Copies of claims of rights made available for publication and any
269 assurances of licenses to be made available, or the result of an attempt
270 made to obtain a general license or permission for the use of such
271 proprietary rights by implementors or users of this specification, can be
272 obtained from the OASIS Executive Director.
273 OASIS invites any interested party to bring to its attention any
274 copyrights, patents or patent applications, or other proprietary rights
275 which may cover technology that may be required to implement this
276 specification. Please address the information to the OASIS Executive
277 Director.
278 Copyright (c) OASIS Open 2002-2006. All Rights Reserved.
279 This document and translations of it may be copied and furnished to
280 others, and derivative works that comment on or otherwise explain it or
281 assist in its implementation may be prepared, copied, published and
282 distributed, in whole or in part, without restriction of any kind,
283 provided that the above copyright notice and this paragraph are included
284 on all such copies and derivative works. However, this document itself
285 does not be modified in any way, such as by removing the copyright notice
286 or references to OASIS, except as needed for the purpose of developing
287 OASIS specifications, in which case the procedures for copyrights defined
288 in the OASIS Intellectual Property Rights document must be followed, or
289 as required to translate it into languages other than English.
290 The limited permissions granted above are perpetual and will not be
291 revoked by OASIS or its successors or assigns.
292 This document and the information contained herein is provided on an
293 "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED,
294 INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION
295 HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF
296 MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
297 -->
298 <xs:schema xmlns:tns="http://docs.oasis-open.org/ws-rx/wsrmp/200602"
299 xmlns:xs="http://www.w3.org/2001/XMLSchema"
300 targetNamespace="http://docs.oasis-open.org/ws-rx/wsrmp/200602"
301 elementFormDefault="qualified" attributeFormDefault="unqualified">
302   <xs:element name="RMAssertion">
303     <xs:complexType>
304       <xs:sequence>
305         <xs:any namespace="##other" processContents="lax" minOccurs="0"
306 maxOccurs="unbounded"/>
307       </xs:sequence>
308       <xs:anyAttribute namespace="##any" processContents="lax"/>
309     </xs:complexType>
310   </xs:element>
311 </xs:schema>

```

C. Revision History

Revision	Date	By Whom	What
wd-01.doc	2005-07-06	Ümit Yalçinalp	Initial version created based on submission by the authors.
1.0-wd-01.swx	2005-09-01	Ümit Yalçinalp	Reformatted using Open Office
1.1-wd-01.swx	2005-09-18	Ümit Yalçinalp	Applied resolution i001 Applied resolution i015/16 (doc identifier) Partial application of i017, final yyyy/mm required, changed doc URI to TBD pending yyyy/mm Deleted original copyright section
1.1-wd-01.swx	2005-10-02	Anish Karmarkar	Applied resolution of i013 + minor editorial changes + fixed resolution of i017
1.1-wd-01.swx	2005-10-04	Ümit Yalçinalp	Applied actual value for yyyy/mm. Added resolution of i009
1.1-wd-01.swx	2005-10-06	Ümit Yalçinalp	Editorial fixes suggested by Anish Updated wd draft date to October 6th
1.1-wd-01.swx	2005-10-19	Ümit Yalçinalp	Editorial change to remove .swx suffix from doc id
wd-02	2005-11-03	Gilbert Pilz	Start wd-02 by changing title page from cd-01.
wd-02	2005-11-30	Gilbert Pilz	i072 – editorial nits
wd-02	2005-11-30	Gilbert Pilz	i074 - Use of [tcShortName] in artifact locations namespaces, etc
wd-02	2005-12-01	Gilbert Pilz	Updated fix to i074 to remove trailing '/' from wsrmp namespace.
wd-02	2005-12-01	Anish Karmarkar	Applied resolution for i022
wd-02	2005-12-01	Anish Karmarkar	Applied resolution for i024
wd-02	2005-12-01	Anish Karmarkar	Applied resolution for i054
wd-02	2005-12-01	Anish Karmarkar	Applied resolution of i073
wd-2	2005-12-05	Anish Karmarkar	Applied resolution of i055
wd-2	2005-12-05	Ümit Yalçinalp	Changed fixed date in footer to current date
wd-3	2005-12-21	Doug Davis	Added i050
wd-3	2005-12-23	Ümit Yalçinalp	I057 resolution

Revision	Date	By Whom	What
wd-3	2005-12-23	Ümit Yalçınalp	Changed the ref to WS-RM to the WS-RX committee draft instead of original version Fixed Dug's email address
wd-3	2005-12-23	Ümit Yalçınalp	I060 resolution
wd-03	2005-12-27	Gilbert Pilz	Remove schema example and put it in its own artifact (wsrmp-1.1-schema-200510.xsd). Convert source file to OpenDocument format. Make line numbers all the same style.
wd-03	2005-12-28	Anish Karmarkar	Included a section link to c:\temp\wsrmp-1.1-schema-200510.xsd
wd-03	2006-01-04	Gilbert Pilz	Fixed formatting of included section.
wd-03	2006-01-05	Gilbert Pilz	Fix closing tag of normative outline for RMAssertion.
wd-04	2006-11-11	Doug Davis	Minor tweaks/typos
wd-05	2006-01-23	Gilbert Pilz	Start wd-05 by accepting all changes from wd-04
wd-06	2006-01-23	Doug Davis	Minor typos found by Marc
wd-06	2006-02-14	Doug Davis	Issue 075 resolution
wd-06	2006-02-14	Doug Davis	Issues 086, 087 resolutions
wd-06	2006-02-15	Gilbert Pilz	Issue 088; added link for namespace URI; added text describing link; added non-normative reference for RDDL 2.0
wd-06	2006-02-17	Anish Karmarkar	Removed a sentence in section 2.1 that talked about RM assertion parameters, as there aren't any.
wd-06	2006-02-17	Anish Karmarkar	Change the namespace to 200602.
wd-07	2006-02-22	Doug Davis	Accept all changes to create new WD Minor typo fixed – thanks to Paul Cotton
wd-07	2006-02-23	Doug Davis	Added missing namespace table entries - MarcG
wd-07	2006-03-08	Doug Davis	Issue 097 applied
wd-08	2006-04-11	Doug Davis	Issue 021 applied
wd-08	2006-04-24	Gilbert Pilz	Misc cleanups prior to publishing to TC.
wd-09	2006-05-29	Gilbert Pilz	Issue 117 applied

313 D. Notices

314 OASIS takes no position regarding the validity or scope of any intellectual property or other rights that
315 might be claimed to pertain to the implementation or use of the technology described in this document or
316 the extent to which any license under such rights might or might not be available; neither does it represent
317 that it has made any effort to identify any such rights. Information on OASIS's procedures with respect to
318 rights in OASIS specifications can be found at the OASIS website. Copies of claims of rights made
319 available for publication and any assurances of licenses to be made available, or the result of an attempt
320 made to obtain a general license or permission for the use of such proprietary rights by implementors or
321 users of this specification, can be obtained from the OASIS Executive Director.

322 OASIS invites any interested party to bring to its attention any copyrights, patents or patent applications, or
323 other proprietary rights which may cover technology that may be required to implement this specification.
324 Please address the information to the OASIS Executive Director.

325 Copyright (C) OASIS Open (2006). All Rights Reserved.

326 This document and translations of it may be copied and furnished to others, and derivative works that
327 comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and
328 distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and
329 this paragraph are included on all such copies and derivative works. However, this document itself may
330 not be modified in any way, such as by removing the copyright notice or references to OASIS, except as
331 needed for the purpose of developing OASIS specifications, in which case the procedures for copyrights
332 defined in the OASIS Intellectual Property Rights document must be followed, or as required to translate it
333 into languages other than English.

334 The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors
335 or assigns.

336 This document and the information contained herein is provided on an "AS IS" basis and OASIS
337 DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY
338 WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR
339 ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.