



Web Services Reliable Messaging (WS-ReliableMessaging)

Working Draft 1~~3~~4, June 7, 2006

Document identifier:

wsrn-1.1-spec-wd-1~~3~~4

Location:

Editors:

Doug Davis, IBM <dug@us.ibm.com>
Anish Karmarkar, Oracle <Anish.Karmarkar@oracle.com>
Gilbert Pilz, BEA <gpilz@bea.com>
Steve Winkler, SAP <steve.winkler@sap.com>
Ümit Yalçınalp, SAP <umit.yalcinalp@sap.com>

Contributors:

TBD

Abstract:

This specification (WS-ReliableMessaging) describes a protocol that allows messages to be delivered reliably between distributed applications in the presence of software component, system, or network failures. The protocol is described in this specification in a transport-independent manner allowing it to be implemented using different network technologies. To support interoperable Web services, a SOAP binding is defined within this specification.

The protocol defined in this specification depends upon other Web services specifications for the identification of service endpoint addresses and policies. How these are identified and retrieved are detailed within those specifications and are out of scope for this document.

By using the XML [XML], SOAP [SOAP 1.1], [SOAP 1.2] and WSDL [WSDL 1.1] extensibility model, SOAP-based and WSDL-based specifications are designed to be composed with each other to define a rich Web services environment. As such, WS-ReliableMessaging by itself does not define all the features required for a complete messaging solution. WS-ReliableMessaging is a building block that is used in conjunction with other specifications and application-specific protocols to accommodate a wide variety of protocols related to the operation of distributed Web services.

Status:

This document is a work in progress and will be updated to reflect issues as they are resolved by the Web Services Reliable Exchange (WS-RX) Technical Committee.

Table of Contents

1	Introduction.....	4
1.1	Goals and Requirements.....	4
1.1.1	Requirements.....	4
1.2	Notational Conventions.....	4
1.3	Namespace.....	4
1.4	Compliance.....	5
2	Reliable Messaging Model.....	6
2.1	Glossary.....	6
2.2	Protocol Preconditions.....	7
2.3	Protocol Invariants.....	7
2.4	Example Message Exchange.....	7
3	RM Protocol Elements.....	10
3.1	Sequence Creation.....	10
3.2	Closing A Sequence.....	13
3.3	Sequence Termination.....	15
3.4	Sequences.....	16
3.5	Request Acknowledgement.....	17
3.6	Sequence Acknowledgement.....	18
4	Faults.....	21
4.1	SequenceFault Element.....	22
4.2	Sequence Terminated.....	23
4.3	Unknown Sequence.....	23
4.4	Invalid Acknowledgement.....	24
4.5	Message Number Rollover.....	24
4.6	Create Sequence Refused.....	24
4.7	Sequence Closed.....	25
4.8	WSRM Required.....	25
5	Security Considerations.....	26
6	References.....	28
6.1	Normative.....	28
6.2	Non-Normative.....	28
A.	Schema.....	30
B.	Message Examples.....	35
B.1	Create Sequence.....	35
B.2	Initial Transmission.....	35
B.3	First Acknowledgement.....	37
B.4	Retransmission.....	37

71	B.5 Termination.....	38
72	C. WSDL.....	40
73	D. State Tables.....	42
74	E. Acknowledgments.....	46
75	F. Revision History.....	47
76	G. Notices.....	51

1 Introduction

It is often a requirement for two Web services that wish to communicate to do so reliably in the presence of software component, system, or network failures. The primary goal of this specification is to create a modular mechanism for reliable delivery of messages. It defines a messaging protocol to identify, track, and manage the reliable delivery of messages between a source and a destination. It also defines a SOAP binding that is required for interoperability. Additional bindings may be defined.

This mechanism is extensible allowing additional functionality, such as security, to be tightly integrated. This specification integrates with and complements the WS-Security [WS-Security], WS-Policy [WS-Policy], and other Web services specifications. Combined, these allow for a broad range of reliable, secure messaging options.

1.1 Goals and Requirements

1.1.1 Requirements

1.2 Notational Conventions

The keywords "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in RFC 2119 [KEYWORDS].

This specification uses the following syntax to define normative outlines for messages:

- The syntax appears as an XML instance, but values in italics indicate data types instead of values.
- Characters are appended to elements and attributes to indicate cardinality:
 - "?" (0 or 1)
 - "*" (0 or more)
 - "+" (1 or more)
- The character "|" is used to indicate a choice between alternatives.
- The characters "[" and "]" are used to indicate that contained items are to be treated as a group with respect to cardinality or choice.
- An ellipsis (i.e. "...") indicates a point of extensibility that allows other child or attribute content specified in this document. Additional children elements and/or attributes MAY be added at the indicated extension points but they MUST NOT contradict the semantics of the parent and/or owner, respectively. If an extension is not recognized it SHOULD be ignored.
- XML namespace prefixes (See Section [Namespace](#)) are used to indicate the namespace of the element being defined.

1.3 Namespace

The XML namespace [XML-ns] URI that MUST be used by implementations of this specification is:

<http://docs.oasis-open.org/ws-rx/wsrn/200604>

111 Dereferencing the above URI will produce the Resource Directory Description Language [RDDL 2.0]
112 document that describes this namespace.

113 Table 1 lists the XML namespaces that are used in this specification. The choice of any namespace prefix
114 is arbitrary and not semantically significant.

115 The following namespaces are used in this document:

116 *Table 1*

Prefix	Namespace
S	(Either SOAP 1.1 or 1.2)
S11	http://schemas.xmlsoap.org/soap/envelope/
S12	http://www.w3.org/2003/05/soap-envelope
wsrn	http://docs.oasis-open.org/ws-rx/wsrn/200604
wsa	http://www.w3.org/2005/08/addressing
xs	http://www.w3.org/2001/XMLSchema

117 The normative schema for WS-ReliableMessaging can be found at:

118 <http://docs.oasis-open.org/ws-rx/wsrn/200604/wsrn-1.1-schema-200604.xsd>

119 All sections explicitly noted as examples are informational and are not to be considered normative.

120 **1.4 Compliance**

121 An implementation is not compliant with this specification if it fails to satisfy one or more of the MUST or
122 REQUIRED level requirements defined herein. A SOAP Node MUST NOT use the XML namespace
123 identifier for this specification (listed in Section [Namespace](#)) within SOAP Envelopes unless it is compliant
124 with this specification.

125 Normative text within this specification takes precedence over normative outlines, which in turn take
126 precedence over the XML Schema [XML Schema Part 1](#), [Part 2](#) descriptions.

2 Reliable Messaging Model

Many errors may interrupt a conversation. Messages may be lost, duplicated or reordered. Further the host systems may experience failures and lose volatile state.

The WS-ReliableMessaging specification defines an interoperable protocol that requires a Reliable Messaging (RM) Source and Reliable Messaging (RM) Destination to ensure that each message transmitted by the RM Source is successfully received by an RM Destination, or barring successful receipt, that an RM Source can, except in the most extreme circumstances, accurately determine the disposition of each message transmitted as perceived by the RM Destination, so as to resolve any in-doubt status. Note that this specification makes no restriction on the scope of the RM Source or RM Destination entities. For example, either may span multiple WSDL Ports or endpoints.

The protocol supports reliability features that enable ordered delivery, duplicate elimination, and guaranteed receipt for the RMD. It is expected that the AD and RMD will implement as many of these or as few of these characteristics as necessary to implement the AD. Regardless of which of the reliability features are employed, the wire protocol does not change.

Figure 1 below illustrates the entities and events in a simple reliable exchange of messages. First, the Application Source Sends a message for reliable delivery. The Reliable Messaging (RM) Source accepts the message and transmits it one or more times. After receiving the message, the RM Destination Acknowledges it. Finally, the RM Destination delivers the message to the Application Destination. The exact roles the entities play and the complete meaning of the events will be defined throughout this specification.




Figure 1: Reliable Messaging Model

2.1 Glossary

The following definitions are used throughout this specification:

Acknowledgement: The communication from the RM Destination to the RM Source indicating the successful receipt of a message.

Application Destination: The endpoint to which a message is Delivered.

Application Source: The endpoint that sends a message.

Deliver: The act of transferring a message from the RM Destination to the Application Destination. The reliability guarantee is fulfilled at this point.

157 **Endpoint:** As defined in the WS-Addressing specification [WS-Addressing]; a Web service endpoint is a
158 (referenceable) entity, processor, or resource to which Web service messages can be addressed.
159 Endpoint references convey the information needed to address a Web service endpoint.

160 **Receive:** The act of reading a message from a network connection and qualifying it as relevant to RM
161 Destination functions.

162 **RM Destination:** For any one reliably sent message the endpoint that receives the message.

163 **RM Source:** The endpoint that transmits the message.

164 **Send:** The act of submitting a message to the RM Source for reliable delivery. The reliability guarantee
165 begins at this point.

166 **Transmit:** The act of writing a message to a network connection.

167 2.2 Protocol Preconditions

168 The correct operation of the protocol requires that a number of preconditions **MUST** be established prior
169 to the processing of the initial sequenced message:

- 170 • For any single message exchange the RM Source **MUST** have an endpoint reference that uniquely
171 identifies the RM Destination endpoint.
- 172 • The RM Source **MUST** have knowledge of the destination's policies, if any, and the RM Source
173 **MUST** be capable of formulating messages that adhere to this policy.

174 If a secure exchange of messages is required, then the RM Source and RM Destination **MUST** have a
175 security context.

176 2.3 Protocol Invariants

177 During the lifetime of a Sequence, two invariants are **REQUIRED** for correctness:

- 178 • The RM Source **MUST** assign each message within a Sequence a message number (defined
179 below) beginning at 1 and increasing by exactly 1 for each subsequent message. These numbers
180 **MUST** be assigned in the same order in which messages are sent by the Application Source.
- 181 • Within every acknowledgement it issues, the RM Destination **MUST** include one or more
182 acknowledgement ranges that contain the message number of every message successfully
183 received by the RM Destination. The RM Destination **MUST** exclude the message numbers of any
184 messages it has not received.

185 2.4 Example Message Exchange

186 Figure 2 illustrates a possible message exchange between two reliable messaging endpoints A and B.



- 187 1. The protocol preconditions are established. These include policy exchange, endpoint resolution,
188 and establishing trust.
- 189 2. The RM Source requests creation of a new Sequence.
- 190 3. The RM Destination creates a new Sequence and returns its globally unique identifier.
- 191 4. The RM Source begins transmitting messages in the Sequence beginning with MessageNumber 1.
192 In the figure above, the RM Source sends 3 messages in the Sequence.
- 193 5. The 2nd message in the Sequence is lost in transit.
- 194 6. The 3rd message is the last in this Sequence and the RM Source includes a
195 `<wsrm:AckRequested>` header to ensure that it gets a timely
196 `<wsrm:SequenceAcknowledgement>` for the Sequence.
- 197 7. The RM Destination acknowledges receipt of message numbers 1 and 3 as a result of receiving the
198 RM Source's `<wsrm:AckRequested>` header.
- 199 8. The RM Source retransmits the unacknowledged message with MessageNumber 2. This is a new
200 message from the perspective of the underlying transport, but it has the same Sequence Identifier
201 and MessageNumber so the RM Destination can recognize it as a duplicate of the earlier message,
202 in case the original and retransmitted messages are both received. The RM Source includes an
203 `<wsrm:AckRequested>` header in the retransmitted message so the RM Destination will expedite
204 an acknowledgement.
- 205 9. The RM Destination receives the second transmission of the message with MessageNumber 2 and
206 acknowledges receipt of message numbers 1, 2, and 3.

207 10. The RM Source receives this acknowledgement and sends a TerminateSequence message to the
208 RM Destination indicating that the Sequence is completed and reclaims any resources associated
209 with the Sequence.

210 11. The RM Destination receives the TerminateSequence message indicating that the RM Source will
211 not be sending any more messages. The RM Destination sends a TerminateSequenceResponse
212 message to the RM Source and reclaims any resources associated with the Sequence.

213 The RM Source will expect to receive acknowledgements from the RM Destination during the course of a
214 message exchange at occasions described in Section 3 below. Should an acknowledgement not be
215 received in a timely fashion, the RM Source MUST re-transmit the message since either the message or
216 the associated acknowledgement might have been lost. Since the nature and dynamic characteristics of
217 the underlying transport and potential intermediaries are unknown in the general case, the timing of re-
218 transmissions cannot be specified. Additionally, over-aggressive re-transmissions have been
219 demonstrated to cause transport or intermediary flooding which are counterproductive to the intention of
220 providing a reliable exchange of messages. Consequently, implementers are encouraged to utilize
221 adaptive mechanisms that dynamically adjust re-transmission time and the back-off intervals that are
222 appropriate to the nature of the transports and intermediaries envisioned. For the case of TCP/IP
223 transports, a mechanism similar to that described as RTTM in RFC 1323 [RTTM] should be considered.

224 Now that the basic model has been outlined, the details of the elements used in this protocol are now
225 provided in Section 3.

3 RM Protocol Elements

The following protocol elements define extensibility points at various places. Implementations MAY add child elements and/or attributes at the indicated extension points but MUST NOT contradict the semantics of the parent and/or owner, respectively. If a receiver does not recognize an extension, the receiver SHOULD ignore the extension.

If action IRIs are used by either the RM Source or the RM Destination, and one is not already defined as per the rules of the WS-Addressing specification [WS-Addressing], then the RM Source or the RM Destination MUST use an action IRI that consists of the WS-RM namespace URI concatenated with a '/', followed by the message element name. For example:

```
http://docs.oasis-open.org/ws-rx/wsrn/200604/SequenceAcknowledgement
```

3.1 Sequence Creation

The RM Source MUST request creation of an outbound Sequence by sending a `<wsrm:CreateSequence>` element in the body of a message to the RM Destination which in turn responds either with a message containing `<wsrm:CreateSequenceResponse>` or a `CreateSequenceRefused` fault. The RM Source MAY include an offer to create an inbound Sequence within the `<wsrm:CreateSequence>` message. This offer is either accepted or rejected by the RM Destination in the `<wsrm:CreateSequenceResponse>` message.

The SOAP version used for the `CreateSequence` message SHOULD be used for all subsequent messages in or for that Sequence, sent by either the RMS or the RMD.

The following exemplar defines the `<wsrm:CreateSequence>` syntax:

```
<wsrm:CreateSequence ...>
  <wsrm:AcksTo ...> wsa:EndpointReferenceType </wsrm:AcksTo>
  <wsrm:Expires ...> xs:duration </wsrm:Expires> ?
  <wsrm:Offer ...>
    <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>
    <wsrm:Endpoint> wsa:EndpointReferenceType </wsrm:Endpoint>
    <wsrm:Expires ...> xs:duration </wsrm:Expires> ?
    ...
  </wsrm:Offer> ?
  ...
</wsrm:CreateSequence>
```

`/wsrm:CreateSequence`

This element requests creation of a new Sequence between the RM Source that sends it, and the RM Destination to which it is sent. The RM Source MUST NOT send this element as a header block. The RM Destination MUST respond either with a `<wsrm:CreateSequenceResponse>` response message or a `CreateSequenceRefused` fault.

`/wsrm:CreateSequence/wsrn:AcksTo`

The RM Source MUST include this element in any `CreateSequence` message it sends. This element is of type `wsa:EndpointReferenceType` (as specified by WS-Addressing [WS-Addressing]). It specifies the endpoint reference to which messages containing `<wsrm:SequenceAcknowledgement>` header blocks and faults related to the created Sequence are to be sent, unless otherwise noted in this specification (for example, see Section 3.2).

268 Implementations MUST NOT use an endpoint reference in the AcksTo element that would prevent the
269 sending of Sequence Acknowledgements back to the RM Source. For example, using the WS-Addressing
270 "none" IRI would make it impossible for the RM Destination to ever send Sequence Acknowledgements.

271 /wsrm:CreateSequence/wsrm:Expires

272 This element, if present, of type `xs:duration` specifies the RM Source's requested duration for the
273 Sequence. The RM Destination MAY either accept the requested duration or assign a lesser value of its
274 choosing. A value of 'PT0S' indicates that the Sequence will never expire. Absence of the element
275 indicates an implied value of 'PT0S'.

276 /wsrm:CreateSequence/wsrm:Expires/@{any}

277 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
278 element.

279 /wsrm:CreateSequence/wsrm:Offer

280 This element, if present, enables an RM Source to offer a corresponding Sequence for the reliable
281 exchange of messages transmitted from RM Destination to RM Source.

282 /wsrm:CreateSequence/wsrm:Offer/wsrm:Identifier

283 The RM Source MUST set the value of this element to an absolute URI (conformant with RFC3986 [\[URI\]](#))
284 that will uniquely identify the offered Sequence.

285 /wsrm:CreateSequence/wsrm:Offer/wsrm:Identifier/@{any}

286 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
287 element.

288 /wsrm:CreateSequence/wsrm:Offer/wsrm:Endpoint

289 An RM Source MUST include this element, of type `wsa:EndpointReferenceType` (as specified by
290 WS-Addressing [\[WSAddressing\]](#)) This element specifies the endpoint reference to which WS-RM protocol
291 messages related to the offered Sequence are to be sent.

292 /wsrm:CreateSequence/wsrm:Offer/wsrm:Expires

293 This element, if present, of type `xs:duration` specifies the duration for the Sequence. A value of 'PT0S'
294 indicates that the Sequence will never expire. Absence of the element indicates an implied value of
295 'PT0S'.

296 /wsrm:CreateSequence/wsrm:Offer/wsrm:Expires/@{any}

297 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
298 element.

299 /wsrm:CreateSequence/wsrm:Offer/{any}

300 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
301 to be passed.

302 /wsrm:CreateSequence/wsrm:Offer/@{any}

303 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
304 to be passed.

305 /wsrm:CreateSequence/{any}

306 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
307 to be passed.

308 /wsrm:CreateSequence/@{any}

309 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
310 element.

311 A <wsrm:CreateSequenceResponse> is sent in the body of a response message by an RM
312 Destination in response to receipt of a <wsrm:CreateSequence> request message. It carries the
313 <wsrm:Identifier> of the created Sequence and indicates that the RM Source may begin sending
314 messages in the context of the identified Sequence.

315 The following exemplar defines the <wsrm:CreateSequenceResponse> syntax:

```
316 <wsrm:CreateSequenceResponse ...>
317   <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>
318   <wsrm:Expires> xs:duration </wsrm:Expires> ?
319   <wsrm:AcknowledgementInterval Milliseconds="xs:unsignedLong" ... /> ?
320   <wsrm:IncompleteSequenceBehavior> wsrm:IncompleteSequenceBehaviorType
321 </wsrm:IncompleteSequenceBehavior> ?
322   <wsrm:Accept ...>
323     <wsrm:AcksTo ...> wsa:EndpointReferenceType </wsrm:AcksTo>
324     ...
325   </wsrm:Accept> ?
326   ...
327 </wsrm:CreateSequenceResponse>
```

328 /wsrm:CreateSequenceResponse

329 This element is sent in the body of the response message in response to a <wsrm:CreateSequence>
330 request message. It indicates that the RM Destination has created a new Sequence at the request of the
331 RM Source. The RM Destination MUST NOT send this element as a header block.

332 /wsrm:CreateSequenceResponse/wsrm:Identifier

333 The RM Destination MUST include this element within any CreateSequenceResponse message it sends.
334 The RM Destination MUST set the value of this element to the absolute URI (conformant with RFC3986
335 [URI]) of the Sequence that has been created by the RM Destination.

336 /wsrm:CreateSequenceResponse/wsrm:Identifier/@{any}

337 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
338 element.

339 /wsrm:CreateSequenceResponse/wsrm:Expires

340 This element, if present, of type xs:duration accepts or refines the RM Source's requested duration for
341 the Sequence. A value of 'PT0S' indicates that the Sequence will never expire. Absence of the element
342 indicates an implied value of 'PT0S'. The RM Destination MUST set the value of this element to be equal
343 to or less than the value requested by the RM Source in the corresponding <wsrm:CreateSequence>
344 message.

345 /wsrm:CreateSequenceResponse/wsrm:Expires/@{any}

346 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
347 element.

348 /wsrm:CreateSequenceResponse/wsrm:AcknowledgementInterval

349 This element, if present, specifies the duration after which the RM Destination will transmit an
350 acknowledgement. If omitted, there is no implied value.

351 /wsrm:CreateSequenceResponse/wsrm:AcknowledgementInterval/@Milliseconds
352 The acknowledgement interval, specified in milliseconds.

353 /wsrm:CreateSequenceResponse/wsrm:AcknowledgementInterval/@{any}
354 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
355 element.

356 /wsrm:CreateSequenceResponse/wsrm:IncompleteSequenceBehavior
357 This ~~optional~~[OPTIONAL](#) element, if present, specifies the behavior that the RM Destination will exhibit
358 upon the closure of an incomplete sequence.

359 A value of "DiscardEntireSequence" indicates that the entire sequence will be discarded by the RM
360 Destination if the sequence is closed when there are one or more gaps in the
361 SequenceAcknowledgement/Final.

362 A value of "DiscardFollowingFirstGap" indicates that messages in the sequence beyond the first gap will
363 be discarded by the RM Destination when there are one or more gaps in the
364 SequenceAcknowledgement/Final.

365 The default value of "NoDiscard" indicates that no acknowledged messages in the sequence will be
366 discarded by the RM Destination.

367 /wsrm:CreateSequenceResponse/wsrm:Accept
368 This element, if present, enables an RM Destination to accept the offer of a corresponding Sequence for
369 the reliable exchange of messages transmitted from RM Destination to RM Source.

370 **Note:** If a <wsrm:CreateSequenceResponse> is returned without a child <wsrm:Accept> in response
371 to a <wsrm:CreateSequence> that did contain a child <wsrm:Offer>, then the RM Source MAY
372 immediately reclaim any resources associated with the unused offered Sequence.

373 /wsrm:CreateSequenceResponse/wsrm:Accept/wsrm:AcksTo
374 The RM Destination MUST include this element, of type *wsa:EndpointReferenceType* (as specified
375 by WS-Addressing [[WS-Addressing](#)]). The RM Source SHOULD send messages with
376 <wsrm:SequenceAcknowledgement> header blocks related to the accepted Sequence to the
377 referenced endpoint.

378 /wsrm:CreateSequenceResponse/wsrm:Accept/{any}
379 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
380 to be passed.

381 /wsrm:CreateSequenceResponse/wsrm:Accept/@{any}
382 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
383 to be passed.

384 /wsrm:CreateSequenceResponse/{any}
385 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
386 to be passed.

387 /wsrm:CreateSequenceResponse/@{any}

388 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
389 element.

390 3.2 Closing A Sequence

391 There may be times during the use of an RM Sequence that the RM Source or RM Destination will wish to
392 discontinue using a Sequence. Simply terminating the Sequence discards the state managed by the RM
393 Destination, leaving the RM Source unaware of the final ranges of messages that were successfully
394 delivered to the RM Destination. To ensure that the Sequence ends with a known final state both the RM
395 Source and RM Destination ~~may~~ MAY choose to close the Sequence before terminating it.

396 If the RM Source wishes to close the Sequence, then it sends a `<wsrm:CloseSequence>` element, in
397 the body of a message, to the RM Destination. This message indicates that the RM Destination **MUST**
398 **NOT** receive any new messages for the specified Sequence, other than those already received at the time
399 the `<wsrm:CloseSequence>` element is interpreted by the RMD. Upon receipt of this message, or
400 subsequent to the RM Destination closing the Sequence of its own volition, the RM Destination **MUST**
401 include a final `<wsrm:SequenceAcknowledgement>` (within which the RM Destination **MUST** include
402 the `<wsrm:Final>` element) header block on any messages associated with the Sequence destined to
403 the RM Source, including the `CloseSequenceResponse` message or on any Sequence Fault transmitted
404 to the RMS.

405 While the RM Destination **MUST NOT** receive any new messages for the specified Sequence it **MUST** still
406 process RM protocol messages. For example, it **MUST** respond to `AckRequested`, `TerminateSequence`
407 as well as `CloseSequence` messages. Note, subsequent `CloseSequence` messages have no effect on the
408 state of the Sequence.

409 In the case where the RM Destination wishes to discontinue use of a Sequence it is **RECOMMENDED**
410 that it close the Sequence. Please see `<wsrm:Final>` and the `SequenceClosed` fault. Whenever
411 possible the `SequenceClosed` Fault **SHOULD** be used in place of the `SequenceTerminated` Fault,
412 whenever possible, to allow the RM Source to still receive Acknowledgements.

413 The following exemplar defines the `CloseSequence` syntax:

```
414 <wsrm:CloseSequence ...>  
415   <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>  
416   ...  
417 </wsrm:CloseSequence>
```

418 `/wsrm:CloseSequence`

419 This element is sent by an RM Source to indicate that the RM Destination **MUST NOT** receive any new
420 messages for this Sequence. A `SequenceClosed` fault **MUST** be generated by the RM Destination when it
421 receives a message for a Sequence that is closed.

422 `/wsrm:CloseSequence/wsrm:Identifier`

423 The RM Source **MUST** include this element in any `CloseSequence` messages it sends. The RM Source
424 **MUST** set the value of this element to the absolute URI (conformant with RFC3986 [URI]) of the
425 Sequence that is being closed.

426 `/wsrm:CloseSequence/wsrm:Identifier/@{any}`

427 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
428 element.

429 `/wsrm:CloseSequence/{any}`

430 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
431 to be passed.

432 /wsrm:CloseSequence@{any}

433 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
434 element.

435 A <wsrm:CloseSequenceResponse> is sent in the body of a response message by an RM Destination
436 in response to receipt of a <wsrm:CloseSequence> request message. It indicates that the RM
437 Destination has closed the Sequence.

438 The following exemplar defines the <wsrm:CloseSequenceResponse> syntax:

```
439 <wsrm:CloseSequenceResponse ...>  
440   <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>  
441   ...  
442 </wsrm:CloseSequenceResponse>
```

443 /wsrm:CloseSequenceResponse

444 This element is sent in the body of a response message by an RM Destination in response to receipt of a
445 <wsrm:CloseSequence> request message. It indicates that the RM Destination has closed the
446 Sequence.

447 /wsrm:CloseSequenceResponse/wsrm:Identifier

448 The RM Destination MUST include this element in any CloseSequenceResponse message it sends. The
449 RM Destination MUST set the value of this element to the absolute URI (conformant with RFC3986 [URI])
450 of the Sequence that is being closed.

451 /wsrm:CloseSequenceResponse/wsrm:Identifier/@{any}

452 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
453 element.

454 /wsrm:CloseSequenceResponse/{any}

455 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
456 to be passed.

457 /wsrm:CloseSequenceResponse@{any}

458 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
459 element.

460 3.3 Sequence Termination

461 When the RM Source has completed its use of the Sequence it sends a <wsrm:TerminateSequence>
462 element, in the body of a message, to the RM Destination to indicate that the Sequence is complete and
463 that it will not be sending any further messages related to the Sequence. The RM Destination can safely
464 reclaim any resources associated with the Sequence upon receipt of the <wsrm:TerminateSequence>
465 message. Under normal usage the RM Source will complete its use of the Sequence when all of the
466 messages in the Sequence have been acknowledged. However, the RM Source is free to Terminate or
467 Close a Sequence at any time regardless of the acknowledgement state of the messages.

468 The following exemplar defines the TerminateSequence syntax:

```
469 <wsrm:TerminateSequence ...>  
470   <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>
```



```
471     ...
472 </wsrm:TerminateSequence>
```

473 /wsrm:TerminateSequence

474 This element is sent by an RM Source to indicate it has completed its use of the Sequence. It indicates
475 that the RM Destination can safely reclaim any resources related to the identified Sequence. The RM
476 Source MUST NOT send this element as a header block. The RM Source MAY retransmit this element.
477 Once this element is sent, other than this element, the RM Source MUST NOT send any additional
478 message to the RM Destination referencing this Sequence.

479 /wsrm:TerminateSequence/wsrm:Identifier

480 The RM Source MUST include this element in any TerminateSequence message it sends. The RM
481 Source MUST set the value of this element to the absolute URI (conformant with RFC3986 [URI]) of the
482 Sequence that is being terminated.

483 /wsrm:TerminateSequence/wsrm:Identifier/@{any}

484 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
485 element.

486 /wsrm:TerminateSequence/{any}

487 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
488 to be passed.

489 /wsrm:TerminateSequence/@{any}

490 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
491 element.

492 A <wsrm:TerminateSequenceResponse> is sent in the body of a response message by an RM
493 Destination in response to receipt of a <wsrm:TerminateSequence> request message. It indicates that
494 the RM Destination has terminated the Sequence.

495 The following exemplar defines the <wsrm:TerminateSequenceResponse> syntax:

```
496 <wsrm:TerminateSequenceResponse ...>
497   <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>
498   ...
499 </wsrm:TerminateSequenceResponse>
```

500 /wsrm:TerminateSequenceResponse

501 This element is sent in the body of a response message by an RM Destination in response to receipt of a
502 <wsrm:TerminateSequence> request message. It indicates that the RM Destination has terminated
503 the sequence. The RM Destination MUST NOT send this element as a header block.

504 /wsrm:TerminateSequenceResponse/wsrm:Identifier

505 The RMD Destination MUST include this element in any TerminateSequenceResponse message it sends.
506 The RMD Destination MUST set the value of this element to the absolute URI (conformant with RFC3986
507 [URI]) of the Sequence that is being terminated.

508 /wsrm:TerminateSequenceResponse/wsrm:Identifier/@{any}

509 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
510 element.

511 /wsrm:TerminateSequenceResponse/{any}

512 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
513 to be passed.

514 /wsrm:TerminateSequenceResponse/{any}

515 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
516 element.

517 On receipt of a <wsrm:TerminateSequence> message an RM Destination MUST respond with a
518 corresponding <wsrm:TerminateSequenceResponse> message or generate a fault.

519 3.4 Sequences

520 The RM protocol uses a <wsrm:Sequence> header block to track and manage the reliable delivery of
521 messages. The RM Source MUST include a <wsrm:Sequence> header block in all messages for
522 which reliable delivery is required. The RM Source MUST identify Sequences with unique
523 <wsrm:Identifier> elements and the RM Source MUST assign each message within a Sequence a
524 <wsrm:MessageNumber> element that increments by 1 from an initial value of 1. These values are
525 contained within a <wsrm:Sequence> header block accompanying each message being delivered in the
526 context of a Sequence.

527 The RM Source MUST NOT include more than one <wsrm:Sequence> header block in any message.

528 A following exemplar defines its syntax:

```
529 <wsrm:Sequence ...>  
530   <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>  
531   <wsrm:MessageNumber> wsrm:MessageNumberType </wsrm:MessageNumber>  
532   ...  
533 </wsrm:Sequence>
```

534 The following describes the content model of the Sequence header block.

535 /wsrm:Sequence

536 This protocol element associates the message in which it is contained with a previously established RM
537 Sequence. It contains the Sequence's unique identifier and the containing message's ordinal position
538 within that Sequence. The RM Destination MUST understand the <wsrm:Sequence> header block. The
539 RM Source MUST assign a *mustUnderstand* attribute with a value 1/true (from the namespace
540 corresponding to the version of SOAP to which the <wsrm:Sequence> SOAP header block is bound) to
541 the <wsrm:Sequence> header block element.

542 /wsrm:Sequence/wsrm:Identifier

543 An RM Source that includes a <wsrm:Sequence> header block in a SOAP envelope MUST include
544 this element in that header block. The RM Source MUST set the value of this element to the absolute URI
545 (conformant with RFC3986 [\[URI\]](#)) that uniquely identifies the Sequence.

546 /wsrm:Sequence/wsrm:Identifier/{any}

547 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
548 element.

549 /wsrm:Sequence/wsrm:MessageNumber

550 The RM Source MUST include this element within any Sequence headers it creates. This element is of
551 type *wsrm:MessageNumberType*. It represents the ordinal position of the message within a Sequence.
552 Sequence message numbers start at 1 and monotonically increase throughout the Sequence. If the

553 message number exceeds the internal limitations of an RM Source or RM Destination or reaches the
554 maximum value of 9,223,372,036,854,775,807 the RM Source or Destination MUST generate a
555 MessageNumberRollover fault.

556 /wsrm:Sequence/{any}

557 This is an extensibility mechanism to allow different types of information, based on a schema, to be
558 passed.

559 /wsrm:Sequence/@{any}

560 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
561 element.

562 The following example illustrates a Sequence header block.

```
563 <wsrm:Sequence>  
564   <wsrm:Identifier>http://example.com/abc</wsrm:Identifier>  
565   <wsrm:MessageNumber>10</wsrm:MessageNumber>  
566 </wsrm:Sequence>
```

567 3.5 Request Acknowledgement

568 The purpose of the <wsrm:AckRequested> header block is to signal to the RM Destination that the RM
569 Source is requesting that a <wsrm:SequenceAcknowledgement> be sent.

570 The RM Source MAY request an acknowledgement message from the RM Destination at any time by
571 including an <wsrm:AckRequested> header block in any message targeted to the RM Destination. An
572 RM Destination that receives a message that contains an <wsrm:AckRequested> header block MUST
573 send a message containing a <wsrm:SequenceAcknowledgement> header block to the wsrm:AcksTo
574 endpoint reference (see Section 3.1). If a non-mustUnderstand fault occurs when processing an RM
575 Header that was piggy-backed on another message, a fault MUST be generated, but the processing of
576 the original message MUST NOT be affected. It is RECOMMENDED that the RMD return a
577 <wsrm:AcknowledgementRange> or <wsrm:None> element instead of a <wsrm:Nack> element (see
578 [Section 3.6below](#)).

579 The following exemplar defines its syntax:

```
580 <wsrm:AckRequested ...>  
581   <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>  
  
582   ...  
583 </wsrm:AckRequested>
```

584 /wsrm:AckRequested

585 This element requests an acknowledgement for the identified Sequence.

586 /wsrm:AckRequested/wsrm:Identifier

587 An RM Source that includes a <wsrm:AckRequested> header block in a SOAP envelope MUST include
588 this element in that header block. The RM Source MUST set the value of this element to the absolute URI,
589 (conformant with RFC3986 [\[URI\]](#)), that uniquely identifies the Sequence to which the request applies.

590 /wsrm:AckRequested/wsrm:Identifier/@{any}

591 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
592 element.

593 /wsrm:AckRequested/{any}

594 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
595 to be passed.

596 /wsrm:AckRequested/@{any}

597 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
598 element.

599 3.6 Sequence Acknowledgement

600 The RM Destination informs the RM Source of successful message receipt using a
601 <wsrm:SequenceAcknowledgement> header block. The RM Destination MAY transmit the
602 <wsrm:SequenceAcknowledgement> header block independently or it MAY include the
603 <wsrm:SequenceAcknowledgement> header block on any message targeted to the AcksTo EPR. The
604 RM Destination MAY send a <wsrm:SequenceAcknowledgement> header block at any point during
605 which the Sequence is valid. Acknowledgements can be explicitly requested using the
606 <wsrm:AckRequested> directive (see Section [3.5 Request Acknowledgement](#)). If a non-
607 mustUnderstand fault occurs when processing an RM Header that was piggy-backed on another
608 message, a fault MUST be generated, but the processing of the original message MUST NOT be
609 affected.

610 A RMD MAY include a wsrm:SequenceAcknowledgement header block on any SOAP envelope targetted
611 to the endpoint referenced by the wsrm:AcksTo EPR. This concept is often referred to as "piggy-backing"
612 Sequence acknowledgements.

613 During creation of a Sequence the RM Source MAY specify the WS-Addressing anonymous IRI as the
614 address of the <wsrm:AcksTo> EPR for that Sequence. When the RM Source specifies the WS-
615 Addressing anonymous IRI as the address of the <wsrm:AcksTo> EPR, the RM Destination MUST
616 transmit any <wsrm:SequenceAcknowledgement> headers for the created Sequence in a SOAP
617 envelope to be transmitted on the protocol binding-specific channel. Such a channel is provided by the
618 context of a received message containing a SOAP envelope that contains a <wsrm:Sequence> header
619 block and/or a <wsrm:AckRequested> header block for that same Sequence identifier.

620 The following exemplar defines its syntax:

```
621 <wsrm:SequenceAcknowledgement ...>
622   <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>
623   [ [ [ <wsrm:AcknowledgementRange ...
624         Upper="wsrm:MessageNumberType"
625         Lower="wsrm:MessageNumberType"/> +
626
627         | <wsrm:None/> ]
628         <wsrm:Final/> ? ]
629   | <wsrm:Nack> wsrm:MessageNumberType </wsrm:Nack> + ]
630   ...
631 </wsrm:SequenceAcknowledgement>
```

632 The following describes the content model of the <wsrm:SequenceAcknowledgement> header block.

633 /wsrm:SequenceAcknowledgement

634 This element contains the Sequence acknowledgement information.

635 /wsrm:SequenceAcknowledgement/wsrm:Identifier

636 An RM Destination that includes a `<wsrm:SequenceAcknowledgement>` header block in a SOAP
637 envelope MUST include this element in that header block. The RM Destination MUST set the value of this
638 element to the absolute URI (conformant with RFC3986 [URI]) that uniquely identifies the Sequence. The
639 RM Destination MUST NOT include multiple `<wsrm:SequenceAcknowledgement>` header blocks that
640 share the same value for `<wsrm:Identifier>` within the same SOAP envelope.

641 `/wsrm:SequenceAcknowledgement/wsrm:Identifier/@{any}`

642 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
643 element.

644 `/wsrm:SequenceAcknowledgement/wsrm:AcknowledgementRange`

645 The RM Destination MAY include one or more instances of this element within a
646 `<wsrm:SequenceAcknowledgement>` header block. It contains a range of Sequence
647 MessageNumbers successfully received by the RM Destination. The ranges SHOULD NOT overlap. The
648 RM Destination MUST NOT include this element if a sibling `<wsrm:Nack>` or `<wsrm:None>` element is
649 also present as a child of `<wsrm:SequenceAcknowledgement>`.

650 `/wsrm:SequenceAcknowledgement/wsrm:AcknowledgementRange/@Upper`

651 The RM Destination MUST set the value of this attribute equal to the message number of the highest
652 contiguous message in a Sequence range received by the RM Destination.

653 `/wsrm:SequenceAcknowledgement/wsrm:AcknowledgementRange/@Lower`

654 The RM Destination MUST set the value of this attribute equal to the message number of the lowest
655 contiguous message in a Sequence range received by the RM Destination.

656 `/wsrm:SequenceAcknowledgement/wsrm:AcknowledgementRange/@{any}`

657 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
658 element.

659 `/wsrm:SequenceAcknowledgement/wsrm:Final`

660 The RM Destination MAY include this element within a `<wsrm:SequenceAcknowledgement>` header
661 block. This element indicates that the RM Destination is not receiving new messages for the specified
662 Sequence. The RM Source can be assured that the ranges of messages acknowledged by this
663 `SequenceAcknowledgement` header block will not change in the future. The RM Destination MUST
664 include this element when the Sequence is closed. ~~Note:~~ the RM Destination MUST NOT include this
665 element when sending a Nack; it can only be used when sending `<wsrm:AcknowledgementRange>`s or
666 `<wsrm:None>`.

667 `/wsrm:SequenceAcknowledgement/wsrm:Nack`

668 The RM Destination MAY include this element within a `<wsrm:SequenceAcknowledgement>` header
669 block. If used, the RM Destination MUST set the value of this element to a `wsrm:MessageNumberType`
670 representing the `<wsrm:MessageNumber>` of an unreceived message in a Sequence. The RM
671 Destination MUST NOT include a `<wsrm:Nack>` element if a sibling
672 `<wsrm:AcknowledgementRange>` or `<wsrm:None>` element is also present as a child of
673 `<wsrm:SequenceAcknowledgement>`. Upon the receipt of a Nack, an RM Source SHOULD retransmit
674 the message identified by the Nack. The RM Destination MUST NOT issue a
675 `<wsrm:SequenceAcknowledgement>` containing a `<wsrm:Nack>` for a message that it has previously
676 acknowledged within a `<wsrm:AcknowledgementRange>`. The RM Source SHOULD ignore a
677 `<wsrm:SequenceAcknowledgement>` containing a `<wsrm:Nack>` for a message that has previously
678 been acknowledged within a `<wsrm:AcknowledgementRange>`.

679 /wsrm:SequenceAcknowledgement/wsrm:None

680 The RM Destination MUST include this element within a <wsrm:SequenceAcknowledgement> header
681 block if the RM Destination has not received any messages for the specified Sequence. The RM
682 Destination MUST NOT include this element if a sibling <wsrm:AcknowledgementRange> or
683 <wsrm:Nack> element is also present as a child of the <wsrm:SequenceAcknowledgement>.

684 /wsrm:SequenceAcknowledgement/{any}

685 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
686 to be passed.

687 /wsrm:SequenceAcknowledgement/@{any}

688 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
689 element.

690 The following examples illustrate <wsrm:SequenceAcknowledgement> elements:

- 691 • Message numbers 1..10 inclusive in a Sequence have been received by the RM Destination.

```
692 <wsrm:SequenceAcknowledgement>  
693     <wsrm:Identifier>http://example.com/abc</wsrm:Identifier>  
694     <wsrm:AcknowledgementRange Upper="10" Lower="1"/>  
695 </wsrm:SequenceAcknowledgement>
```

- 696 • Message numbers 1..2, 4..6, and 8..10 inclusive in a Sequence have been received by the RM
697 Destination, messages 3 and 7 have not been received.

```
698 <wsrm:SequenceAcknowledgement>  
699     <wsrm:Identifier>http://example.com/abc</wsrm:Identifier>  
700     <wsrm:AcknowledgementRange Upper="2" Lower="1"/>  
701     <wsrm:AcknowledgementRange Upper="6" Lower="4"/>  
702     <wsrm:AcknowledgementRange Upper="10" Lower="8"/>  
703 </wsrm:SequenceAcknowledgement>
```

- 704 • Message number 3 in a Sequence has not been received by the RM Destination.

```
705 <wsrm:SequenceAcknowledgement>  
706     <wsrm:Identifier>http://example.com/abc</wsrm:Identifier>  
707     <wsrm:Nack>3</wsrm:Nack>  
708 </wsrm:SequenceAcknowledgement>
```

4 Faults

The faults defined in this section fall into one of two categories; those faults that are the result of messages or operations within a specific Sequence and those faults that are not. By their nature the CreateSequenceRefused, UnknownSequence, and WSRMRequired faults cannot be correlated with a Sequence. All other faults defined in this section relate to the processing of WS-RM protocol messages or messages containing WS-RM header blocks targeted at a specific Sequence and are collectively referred to as "Sequence faults".

Faults for the CreateSequence message exchange are treated as defined in WS-Addressing. CreateSequenceRefused is a possible fault reply for this operation. UnknownSequence is a fault generated by endpoints when messages carrying RM header blocks targeted at unrecognized or terminated Sequences are detected ~~these faults are also treated as defined in WS-Addressing~~. All other faults in this section relate to the processing of RM header blocks targeted at known Sequences and are collectively referred to as Sequence faults. Entities that generate Sequence faults SHOULD send those faults to the same [destination] as `<wsrm:SequenceAcknowledgement>` messages. These faults are correlated using the Sequence identifier carried in the detail.

Entities that generate WS-ReliableMessaging faults MUST include as the [action] property the default fault action IRI defined in ~~the version of~~ WS-Addressing ~~used in the message~~. The value from the ~~current~~ [version W3C Recommendation](#) is below for informational purposes:

```
http://schemas.xmlsoap.orgwww.w3c.org/ws/20045/08/addressing/fault
```

The faults defined in this section are generated if the condition stated in the preamble is met. Fault handling rules are defined in section 64 of WS-Addressing [SOAP Binding](#).

The definitions of faults use the following properties:

[Code] The fault code.

[Subcode] The fault subcode.

[Reason] The English language reason element.

[Detail] The detail element(s). If absent, no detail element is defined for the fault. If more than one detail element is defined for a fault, implementations MUST include the elements in the order that they are specified.

Entities that generate WS-ReliableMessaging faults MUST set the [Code] property to either "Sender" or "Receiver". These properties are serialized into text XML as follows:

SOAP Version	Sender	Receiver
SOAP 1.1	S11:Client	S11:Server
SOAP 1.2	S:Sender	S:Receiver

The properties above bind to a SOAP 1.2 fault as follows:

```
<S:Envelope>
  <S:Header>
    <wsa:Action>
      http://www.w3c.orgschemas.xmlsoap.org/ws/20045/08/addressing/fault
    </wsa:Action>
    <!-- Headers elided for clarity. -->
  </S:Header>
  <S:Body>
    <S:Fault>
```

```

710     <S:Code>
710         <S:Value> [Code] </S:Value>
710         <S:Subcode>
710             <S:Value> [Subcode] </S:Value>
710         </S:Subcode>
710     </S:Code>
710     <S:Reason>
710         <S:Text xml:lang="en"> [Reason] </S:Text>
710     </S:Reason>
710     <S:Detail>
710         [Detail]
710         ...
710     </S:Detail>
710 </S:Fault>
710 </S:Body>
710 </S:Envelope>

```

710 The properties above bind to a SOAP 1.1 fault as follows when the fault is triggered by processing an RM
711 header block:

```

710 <S11:Envelope>
710   <S11:Header>
710     <wsrm:SequenceFault>
710       <wsrm:FaultCode> wsrm:FaultCodes </wsrm:FaultCode>
710       <wsrm:Detail> [Detail] </wsrm:Detail>
710       ...
710     </wsrm:SequenceFault>
710     <!-- Headers elided for clarity. -->
710   </S11:Header>
710   <S11:Body>
710     <S11:Fault>
710       <faultcode> [Code] </faultcode>
710       <faultstring> [Reason] </faultstring>
710     </S11:Fault>
710   </S11:Body>
710 </S11:Envelope>

```

710 The properties bind to a SOAP 1.1 fault as follows when the fault is generated as a result of processing a
711 <wsrm:CreateSequence> request message:

```

710 <S11:Envelope>
710   <S11:Body>
710     <S11:Fault>
710       <faultcode> [Subcode] </faultcode>
710       <faultstring> [Reason] </faultstring>
710     </S11:Fault>
710   </S11:Body>
710 </S11:Envelope>

```

710 4.1 SequenceFault Element

711 The purpose of the <wsrm:SequenceFault> element is to carry the specific details of a fault generated
712 during the reliable messaging specific processing of a message belonging to a Sequence. WS-
713 ReliableMessaging nodes MUST use the <wsrm:SequenceFault> container only in conjunction with
714 the SOAP 1.1 fault mechanism. WS-ReliableMessaging nodes MUST NOT use the
715 <wsrm:SequenceFault> container in conjunction with the SOAP 1.2 binding.

711 The following exemplar defines its syntax:

```

711 <wsrm:SequenceFault ...>

```



```

711 <wsrm:FaultCode> wsrm:FaultCodes </wsrm:FaultCode>
711 <wsrm:Detail> ... </wsrm:Detail> ?
711 ...
711 </wsrm:SequenceFault>

```

711 The following describes the content model of the `SequenceFault` element.

711 `/wsrm:SequenceFault`

711 This is the element containing Sequence information for WS-ReliableMessaging

711 `/wsrm:SequenceFault/wsrm:FaultCode`

711 WS-ReliableMessaging nodes that generate a `<wsrm:SequenceFault>` MUST set the value of this
712 element to a qualified name from the set of fault [Subcodes] defined below.

711 `/wsrm:SequenceFault/wsrm:Detail`

711 This ~~optional~~[OPTIONAL](#) element is intended for carrying application specific error information related to
712 the fault being described.

711 `/wsrm:SequenceFault/wsrm:Detail/{any}`

711 The application specific error information related to the fault being described.

711 `/wsrm:SequenceFault/wsrm:Detail/@{any}`

711 The application specific error information related to the fault being described.

711 `/wsrm:SequenceFault/{any}`

711 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
712 to be passed.

711 `/wsrm:SequenceFault/@{any}`

711 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
712 element.

711 4.2 Sequence Terminated

712 This fault is generated by either the RM Source or the RM Destination to indicate that it has either
713 encountered an unrecoverable condition, or has detected a violation of the protocol and as a
714 consequence, has chosen to terminate the Sequence. The endpoint that generates this fault should make
715 every reasonable effort to notify the corresponding endpoint of this decision.

712 Receipt of `SequenceTerminated` by either the RMD or the RMS shall terminate the Sequence if it is not
713 otherwise terminated.

712 Properties:

712 [Code] Sender or Receiver

712 [Subcode] `wsrm:SequenceTerminated`

712 [Reason] The Sequence has been terminated due to an unrecoverable error.

712 [Detail]

```

712 <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>

```


4.3 Unknown Sequence

This fault is generated by either the RM Source or the RM Destination in response to a message containing an unknown or terminated Sequence identifier. Receipt of UnknownSequence by either the RMD or the RMS shall terminate the Sequence if it is not otherwise terminated.

Properties:

[Code] Sender

[Subcode] wsrn:UnknownSequence

[Reason] The value of wsrn:Identifier is not a known Sequence identifier.

[Detail]

```
<wsrn:Identifier ...> xs:anyURI </wsrn:Identifier>
```

4.4 Invalid Acknowledgement

This fault is generated by the RM Source in response to a <wsrn:SequenceAcknowledgement> that violates the cumulative acknowledgement invariant. An example of such a violation would be a SequenceAcknowledgement covering messages that have not been sent.

[Code] Sender

[Subcode] wsrn:InvalidAcknowledgement

[Reason] The SequenceAcknowledgement violates the cumulative acknowledgement invariant.

[Detail]

```
<wsrn:SequenceAcknowledgement ...> ... </wsrn:SequenceAcknowledgement>
```

4.5 Message Number Rollover

This fault is generated to indicate that message numbers for a Sequence have been exhausted.

Properties:

[Code] Sender

[Subcode] wsrn:MessageNumberRollover

[Reason] The maximum value for wsrn:MessageNumber has been exceeded.

[Detail]

```
<wsrn:Identifier ...> xs:anyURI </wsrn:Identifier>  
<wsrn:MaxMessageNumber> wsrn:MessageNumberType </wsrn:MaxMessageNumber>
```

4.6 Create Sequence Refused

This fault is generated in response to a create Sequence request that cannot be satisfied.

Properties:

[Code] Sender

[Subcode] wsrn:CreateSequenceRefused

[Reason] The create Sequence request has been refused by the RM Destination.

716 [Detail]

716 `xs:any`

716 4.7 Sequence Closed

717 This fault is generated by an RM Destination to indicate that the specified Sequence has been closed.

718 This fault MUST be generated when an RM Destination is asked to receive a message for a Sequence
719 that is closed.

717 Properties:

717 [Code] Sender

717 [Subcode] wsrn:SequenceClosed

717 [Reason] The Sequence is closed and can not receive new messages.

717 [Detail]

717 `<wsrm:Identifier...> xs:anyURI </wsrm:Identifier>`

717 4.8 WSRM Required

718 If an RM Destination requires the use of WS-RM, this fault is generated when it receives an incoming
719 message that did not use this protocol.

718 Properties:

718 [Code] Sender

718 [Subcode] wsrn:WSRMRequired

718 [Reason] The RM Destination requires the use of WSRM.

718 [Detail]

718 `xs:any`

5 Security Considerations

It is strongly recommended that the communication between services be secured using the mechanisms described in WS-Security. In order to properly secure messages, the body and all relevant headers need to be included in the signature. Specifically, the `<wsrm:Sequence>` header needs to be signed with the body in order to "bind" the two together. The `<wsrm:SequenceAcknowledgement>` header may be signed independently because a reply independent of the message is not a security concern.

Because Sequences are expected to exchange a number of messages, it is recommended that a security context be established using the mechanisms described in WS-Trust[Trust] and WS-SecureConversation[SecureConversation]. If a Sequence is bound to a specific destination, then the security context needs to be established or shared with the destination servicing the Sequence. While the context can be established at any time, it is critical that the messages establishing the Sequence be secured even if they precede security context establishment. However, it is recommended that the security context be established first. Security contexts are independent of reliable messaging Sequences. Consequently, security contexts can come and go independent of the lifetime of the Sequence. In fact, it is recommended that the lifetime of a security context be less than the lifetime of the Sequence unless the Sequence is very short-lived.

It is common for message Sequences to exchange a number of messages (or a large amount of data). As a result, the usage profile of a Sequence is such that it is susceptible to key attacks. For this reason it is strongly recommended that the keys be changed frequently. This "re-keying" can be effected a number of ways. The following list outlines four common techniques:

- Closing and re-establishing a security context
- Exchanging new secrets between the parties
- Using a derived key sequence and switch "generations"
- Attaching a nonce to each message and using it in a derived key function with the shared secret

The security context may be re-established using the mechanisms described in WS-Trust and WS-SecureConversation. Similarly, secrets can be exchanged using the mechanisms described in WS-Trust. Note, however, that the current shared secret should not be used to encrypt the new shared secret. Derived keys, the preferred solution from this list, can be specified using the mechanisms described in WS-SecureConversation.

There is a core tension between security and reliable messaging that can be problematic if not considered in implementations. That is, one aspect of security is to prevent message replay and the core tenet of reliable messaging is to replay messages until they are acknowledged. Consequently, if the security sub-system processes a message but a failure occurs before the reliable messaging sub-system records the message (or the message is considered "processed"), then it is possible (and likely) that the security sub-system will treat subsequent copies as replays and discard them. At the same time, the reliable messaging sub-system will likely continue to expect and even solicit the missing message(s). Care should be taken to avoid and prevent this rare condition.

The following list summarizes common classes of attacks that apply to this protocol and identifies the mechanism to prevent/mitigate the attacks:

- **Message alteration** – Alteration is prevented by including signatures of the message information using WS-Security.
- **Message disclosure** – Confidentiality is preserved by encrypting sensitive data using WS-Security.

- 729 • **Key integrity** – Key integrity is maintained by using the strongest algorithms possible (by comparing
730 secured policies – see WS-Policy and WS-SecurityPolicy).
- 729 • **Authentication** – Authentication is established using the mechanisms described in WS-Security
730 and WS-Trust. Each message is authenticated using the mechanisms described in WS-Security.
- 729 • **Accountability** – Accountability is a function of the type of and string of the key and algorithms
730 being used. In many cases, a strong symmetric key provides sufficient accountability. However, in
731 some environments, strong PKI signatures are required.
- 729 • **Availability** – All reliable messaging services are subject to a variety of availability attacks. Replay
730 detection is a common attack and it is recommended that this be addressed by the mechanisms
731 described in WS-Security. (Note that because of legitimate message replays, detection should
732 include a differentiator besides message id such as a timestamp). Other attacks, such as network-
733 level denial of service attacks are harder to avoid and are outside the scope of this specification.
734 That said, care should be taken to ensure that minimal state is saved prior to any authenticating
735 Sequences.

6 References

6.1 Normative

[KEYWORDS]

S. Bradner, "[Key words for use in RFCs to Indicate Requirement Levels](#)," RFC 2119, Harvard University, March 1997

[SOAP 1.1]

W3C Note, "[SOAP: Simple Object Access Protocol 1.1](#)," 08 May 2000.

[SOAP 1.2]

W3C Recommendation, "[SOAP Version 1.2 Part 1: Messaging Framework](#)" June 2003.

[URI]

T. Berners-Lee, R. Fielding, L. Masinter, "[Uniform Resource Identifiers \(URI\): Generic Syntax](#)," RFC 3986, MIT/LCS, U.C. Irvine, Xerox Corporation, January 2005.

[XML]

W3C Recommendation, "[Extensible Markup Language \(XML\) 1.0 \(Second Edition\)](#)", October 2000.

[XML-ns]

W3C Recommendation, "[Namespaces in XML](#)," 14 January 1999.

[XML-Schema Part1]

W3C Recommendation, "[XML Schema Part 1: Structures](#)," 2 May 2001.

[XML-Schema Part2]

W3C Recommendation, "[XML Schema Part 2: Datatypes](#)," 2 May 2001.

[WSDL 1.1]

W3C Note, "[Web Services Description Language \(WSDL 1.1\)](#)," 15 March 2001.

[WS-Addressing]

W3C ~~Proposed~~ Recommendation, "[Web Services Addressing 1.0 - Core](#)", ~~March~~ 2006.

W3C ~~Proposed~~ Recommendation, "[Web Services Addressing 1.0 – SOAP Binding](#)", ~~March~~ 2006.

6.2 Non-Normative

[RDDL 2.0]

Johnathan Borden, Tim Bray, eds. "[Resource Directory Description Language \(RDDL\) 2.0](#)," January 2004

[WS-Policy]

~~W3C Member Submission, "[Web Services Policy Framework \(WS-Policy\)](#)," April 2006~~~~D. Box, et al, "[Web Services Policy Framework \(WS-Policy\)](#)," September 2004.~~

[WS-PolicyAttachment]

~~W3C Member Submission, "[Web Services Policy Attachment \(WS-PolicyAttachment\)](#)," April 2006~~~~Box, et al, "[Web Services Policy Attachment \(WS-PolicyAttachment\)](#)," September 2004.~~

761 **[WS-Security]**

762 Anthony Nadalin, Chris Kaler, Phillip Hallam-Baker, Ronald Monzillo, eds. "[OASIS Web Services Security:](#)
763 [SOAP Message Security 1.0 \(WS-Security 2004\)](#)", OASIS Standard 200401, March 2004.

764 Anthony Nadalin, Chris Kaler, Phillip Hallam-Baker, Ronald Monzillo, eds. "[OASIS Web Services Security:](#)
765 [SOAP Message Security 1.1 \(WS-Security 2004\)](#)", OASIS Standard 200602, February 2006.

766 **[RTTM]**

766 V. Jacobson, R. Braden, D. Borman, "[TCP Extensions for High Performance](#)", RFC 1323, May
767 1992.

768 **[SecurityPolicy]**

768 G. Della-Libra, et. al. "[Web Services Security Policy Language \(WS-SecurityPolicy\)](#)", July 2005

769 **[SecureConversation]**

770 S. Anderson, et al, "[Web Services Secure Conversation Language \(WS-SecureConversation\)](#)," February
771 2005.

772 **[Trust]**

772 S. Anderson, et al, "[Web Services Trust Language \(WS-Trust\)](#)," February 2005.

772 **A. Schema**

772 The normative schema that is defined for WS-ReliableMessaging using [XML-Schema Part1] and [XML-
773 Schema Part2] is located at:

774 <http://docs.oasis-open.org/ws-rx/wsrn/200604/wsrn-1.1-schema-200604.xsd>

775 The following copy is provided for reference.

```

775 <?xml version="1.0" encoding="UTF-8"?>
776 <!--
777 OASIS takes no position regarding the validity or scope of any intellectual
778 property or other rights that might be claimed to pertain to the
779 implementation or use of the technology described in this document or the
780 extent to which any license under such rights might or might not be available;
781 neither does it represent that it has made any effort to identify any such
782 rights. Information on OASIS's procedures with respect to rights in OASIS
783 specifications can be found at the OASIS website. Copies of claims of rights
784 made available for publication and any assurances of licenses to be made
785 available, or the result of an attempt made to obtain a general license or
786 permission for the use of such proprietary rights by implementors or users of
787 this specification, can be obtained from the OASIS Executive Director.
788 OASIS invites any interested party to bring to its attention any copyrights,
789 patents or patent applications, or other proprietary rights which may cover
790 technology that may be required to implement this specification. Please
791 address the information to the OASIS Executive Director.
792 Copyright © OASIS Open 2002-2006. All Rights Reserved.
793 This document and translations of it may be copied and furnished to others,
794 and derivative works that comment on or otherwise explain it or assist in its
795 implementation may be prepared, copied, published and distributed, in whole or
796 in part, without restriction of any kind, provided that the above copyright
797 notice and this paragraph are included on all such copies and derivative
798 works. However, this document itself does not be modified in any way, such as
799 by removing the copyright notice or references to OASIS, except as needed for
800 the purpose of developing OASIS specifications, in which case the procedures
801 for copyrights defined in the OASIS Intellectual Property Rights document must
802 be followed, or as required to translate it into languages other than English.
803 The limited permissions granted above are perpetual and will not be revoked by
804 OASIS or its successors or assigns.
805 This document and the information contained herein is provided on an "AS
806 IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING
807 BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL
808 NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR
809 FITNESS FOR A PARTICULAR PURPOSE.
810 -->
811 <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
812 xmlns:wsa="http://www.w3.org/2005/08/addressing"
813 xmlns:wsm="http://docs.oasis-open.org/ws-rx/wsm/200604"
814 targetNamespace="http://docs.oasis-open.org/ws-rx/wsm/200604"
815 elementFormDefault="qualified" attributeFormDefault="unqualified">
816   <xs:import namespace="http://www.w3.org/2005/08/addressing"
817   schemaLocation="http://www.w3.org/2006/03/addressing/ws-addr.xsd"/>
818   <!-- Protocol Elements -->
819   <xs:complexType name="SequenceType">
820     <xs:sequence>
821       <xs:element ref="wsm:Identifier"/>
822       <xs:element name="MessageNumber" type="wsm:MessageNumberType"/>
823       <xs:any namespace="##other" processContents="lax" minOccurs="0"
824 maxOccurs="unbounded"/>
825     </xs:sequence>
826     <xs:anyAttribute namespace="##other" processContents="lax"/>
827   </xs:complexType>
828   <xs:element name="Sequence" type="wsm:SequenceType"/>
829   <xs:element name="SequenceAcknowledgement">
830     <xs:complexType>
831       <xs:sequence>
832         <xs:element ref="wsm:Identifier"/>
833         <xs:choice>
834           <xs:sequence>
835             <xs:choice>
836               <xs:element name="AcknowledgementRange" maxOccurs="unbounded">
837                 <xs:complexType>

```



```

775         <xs:sequence/>
776         <xs:attribute name="Upper" type="xs:unsignedLong"
777 use="required"/>
778         <xs:attribute name="Lower" type="xs:unsignedLong"
779 use="required"/>
780         <xs:anyAttribute namespace="##other" processContents="lax"/>
781     </xs:complexType>
782 </xs:element>
783     <xs:element name="None" minOccurs="0">
784         <xs:complexType>
785             <xs:sequence/>
786         </xs:complexType>
787     </xs:element>
788 </xs:choice>
789     <xs:element name="Final" minOccurs="0">
790         <xs:complexType>
791             <xs:sequence/>
792         </xs:complexType>
793     </xs:element>
794 </xs:sequence>
795     <xs:element name="Nack" type="xs:unsignedLong"
796 maxOccurs="unbounded"/>
797 </xs:choice>
798     <xs:any namespace="##other" processContents="lax" minOccurs="0"
799 maxOccurs="unbounded"/>
800 </xs:sequence>
801     <xs:anyAttribute namespace="##other" processContents="lax"/>
802 </xs:complexType>
803 </xs:element>
804 <xs:complexType name="AckRequestedType">
805     <xs:sequence>
806         <xs:element ref="wsrm:Identifier"/>
807         <xs:any namespace="##other" processContents="lax" minOccurs="0"
808 maxOccurs="unbounded"/>
809     </xs:sequence>
810     <xs:anyAttribute namespace="##other" processContents="lax"/>
811 </xs:complexType>
812 <xs:element name="AckRequested" type="wsrm:AckRequestedType"/>
813 <xs:element name="Identifier">
814     <xs:complexType>
815         <xs:annotation>
816             <xs:documentation>
817 This type is for elements whose [children] is an anyURI and can have
818 arbitrary attributes.
819             </xs:documentation>
820         </xs:annotation>
821         <xs:simpleContent>
822             <xs:extension base="xs:anyURI">
823                 <xs:anyAttribute namespace="##other" processContents="lax"/>
824             </xs:extension>
825         </xs:simpleContent>
826     </xs:complexType>
827 </xs:element>
828 <xs:simpleType name="MessageNumberType">
829     <xs:restriction base="xs:unsignedLong">
830         <xs:minInclusive value="1"/>
831         <xs:maxInclusive value="9223372036854775807"/>
832     </xs:restriction>
833 </xs:simpleType>
834 <!-- Fault Container and Codes -->
835 <xs:simpleType name="FaultCodes">
836     <xs:restriction base="xs:QName">
837         <xs:enumeration value="wsrm:SequenceTerminated"/>

```

```

775     <xs:enumeration value="wsrm:UnknownSequence"/>
776     <xs:enumeration value="wsrm:InvalidAcknowledgement"/>
777     <xs:enumeration value="wsrm:MessageNumberRollover"/>
778     <xs:enumeration value="wsrm:CreateSequenceRefused"/>
779     <xs:enumeration value="wsrm:SequenceClosed"/>
780     <xs:enumeration value="wsrm:WSRMRequired"/>
781   </xs:restriction>
782 </xs:simpleType>
783 <xs:complexType name="SequenceFaultType">
784   <xs:sequence>
785     <xs:element name="FaultCode" type="wsrm:FaultCodes"/>
786     <xs:element name="Detail" type="wsrm:DetailType" minOccurs="0"/>
787     <xs:any namespace="##other" processContents="lax" minOccurs="0"
788 maxOccurs="unbounded"/>
789   </xs:sequence>
790   <xs:anyAttribute namespace="##other" processContents="lax"/>
791 </xs:complexType>
792 <xs:complexType name="DetailType">
793   <xs:sequence>
794     <xs:any namespace="##other" processContents="lax" minOccurs="0"
795 maxOccurs="unbounded"/>
796   </xs:sequence>
797   <xs:anyAttribute namespace="##other" processContents="lax"/>
798 </xs:complexType>
799 <xs:element name="SequenceFault" type="wsrm:SequenceFaultType"/>
800 <xs:element name="CreateSequence" type="wsrm:CreateSequenceType"/>
801 <xs:element name="CreateSequenceResponse"
802 type="wsrm:CreateSequenceResponseType"/>
803 <xs:element name="CloseSequence" type="wsrm:CloseSequenceType"/>
804 <xs:element name="CloseSequenceResponse"
805 type="wsrm:CloseSequenceResponseType"/>
806 <xs:element name="TerminateSequence" type="wsrm:TerminateSequenceType"/>
807 <xs:element name="TerminateSequenceResponse"
808 type="wsrm:TerminateSequenceResponseType"/>
809 <xs:complexType name="CreateSequenceType">
810   <xs:sequence>
811     <xs:element ref="wsrm:AcksTo"/>
812     <xs:element ref="wsrm:Expires" minOccurs="0"/>
813     <xs:element name="Offer" type="wsrm:OfferType" minOccurs="0"/>
814     <xs:any namespace="##other" processContents="lax" minOccurs="0"
815 maxOccurs="unbounded">
816       <xs:annotation>
817         <xs:documentation>
818           It is the authors intent that this extensibility be used to
819 transfer a Security Token Reference as defined in WS-Security.
820         </xs:documentation>
821       </xs:annotation>
822     </xs:any>
823   </xs:sequence>
824   <xs:anyAttribute namespace="##other" processContents="lax"/>
825 </xs:complexType>
826 <xs:complexType name="CreateSequenceResponseType">
827   <xs:sequence>
828     <xs:element ref="wsrm:Identifier"/>
829     <xs:element ref="wsrm:Expires" minOccurs="0"/>
830     <xs:element ref="wsrm:AcknowledgementInterval" minOccurs="0"/>

```

```

775     <xs:element name="IncompleteSequenceBehaviour"
776 type="wsrm:IncompleteSequenceBehaviorType" minOccurs="0"/>
777     <xs:element name="Accept" type="wsrm:AcceptType" minOccurs="0"/>
778     <xs:any namespace="##other" processContents="lax" minOccurs="0"
779 maxOccurs="unbounded"/>
780   </xs:sequence>
781   <xs:anyAttribute namespace="##other" processContents="lax"/>
782 </xs:complexType>
783 <xs:complexType name="CloseSequenceType">
784   <xs:sequence>
785     <xs:element ref="wsrm:Identifier"/>
786     <xs:any namespace="##other" processContents="lax" minOccurs="0"
787 maxOccurs="unbounded"/>
788   </xs:sequence>
789   <xs:anyAttribute namespace="##other" processContents="lax"/>
790 </xs:complexType>
791 <xs:complexType name="CloseSequenceResponseType">
792   <xs:sequence>
793     <xs:element ref="wsrm:Identifier"/>
794     <xs:any namespace="##other" processContents="lax" minOccurs="0"
795 maxOccurs="unbounded"/>
796   </xs:sequence>
797   <xs:anyAttribute namespace="##other" processContents="lax"/>
798 </xs:complexType>
799 <xs:complexType name="TerminateSequenceType">
800   <xs:sequence>
801     <xs:element ref="wsrm:Identifier"/>
802     <xs:any namespace="##other" processContents="lax" minOccurs="0"
803 maxOccurs="unbounded"/>
804   </xs:sequence>
805   <xs:anyAttribute namespace="##other" processContents="lax"/>
806 </xs:complexType>
807 <xs:complexType name="TerminateSequenceResponseType">
808   <xs:sequence>
809     <xs:element ref="wsrm:Identifier"/>
810     <xs:any namespace="##other" processContents="lax" minOccurs="0"
811 maxOccurs="unbounded"/>
812   </xs:sequence>
813   <xs:anyAttribute namespace="##other" processContents="lax"/>
814 </xs:complexType>
815 <xs:element name="AcksTo"

```

```

775     type="wsa:EndpointReferenceType"/>
776     <xs:complexType name="OfferType">
777         <xs:sequence>
778             <xs:element ref="wsrm:Identifier"/>
779             <xs:element ref="wsrm:Expires" minOccurs="0"/>
780             <xs:element name="EndpointReference" type="wsa:EndpointReferenceType"/>
781             <xs:any namespace="##other" processContents="lax" minOccurs="0"
782 maxOccurs="unbounded"/>
783         </xs:sequence>
784         <xs:anyAttribute namespace="##other" processContents="lax"/>
785     </xs:complexType>
786     <xs:complexType name="AcceptType">
787         <xs:sequence>
788             <xs:element ref="wsrm:AcksTo"/>
789             <xs:any namespace="##other" processContents="lax" minOccurs="0"
790 maxOccurs="unbounded"/>
791         </xs:sequence>
792         <xs:anyAttribute namespace="##other" processContents="lax"/>
793     </xs:complexType>
794     <xs:element name="Expires">
795         <xs:complexType>
796             <xs:simpleContent>
797                 <xs:extension base="xs:duration">
798                     <xs:anyAttribute namespace="##other" processContents="lax"/>
799                 </xs:extension>
800             </xs:simpleContent>
801         </xs:complexType>
802     </xs:element>
803     <xs:element name="AcknowledgementInterval">
804         <xs:complexType>
805             <xs:sequence/>
806             <xs:attribute name="Milliseconds" type="xs:unsignedLong"
807 use="required"/>
808             <xs:anyAttribute namespace="##other" processContents="lax"/>
809         </xs:complexType>
810     </xs:element>
775     <xs:simpleType name="IncompleteSequenceBehaviorType">
776         <xs:restriction base="xs:string">
777             <xs:enumeration value="DiscardEntireSequence"/>
778             <xs:enumeration value="DiscardFollowingFirstGap"/>
779             <xs:enumeration value="NoDiscard"/>
780         </xs:restriction>
781     </xs:simpleType>
782 </xs:schema>

```

B. Message Examples

B.1 Create Sequence

Create Sequence

```
<?xml version="1.0" encoding="UTF-8"?>
<S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
  xmlns:wsm="http://docs.oasis-open.org/ws-rx/wsm/200604"
  xmlns:wsa="http://www.w3.org/2005/08/addressing">
  <S:Header>
    <wsa:MessageID>
      http://Business456.com/guid/0baaf88d-483b-4ecf-a6d8-a7c2eb546817
    </wsa:MessageID>
    <wsa:To>http://example.com/serviceB/123</wsa:To>
    <wsa:Action>http://docs.oasis-open.org/ws-
rx/wsm/200604/CreateSequence</wsa:Action>
    <wsa:ReplyTo>
      <wsa:Address>http://Business456.com/serviceA/789</wsa:Address>
    </wsa:ReplyTo>
  </S:Header>
  <S:Body>
    <wsm:CreateSequence>
      <wsm:AcksTo>
        <wsa:Address>http://Business456.com/serviceA/789</wsa:Address>
      </wsm:AcksTo>
    </wsm:CreateSequence>
  </S:Body>
</S:Envelope>
```

Create Sequence Response

```
<?xml version="1.0" encoding="UTF-8"?>
<S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
  xmlns:wsm="http://docs.oasis-open.org/ws-rx/wsm/200604"
  xmlns:wsa="http://www.w3.org/2005/08/addressing">
  <S:Header>
    <wsa:To>http://Business456.com/serviceA/789</wsa:To>
    <wsa:RelatesTo>
      http://Business456.com/guid/0baaf88d-483b-4ecf-a6d8a7c2eb546817
    </wsa:RelatesTo>
    <wsa:Action>
      http://docs.oasis-open.org/ws-rx/wsm/200604/CreateSequenceResponse
    </wsa:Action>
  </S:Header>
  <S:Body>
    <wsm:CreateSequenceResponse>
      <wsm:Identifier>http://Business456.com/RM/ABC</wsm:Identifier>
    </wsm:CreateSequenceResponse>
  </S:Body>
</S:Envelope>
```

B.2 Initial Transmission

The following example WS-ReliableMessaging headers illustrate the message exchange in the above figure. The three messages have the following headers; the third message is identified as the last message in the Sequence:

775 Message 1

```
775 <?xml version="1.0" encoding="UTF-8"?>
775 <S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
775 xmlns:wsmr="http://docs.oasis-open.org/ws-rx/wsmr/200604"
775 xmlns:wsa="http://www.w3.org/2005/08/addressing">
775   <S:Header>
775     <wsa:MessageID>
775       http://Business456.com/guid/71e0654e-5ce8-477b-bb9d-34f05cfc9e
775     </wsa:MessageID>
775     <wsa:To>http://example.com/serviceB/123</wsa:To>
775     <wsa:From>
775       <wsa:Address>http://Business456.com/serviceA/789</wsa:Address>
775     </wsa:From>
775     <wsa:Action>http://example.com/serviceB/123/request</wsa:Action>
775     <wsmr:Sequence>
775       <wsmr:Identifier>http://Business456.com/RM/ABC</wsmr:Identifier>
775       <wsmr:MessageNumber>1</wsmr:MessageNumber>
775     </wsmr:Sequence>
775   </S:Header>
775   <S:Body>
775     <!-- Some Application Data -->
775   </S:Body>
775 </S:Envelope>
```

775 Message 2

```
775 <?xml version="1.0" encoding="UTF-8"?>
775 <S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
775 xmlns:wsmr="http://docs.oasis-open.org/ws-rx/wsmr/200604"
775 xmlns:wsa="http://www.w3.org/2005/08/addressing">
775   <S:Header>
775     <wsa:MessageID>
775       http://Business456.com/guid/daa7d0b2-c8e0-476e-a9a4-d164154e38de
775     </wsa:MessageID>
775     <wsa:To>http://example.com/serviceB/123</wsa:To>
775     <wsa:From>
775       <wsa:Address>http://Business456.com/serviceA/789</wsa:Address>
775     </wsa:From>
775     <wsa:Action>http://example.com/serviceB/123/request</wsa:Action>
775     <wsmr:Sequence>
775       <wsmr:Identifier>http://Business456.com/RM/ABC</wsmr:Identifier>
775       <wsmr:MessageNumber>2</wsmr:MessageNumber>
775     </wsmr:Sequence>
775   </S:Header>
775   <S:Body>
775     <!-- Some Application Data -->
775   </S:Body>
775 </S:Envelope>
```

775 Message 3

```
775 <?xml version="1.0" encoding="UTF-8"?>
775 <S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
775 xmlns:wsmr="http://docs.oasis-open.org/ws-rx/wsmr/200604"
775 xmlns:wsa="http://www.w3.org/2005/08/addressing">
775   <S:Header>
775     <wsa:MessageID>
775       http://Business456.com/guid/0baaf88d-483b-4ecf-a6d8-a7c2eb546819
775     </wsa:MessageID>
775     <wsa:To>http://example.com/serviceB/123</wsa:To>
775     <wsa:From>
775       <wsa:Address>http://Business456.com/serviceA/789</wsa:Address>
```

```

775 </wsa:From>
775 <wsa:Action>http://example.com/serviceB/123/request</wsa:Action>
775 <wsrm:Sequence>
775 <wsrm:Identifier>http://Business456.com/RM/ABC</wsrm:Identifier>
775 <wsrm:MessageNumber>3</wsrm:MessageNumber>
775 </wsrm:Sequence>
775 <wsrm:AckRequested>
775 <wsrm:Identifier>http://Business456.com/RM/ABC</wsrm:Identifier>
775 </wsrm:AckRequested>
775 </S:Header>
775 <S:Body>
775 <!-- Some Application Data -->
775 </S:Body>
775 </S:Envelope>

```

775 B.3 First Acknowledgement

775 Message number 2 has not been received by the RM Destination due to some transmission error so it
776 responds with an acknowledgement for messages 1 and 3:

```

775 <?xml version="1.0" encoding="UTF-8"?>
775 <S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
775 xmlns:wsrm="http://docs.oasis-open.org/ws-rx/wsr/200604"
775 xmlns:wsa="http://www.w3.org/2005/08/addressing">
775 <S:Header>
775 <wsa:MessageID>
775 http://example.com/guid/0baaf88d-483b-4ecf-a6d8-a7c2eb546810
775 </wsa:MessageID>
775 <wsa:To>http://Business456.com/serviceA/789</wsa:To>
775 <wsa:From>
775 <wsa:Address>http://example.com/serviceB/123</wsa:Address>
775 </wsa:From>
775 <wsa:Action>
775 http://docs.oasis-open.org/ws-rx/wsr/200604/SequenceAcknowledgement
775 </wsa:Action>
775 <wsrm:SequenceAcknowledgement>
775 <wsrm:Identifier>http://Business456.com/RM/ABC</wsrm:Identifier>
775 <wsrm:AcknowledgementRange Upper="1" Lower="1"/>
775 <wsrm:AcknowledgementRange Upper="3" Lower="3"/>
775 </wsrm:SequenceAcknowledgement>
775 </S:Header>
775 <S:Body/>
775 </S:Envelope>

```

775 B.4 Retransmission

775 The RM Sourcediscovers that message number 2 was not received so it resends the message and
776 requests an acknowledgement:

```

775 <?xml version="1.0" encoding="UTF-8"?>
775 <S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
775 xmlns:wsrm="http://docs.oasis-open.org/ws-rx/wsr/200604"
775 xmlns:wsa="http://www.w3.org/2005/08/addressing">
775 <S:Header>
775 <wsa:MessageID>
775 http://Business456.com/guid/daa7d0b2-c8e0-476e-a9a4-d164154e38de
775 </wsa:MessageID>
775 <wsa:To>http://example.com/serviceB/123</wsa:To>
775 <wsa:From>
775 <wsa:Address>http://Business456.com/serviceA/789</wsa:Address>
775 </wsa:From>

```

```

775 <wsa:Action>http://example.com/serviceB/123/request</wsa:Action>
775 <wsrm:Sequence>
775 <wsrm:Identifier>http://Business456.com/RM/ABC</wsrm:Identifier>
775 <wsrm:MessageNumber>2</wsrm:MessageNumber>
775 </wsrm:Sequence>
775 <wsrm:AckRequested>
775 <wsrm:Identifier>http://Business456.com/RM/ABC</wsrm:Identifier>
775 </wsrm:AckRequested>
775 </S:Header>
775 <S:Body>
775 <!-- Some Application Data -->
775 </S:Body>
775 </S:Envelope>

```

775 B.5 Termination

775 The RM Destination now responds with an acknowledgement for the complete Sequence which can then
776 be terminated:

```

775 <?xml version="1.0" encoding="UTF-8"?>
775 <S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
775 xmlns:wsrm="http://docs.oasis-open.org/ws-rx/wsr/200604"
775 xmlns:wsa="http://www.w3.org/2005/08/addressing">
775 <S:Header>
775 <wsa:MessageID>
775 http://example.com/guid/0baaf88d-483b-4ecf-a6d8-a7c2eb546811
775 </wsa:MessageID>
775 <wsa:To>http://Business456.com/serviceA/789</wsa:To>
775 <wsa:From>
775 <wsa:Address>http://example.com/serviceB/123</wsa:Address>
775 </wsa:From>
775 <wsa:Action>
775 http://docs.oasis-open.org/ws-rx/wsr/200604/SequenceAcknowledgement
775 </wsa:Action>
775 <wsrm:SequenceAcknowledgement>
775 <wsrm:Identifier>http://Business456.com/RM/ABC</wsrm:Identifier>
775 <wsrm:AcknowledgementRange Upper="3" Lower="1"/>
775 </wsrm:SequenceAcknowledgement>
775 </S:Header>
775 <S:Body/>
775 </S:Envelope>

```

775 Terminate Sequence

```

775 <?xml version="1.0" encoding="UTF-8"?>
775 <S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
775 xmlns:wsrm="http://docs.oasis-open.org/ws-rx/wsr/200604"
775 xmlns:wsa="http://www.w3.org/2005/08/addressing">
775 <S:Header>
775 <wsa:MessageID>
775 http://Business456.com/guid/0baaf88d-483b-4ecf-a6d8-a7c2eb546812
775 </wsa:MessageID>
775 <wsa:To>http://example.com/serviceB/123</wsa:To>
775 <wsa:Action>
775 http://docs.oasis-open.org/ws-rx/wsr/200604/TerminateSequence
775 </wsa:Action>
775 <wsa:From>
775 <wsa:Address>http://Business456.com/serviceA/789</wsa:Address>
775 </wsa:From>
775 </S:Header>
775 <S:Body>
775 <wsrm:TerminateSequence>

```



```
775     <wsrm:Identifier>http://Business456.com/RM/ABC</wsrm:Identifier>
775     </wsrm:TerminateSequence>
775   </S:Body>
775 </S:Envelope>
```

775 Terminate Sequence Response

```
775 <?xml version="1.0" encoding="UTF-8"?>
775 <S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
775   xmlns:wsrm="http://docs.oasis-open.org/ws-rx/wsrn/200604"
775   xmlns:wsa="http://www.w3.org/2005/08/addressing">
775   <S:Header>
775     <wsa:MessageID>
775       http://Business456.com/guid/0baaf88d-483b-4ecf-a6d8-a7c2eb546813
775     </wsa:MessageID>
775     <wsa:To>http://example.com/serviceA/789</wsa:To>
775     <wsa:Action>
775       http://docs.oasis-open.org/ws-rx/wsrn/200604/TerminateSequenceResponse
775     </wsa:Action>
775     <wsa:RelatesTo>
775       http://Business456.com/guid/0baaf88d-483b-4ecf-a6d8-a7c2eb546812
775     </wsa:RelatesTo>
775     <wsa:From>
775       <wsa:Address>http://Business456.com/serviceA/789</wsa:Address>
775     </wsa:From>
776   </S:Header>
776   <S:Body>
776     <wsrm:TerminateSequenceResponse>
777       <wsrm:Identifier>http://Business456.com/RM/ABC</wsrm:Identifier>
778     </wsrm:TerminateSequenceResponse>
779   </S:Body>
779 </S:Envelope>
```

779 C. WSDL

779 The ~~non~~-normative WSDL 1.1 definition for WS-ReliableMessaging is located at:
780 <http://docs.oasis-open.org/ws-rx/wsrn/200604/wsd/wsrn-1.1-wsd-200604.wsd>
781 The following non-normative copy is provided for reference.

```

781 <?xml version="1.0" encoding="utf-8"?>
782 <!--
783 OASIS takes no position regarding the validity or scope of any intellectual
784 property or other rights that might be claimed to pertain to the
785 implementation or use of the technology described in this document or the
786 extent to which any license under such rights might or might not be available;
787 neither does it represent that it has made any effort to identify any such
788 rights. Information on OASIS's procedures with respect to rights in OASIS
789 specifications can be found at the OASIS website. Copies of claims of rights
790 made available for publication and any assurances of licenses to be made
791 available, or the result of an attempt made to obtain a general license or
792 permission for the use of such proprietary rights by implementors or users of
793 this specification, can be obtained from the OASIS Executive Director.
794 OASIS invites any interested party to bring to its attention any copyrights,
795 patents or patent applications, or other proprietary rights which may cover
796 technology that may be required to implement this specification. Please
797 address the information to the OASIS Executive Director.
798 Copyright (c) OASIS Open 2002-2006. All Rights Reserved.
799 This document and translations of it may be copied and furnished to others,
800 and derivative works that comment on or otherwise explain it or assist in its
801 implementation may be prepared, copied, published and distributed, in whole or
802 in part, without restriction of any kind, provided that the above copyright
803 notice and this paragraph are included on all such copies and derivative
804 works. However, this document itself does not be modified in any way, such as
805 by removing the copyright notice or references to OASIS, except as needed for
806 the purpose of developing OASIS specifications, in which case the procedures
807 for copyrights defined in the OASIS Intellectual Property Rights document must
808 be followed, or as required to translate it into languages other than English.
809 The limited permissions granted above are perpetual and will not be revoked by
810 OASIS or its successors or assigns.
811 This document and the information contained herein is provided on an "AS
812 IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING
813 BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL
814 NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR
815 FITNESS FOR A PARTICULAR PURPOSE.
816 -->
817 <wsdl:definitions xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
818 xmlns:xs="http://www.w3.org/2001/XMLSchema"
819 xmlns:wsa="http://www.w3.org/2005/08/addressing" xmlns:rm="http://docs.oasis-
820 open.org/ws-rx/wsr/200604" xmlns:tns="http://docs.oasis-open.org/ws-
821 rx/wsr/200604/wsdl" targetNamespace="http://docs.oasis-open.org/ws-
822 rx/wsr/200604/wsdl">
823
824   <wsdl:types>
825     <xs:schema
826       <xs:import namespace="http://docs.oasis-open.org/ws-rx/wsr/200604"
827       schemaLocation="http://docs.oasis-open.org/ws-rx/wsr/200604/wsr-1.1-schema-
828       200604.xsd"/>
829     </xs:schema>
830   </wsdl:types>
831
832   <wsdl:message name="CreateSequence">
833     <wsdl:part name="create" element="rm:CreateSequence"/>
834   </wsdl:message>
835   <wsdl:message name="CreateSequenceResponse">
836     <wsdl:part name="createResponse" element="rm:CreateSequenceResponse"/>
837   </wsdl:message>
838   <wsdl:message name="CloseSequence">
839     <wsdl:part name="close" element="rm:CloseSequence"/>
840   </wsdl:message>
841   <wsdl:message name="CloseSequenceResponse">
842     <wsdl:part name="closeResponse" element="rm:CloseSequenceResponse"/>
843   </wsdl:message>

```

```

842     <wsdl:message name="TerminateSequence">
843         <wsdl:part name="terminate" element="rm:TerminateSequence"/>
844     </wsdl:message>
845     <wsdl:message name="TerminateSequenceResponse">
846         <wsdl:part name="terminateResponse"
847 element="rm:TerminateSequenceResponse"/>
848     </wsdl:message>

849     <wsdl:portType name="SequenceAbstractPortType">
850         <wsdl:operation name="CreateSequence">
851             <wsdl:input message="tns:CreateSequence" wsa:Action="http://docs.oasis-
852 open.org/ws-rx/wsrn/200604/CreateSequence"/>
853             <wsdl:output message="tns:CreateSequenceResponse"
854 wsa:Action="http://docs.oasis-open.org/ws-
855 rx/wsrn/200604/CreateSequenceResponse"/>
856         </wsdl:operation>
857         <wsdl:operation name="CloseSequence">
858             <wsdl:input message="tns:CloseSequence" wsa:Action="http://docs.oasis-
859 open.org/ws-rx/wsrn/200604/CloseSequence"/>
860             <wsdl:output message="tns:CloseSequenceResponse"
861 wsa:Action="http://docs.oasis-open.org/ws-
862 rx/wsrn/200604/CloseSequenceResponse"/>
863         </wsdl:operation>
864         <wsdl:operation name="TerminateSequence">
865             <wsdl:input message="tns:TerminateSequence"
866 wsa:Action="http://docs.oasis-open.org/ws-rx/wsrn/200604/TerminateSequence"/>
867             <wsdl:output message="tns:TerminateSequenceResponse"
868 wsa:Action="http://docs.oasis-open.org/ws-
869 rx/wsrn/200604/TerminateSequenceResponse"/>
870         </wsdl:operation>
871     </wsdl:portType>

872 </wsdl:definitions>

```

873 D. State Tables

873 This appendix specifies the non-normative state transition tables for RM Source and RM Destination.

873 Each cell in the tables in this appendix uses the following convention:

Legend
<i>action to take next state</i>

873 Table 2 RM Source State Transition Table

Events	States							
	None	Connecting	Connected	Rollover	Closing	Closed	Terminating	Terminated
Create Sequence	<i>Transmit Create Sequence</i> Connecting	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Create Sequence Response	N/A	No action Connected	N/A	N/A	N/A	N/A	N/A	N/A
Create Sequence Refused Fault	N/A	No action Terminated	N/A	N/A	N/A	N/A	N/A	N/A
New Message	N/A	N/A	<i>Transmit message</i> Connected	<i>no action</i> Rollover	<i>No action</i> Closing	N/A	N/A	N/A
Retransmit of unack message	N/A	N/A	<i>Transmit message</i> Connected	<i>Transmit message</i> Rollover	<i>Trasmit message?</i> Closing	<i>No action</i> Closed	N/A	N/A
SeqAck (non-final)	N/A	N/A	<i>Process Ack ranges</i> Connected	<i>Process Ack ranges</i> Rollover	<i>Process Ack ranges</i> Closing	<i>Process Ack ranges</i> Closed	<i>Process Ack ranges</i> Terminating	<i>Transmit Unknown Sequence Fault</i> Terminated
Nack	N/A	N/A	<i>Transmit message(s)</i> Connected	<i>Transmit message(s)</i> Rollover	<i>Transmit message(s)</i> Closing	<i>No action</i> Closed	<i>No action</i> Terminating	<i>Transmit Unknown Sequence fault</i> Terminated
Reached max msg number	N/A	N/A	<i>No action</i> Rollover	<i>No action</i> Rollover	N/A	N/A	N/A	N/A

Events	States							
	None	Connecting	Connected	Rollover	Closing	Closed	Terminating	Terminated
Message Number Rollover Fault	N/A	N/A	No action Rollover	No action Rollover	No action Closing	No action Closed	No action Terminating	Transmit Unknown Sequence Fault Terminated
Close Sequence	N/A	N/A	Transmit Close Sequence Closing	Transmit Close Sequence Closing	Transmit Close Sequence Closing	No action Closed	No action Terminating	N/A
Close Sequence Response	N/A	N/A	N/A	N/A	No action Closed	No action Closed	No action Terminating	Transmit Unknown Sequence Fault Terminated
SeqAck (final)	N/A	N/A	Process Ack/Nack ranges Closed	Process Ack/Nack ranges Closed	Process Ack/Nack ranges Closed	Process Ack/Nack ranges Closed	Process Ack/Nack ranges Terminating	Transmit Unknown Sequence fault Terminated
Sequence Closed Fault	N/A	N/A	No action Closed	No action Closed	No action Closed	No action Closed	No action Terminating	Transmit Unknown Sequence Fault Terminated
Unknown Sequence Fault	N/A	N/A	No action Terminated	No action Terminated	No action Terminated	No action Terminated	No action Terminated	No action Terminated
Sequence Terminated Fault	N/A	N/A	No action Terminated	No action Terminated	No action Terminated	No action Terminated	No action Terminated	No Action Terminated
Terminate Sequence	N/A	N/A	Transmit Terminate Sequence Terminating	Transmit Terminate Sequence Terminating	Transmit Terminate Sequence Terminating	Transmit Terminate Sequence Terminating	Transmit Terminate Sequence Terminating	N/A
Terminate Sequence Response	N/A	N/A	N/A	N/A	N/A	N/A	No action Terminated	No action Terminated
Elapse Expires duration	N/A	N/A	Send SequenceTerminated Fault Terminated	Send SequenceTerminated Fault Terminated	Send SequenceTerminated Fault Terminated	Send SequenceTerminated Fault Terminated	Send SequenceTerminated Fault Terminated	N/A

874 In Table 2 above, the rows consists of events that occur at the RM Source throughout the lifetime of an
875 RM Sequence and the columns consists of various RM Source states. Each cell in the table above lists

876 the action that the RM Source takes on occurrence of a particular event and the next state that it
877 transitions.

876 Table 3 RM Destination State Transition Table

Events	States						
	None	Connecting	Connected			Closed	Terminated
Creation request not satisfied	N/A	<i>Send Create Sequence Refused Fault</i> Terminated	N/A			N/A	
Message (with message number within range)	N/A	N/A	<i>No action</i> Connected			<i>Send Sequence Closed Fault (with SeqAck+Final)</i> Closed	<i>Send Unknown Seq Fault</i> Terminated
Ack requested	N/A	N/A	<i>Send SequenceAck</i> Connected			<i>Send SeqAck+Final</i> Closed	<i>Send Unknown Seq Fault</i> Terminated
Message (with message number outside of range)	N/A	N/A	<i>Send Message Number Rollover Fault</i> Connected			N/A	N/A
Close Sequence	N/A	N/A	<i>Send CloseSequenceResponse with SequenceAck (Final)</i> Closed			<i>Send Close Sequence Response with SeqAck+Final</i> Closed	<i>Send Unknown Sequence Fault</i> Terminated
Close Sequence itself	N/A	N/A	Closed			<i>Send Sequence Closed Fault</i> Closed	N/A
Terminate Sequence	N/A	N/A	<i>Send Terminate Sequence Response</i> Terminated			<i>Send Terminate Sequence Response</i> Terminated	<i>Send Unknown Sequence Fault</i> Terminated

Events	States						
	None	Connecting	Connected			Closed	Terminated
Unknown Sequence Fault	N/A	N/A	<i>No action</i> Terminated			<i>No action</i> Terminated	<i>No action</i> Terminated
Sequence Terminated Fault	N/A	N/A	<i>No action</i> Terminated			<i>No action</i> Terminated	<i>No action</i> Terminated
EIapse Expires duration	N/A	N/A	<i>Send Sequence Terminated Fault</i> Terminated			<i>Send Sequence Terminated Fault</i> Terminated	N/A

877 In Table 3 above, the rows consists of events that occur at the RM Destination throughout the lifetime of
878 an RM Sequence and the columns consists of various RM Destination states. Each cell in the table above
879 lists the action that the RM Destination takes on occurrence of a particular event and the next state that it
880 transitions.

E. Acknowledgments

This document is based on initial contribution to OASIS WS-RX Technical Committee by the following authors:

Ruslan Bilorusets, BEA, Don Box, Microsoft, Luis Felipe Cabrera, Microsoft, Doug Davis, IBM, Donald Ferguson, IBM, Christopher Ferris, IBM (Editor), Tom Freund, IBM, Mary Ann Hondo, IBM, John Ibbotson, IBM, Lei Jin, BEA, Chris Kaler, Microsoft, David Langworthy, Microsoft (Editor), Amelia Lewis, TIBCO Software, Rodney Limprecht, Microsoft, Steve Lucco, Microsoft, Don Mullen, TIBCO Software, Anthony Nadalin, IBM, Mark Nottingham, BEA, David Orchard, BEA, Jamie Roots, IBM, Shivajee Samdarshi, TIBCO Software, John Shewchuk, Microsoft, Tony Storey, IBM.

The following individuals have provided invaluable input into the initial contribution:

Keith Ballinger, Microsoft, Stefan Batres, Microsoft, Allen Brown, Microsoft, Michael Conner, IBM, George Copeland, Microsoft, Francisco Curbera, IBM, Paul Fremantle, IBM, Steve Graham, IBM, Pat Helland, Microsoft, Rick Hill, Microsoft, Scott Hinkelman, IBM, Tim Holloway, IBM, Efim Hudis, Microsoft, Gopal Kakivaya, Microsoft, Johannes Klein, Microsoft, Frank Leymann, IBM, Martin Nally, IBM, Peter Niblett, IBM, Jeffrey Schlimmer, Microsoft, James Snell, IBM, Keith Stobie, Microsoft, Satish Thatte, Microsoft, Stephen Todd, IBM, Sanjiva Weerawarana, IBM, Roger Wolter, Microsoft.

The following individuals were members of the committee during the development of this specification:

TBD

F. Revision History

Rev	Date	By Whom	What
wd-01	2005-07-07	Christopher Ferris	Initial version created based on submission by the authors.
ws-02	2005-07-21	Doug Davis	I011 (PT0S) added
wd-02	2005-08-16	Anish Karmarkar	Trivial editorial changes
ws-03	2005-09-15	Doug Davis	I019 and i028 (CloseSeq) added
wd-05	2005-09-26	Gilbert Pilz	i005 (Source resend of nacks messages when ack already received) added.
wd-05	2005-09-27	Doug Davis	i027 (InOrder delivery assurance spanning multiple sequences) added
wd-05	2005-09-27	Doug Davis	i020 (Semantics of "At most once" Delivery Assurance) added
wd-05	2005-09-27	Doug Davis	i034 (Fault while processing a piggy-backed RM header) added
wd-05	2005-09-27	Doug Davis	i033 (Processing model of NACKs) added
wd-05	2005-09-27	Doug Davis	i031 (AckRequested schema inconsistency) added
wd-05	2005-09-27	Doug Davis	i025 (SeqAck/None) added
wd-05	2005-09-27	Doug Davis	i029 (Remove dependency on WS-Security) added
wd-05	2005-09-27	Doug Davis	i039 (What does 'have a mU attribute' mean) added
wd-05	2005-09-27	Doug Davis	i040 (Change 'optiona'/'required' to 'OPTIONAL'/'REQUIRED') added
wd-05	2005-09-30	Anish Karmarkar	i017 (Change NS to http://docs.oasis-open.org/wsrn/200510/)
wd-05	2005-09-30	Anish Karmarkar	i045 (Include SecureConversation as a reference and move it to non-normative citation)
wd-05	2005-09-30	Anish Karmarkar	i046 (change the type of wsrn:FaultCode element)
wd-06	2005-11-02	Gilbert Pilz	Start wd-06 by changing title page from cd-01.
wd-06	2005-11-03	Gilbert Pilz	i047 (Reorder spec sections)
wd-07	2005-11-17	Gilbert Pilz	Start wd-07
wd-07	2005-11-28	Doug Davis	i071 – except for period in Appendix headings
wd-07	2005-11-28	Doug Davis	i10
wd-07	2005-11-28	Doug Davis	i030
wd-07	2005-11-28	Doug Davis	i037
wd-07	2005-11-28	Doug Davis	i038
wd-07	2005-11-28	Doug Davis	i041
wd-07	2005-11-28	Doug Davis	i043
wd-07	2005-11-28	Doug Davis	i044

Rev	Date	By Whom	What
wd-07	2005-11-28	Doug Davis	i048
wd-07	2005-11-28	Doug Davis	i051
wd-07	2005-11-28	Doug Davis	i053
wd-07	2005-11-28	Doug Davis	i059
wd-07	2005-11-28	Doug Davis	i062
wd-07	2005-11-28	Doug Davis	i063
wd-07	2005-11-28	Doug Davis	i065
wd-07	2005-11-28	Doug Davis	i067
wd-07	2005-11-28	Doug Davis	i068
wd-07	2005-11-28	Doug Davis	i069
wd-07	2005-11-28	Doug Davis	Fix bulleted list (#2) in section 2.3
wd-07	2005-11-29	Gilbert Pilz	i074 (Use of [tcShortName] in artifact locations namespaces, etc)
wd-07	2005-11-29	Gilbert Pilz	i071 – Fixed styles and formatting for TOC. Fixed styles of the appendix headings.
wd-07	2005-11-30	Doug Davis	Removed dup definition of "Receive"
wd-07	2005-11-30	Gilbert Pilz	Fixed lost formatting from heading for Namespace section. Fixed style of text body elements to match OASIS example documents. Fixed tables to match OASIS example documents.
wd-07	2005-12-01	Gilbert Pilz	Updated fix for i074 to eliminate trailing '/'. Added corresponding text around action IRI composition.
wd-07	2005-12-01	Gilbert Pilz	Use non-fixed fields for date values on both title page and body footers.
wd-07	2005-12-01	Doug Davis	Alphabetize the glossary
wd-07	2005-12-02	Doug Davis	i064
wd-07	2005-12-02	Doug Davis	i066
wd-08	2005-12-15	Doug Davis	Add back in RM Source to glossary
wd-08	2005-12-15	Steve Winkler	Doug added Steve's editorial nits
wd-08	2005-12-21	Doug Davis	i050
wd-08	2005-12-21	Doug Davis	i081
wd-08	2005-12-21	Doug Davis	i080 – but i050 negates the need for any changes
wd-08	2005-12-21	Doug Davis	i079
wd-08	2005-12-21	Doug Davis	i076 – didn't add text about "replies" since the RMD to RMS sequence could be used for any message not just replies
wd-08	2005-12-21	Umit Yalcinalp	Action Su03: removed wsse from Table 1
wd-08	2005-12-21	Umit Yalcinalp	i057 per Sunnyvale F2F 2005, Cleaned up some formatting errors in contributors
wd-08	2005-12-27	Doug Davis	i060
wd-08	2005-12-27	Gilbert Pilz	Moved schema and WSDL files to their own artifacts. Converted source document to

Rev	Date	By Whom	What
			OpenDocument Text format. Changed line numbers to be a single style.
wd-08	2005-12-28	Anish Karmarkar	Included a section link to c:\temp\wsrm-1.1-schema-200510.xsd and to c:\temp\wsrm-1.1-wsdl-200510.wsdl
wd-08	2006-01-04	Gilbert Pilz	Fixed formatting for included sections.
wd-08	2006-01-05	Gilbert Pilz	Created links for unused references. Fixed exemplars for CloseSequence and CloseSequenceResponse.
wd-09	2006-01-11	Doug Davis	Minor tweaks to text/typos.
wd-10	2006-01-23	Doug Davis	Accept all changes from wd-09 Make some minor editorial tweaks from Marc's comments.
wd-10	2006-02-14	Doug Davis	Issue 082 resolution
wd-10	2006-02-14	Doug Davis	Issue 083 resolution
wd-10	2006-02-14	Doug Davis	Issue 085 resolution
wd-10	2006-02-14	Doug Davis	Issues 086, 087 resolutions Defined MessageNumberType
wd-10	2006-02-15	Doug Davis	Issue 078 resolution
wd-10	2006-02-15	Doug Davis	Issue 094 resolution
wd-10	2006-02-15	Doug Davis	Issue 095 resolution
wd-10	2006-02-15	Gilbert Pilz	Issue 088 – added namespace URI link to namespace URI; added text explaining that this URI could be dereferenced to produce the RDDDL doc; added non-normative reference to RDDDL 2.0
wd-10	2006-02-17	Anish Karmarkar	Namespace changed to 200602 for both WSDL and XSD docs.
wd-10	2006-02-17	Anish Karmarkar	Issue i087 as it applies to WSRM spec.
wd-10	2006-02-17	Anish Karmarkar	Added titles and minor text for state table (issue i058).
wd-11	2006-02-22	Doug Davis	Accept all changes for new WD Minor typos fixed
wd-11	2006-02-23	Doug Davis	s/"close"/close/g – per Marc Goodner Added first ref to [URI] – per Marc G again
wd-11	2006-02-27	Doug Davis	Issue i061 applied
wd-11	2006-02-28	Doug Davis	Fixed typo around the use of "above" and "below"
wd-11	2006-03-01	Doug Davis	Minor typos found by Marc Goodner
wd-11	2006-03-02	Doug Davis	Minor typos found by Matt Lovett
wd-11	2006-03-08	Doug Davis	Issue 091 applied
wd-11	2006-03-08	Doug Davis	Issue 092 applied
wd-11	2006-03-08	Doug Davis	Issue 100 applied

Rev	Date	By Whom	What
wd-12	2006-03-20	Doug Davis	Added space in "SOAP1.x" – PaulCotton
wd-12	2006-04-11	Doug Davis	Issue 007 applied
wd-12	2006-04-11	Doug Davis	Issue 090 applied
wd-12	2006-04-11	Doug Davis	Issue 098 applied
wd-12	2006-04-11	Doug Davis	Issue 099 applied
wd-12	2006-04-11	Doug Davis	Issue 101 applied
wd-12	2006-04-11	Doug Davis	Issue 103 applied
wd-12	2006-04-11	Doug Davis	Issue 104 applied
wd-12	2006-04-11	Doug Davis	Issue 105 applied
wd-12	2006-04-11	Doug Davis	Issue 107 applied
wd-12	2006-04-11	Doug Davis	Issue 109 applied
wd-12	2006-04-11	Doug Davis	Issue 110 applied
wd-12	2006-04-12	Doug Davis	Used "generated" instead of "issue" or "send" when talking about faults.
wd-12	2006-04-24	Gilbert Pilz	Update references to WS-Addressing to the Proposed Recommendations; update WS-RM namespace to "200604".
wd-13	2006-05-08	Gilbert Pilz	i093 part 1; more work needed
wd-13	2006-05-10	Doug Davis	Issue 096 applied
wd-13	2006-05-26	Gilbert Pilz	i093 part 2; reflects decisions from 2006-05-25 meeting
wd-13	2006-05-28	Gilbert Pilz	Issue 106 applied
wd-13	2006-05-29	Gilbert Pilz	Issue 118 applied
wd-13	2006-05-29	Gilbert Pilz	Issue 120 applied
wd-13	2006-05-30	Gilbert Pilz	Issue 114 applied
wd-13	2006-05-30	Gilbert Pilz	Issue 116 applied
wd-14	2006-06-05	Gilbert Pilz	Accept all changes; bump WD number
wd-14	2006-06-07	Doug Davis	Applied lots of minor edits from Marc Goodner

881 G. Notices

881 OASIS takes no position regarding the validity or scope of any intellectual property or other rights that
882 might be claimed to pertain to the implementation or use of the technology described in this document or
883 the extent to which any license under such rights might or might not be available; neither does it represent
884 that it has made any effort to identify any such rights. Information on OASIS's procedures with respect to
885 rights in OASIS specifications can be found at the OASIS website. Copies of claims of rights made
886 available for publication and any assurances of licenses to be made available, or the result of an attempt
887 made to obtain a general license or permission for the use of such proprietary rights by implementors or
888 users of this specification, can be obtained from the OASIS Executive Director.

881 OASIS invites any interested party to bring to its attention any copyrights, patents or patent applications, or
882 other proprietary rights which may cover technology that may be required to implement this specification.
883 Please address the information to the OASIS Executive Director.

881 Copyright (C) OASIS Open (2006). All Rights Reserved.

881 This document and translations of it may be copied and furnished to others, and derivative works that
882 comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and
883 distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and
884 this paragraph are included on all such copies and derivative works. However, this document itself may
885 not be modified in any way, such as by removing the copyright notice or references to OASIS, except as
886 needed for the purpose of developing OASIS specifications, in which case the procedures for copyrights
887 defined in the OASIS Intellectual Property Rights document must be followed, or as required to translate it
888 into languages other than English.

881 The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors
882 or assigns.

881 This document and the information contained herein is provided on an "AS IS" basis and OASIS
882 DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY
883 WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR
884 ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.