



1 Web Services ReliableMessaging 2 (WS-Reliable Messaging)

3 Working Draft 1~~3~~2, May 10, 2006

4 Document identifier:

5 wsrn-1.1-spec-wd-1~~3~~2

6 Location:

7 Editors:

8 Doug Davis, IBM <dug@us.ibm.com>
9 Anish Karmarkar, Oracle <Anish.Karmarkar@oracle.com>
10 Gilbert Pilz, BEA <gpilz@bea.com>
11 Steve Winkler, SAP <steve.winkler@sap.com>
12 Ümit Yalçınalp, SAP <umit.yalcinalp@sap.com>

13 Contributors:

14 TBD

15 Abstract:

16 This specification (WS-ReliableMessaging) describes a protocol that allows messages to be delivered
17 reliably between distributed applications in the presence of software component, system, or network
18 failures. The protocol is described in this specification in a transport-independent manner allowing it to be
19 implemented using different network technologies. To support interoperable Web services, a SOAP
20 binding is defined within this specification.

21 The protocol defined in this specification depends upon other Web services specifications for the
22 identification of service endpoint addresses and policies. How these are identified and retrieved are
23 detailed within those specifications and are out of scope for this document.

24 By using the XML [XML], SOAP [SOAP 1.1], [SOAP 1.2] and WSDL [WSDL 1.1] extensibility model,
25 SOAP-based and WSDL-based specifications are designed to be composed with each other to define a
26 rich Web services environment. As such, WS-ReliableMessaging by itself does not define all the features
27 required for a complete messaging solution. WS-ReliableMessaging is a building block that is used in
28 conjunction with other specifications and application-specific protocols to accommodate a wide variety of
29 protocols related to the operation of distributed Web services.

30 Status:

31 This document is a work in progress and will be updated to reflect issues as they are resolved by the
32 Web Services Reliable Exchange (WS-RX) Technical Committee.

Table of Contents

1	Introduction.....	4
1.1	Goals and Requirements.....	4
1.1.1	Requirements.....	4
1.2	Notational Conventions.....	4
1.3	Namespace.....	4
1.4	Compliance.....	5
2	Reliable Messaging Model.....	6
2.1	Glossary.....	6
2.2	Protocol Preconditions.....	7
2.3	Protocol Invariants.....	7
2.4	Example Message Exchange.....	7
3	RM Protocol Elements.....	10
3.1	Sequence Creation.....	10
3.2	Closing A Sequence.....	13
3.3	Sequence Termination.....	15
3.4	Sequences.....	16
3.5	Request Acknowledgement.....	17
3.6	Sequence Acknowledgement.....	18
4	Faults.....	21
4.1	SequenceFault Element.....	22
4.2	Sequence Terminated.....	23
4.3	Unknown Sequence.....	23
4.4	Invalid Acknowledgement.....	24
4.5	Message Number Rollover.....	24
4.6	Create Sequence Refused.....	24
4.7	Sequence Closed.....	25
4.8	WSRM Required.....	25
5	Security Considerations.....	26
6	References.....	28
6.1	Normative.....	28
6.2	Non-Normative.....	28
A.	Schema.....	30
B.	Message Examples.....	35
B.1	Create Sequence.....	35
B.2	Initial Transmission.....	35
B.3	First Acknowledgement.....	37
B.4	Retransmission.....	37

71	B.5 Termination.....	38
72	C. WSDL.....	40
73	D. State Tables.....	42
74	E. Acknowledgments.....	46
75	F. Revision History.....	47
76	G. Notices.....	51

1 Introduction

It is often a requirement for two Web services that wish to communicate to do so reliably in the presence of software component, system, or network failures. The primary goal of this specification is to create a modular mechanism for reliable delivery of messages. It defines a messaging protocol to identify, track, and manage the reliable delivery of messages between a source and a destination. It also defines a SOAP binding that is required for interoperability. Additional bindings may be defined.

This mechanism is extensible allowing additional functionality, such as security, to be tightly integrated. This specification integrates with and complements the WS-Security [WS-Security], WS-Policy [WS-Policy], and other Web services specifications. Combined, these allow for a broad range of reliable, secure messaging options.

1.1 Goals and Requirements

1.1.1 Requirements

1.2 Notational Conventions

The keywords "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in RFC 2119 [KEYWORDS].

This specification uses the following syntax to define normative outlines for messages:

- The syntax appears as an XML instance, but values in italics indicate data types instead of values.
- Characters are appended to elements and attributes to indicate cardinality:
 - "?" (0 or 1)
 - "*" (0 or more)
 - "+" (1 or more)
- The character "|" is used to indicate a choice between alternatives.
- The characters "[" and "]" are used to indicate that contained items are to be treated as a group with respect to cardinality or choice.
- An ellipsis (i.e. "...") indicates a point of extensibility that allows other child or attribute content specified in this document. Additional children elements and/or attributes MAY be added at the indicated extension points but they MUST NOT contradict the semantics of the parent and/or owner, respectively. If an extension is not recognized it SHOULD be ignored.
- XML namespace prefixes (See Section [Namespace](#)) are used to indicate the namespace of the element being defined.

1.3 Namespace

The XML namespace [XML-ns] URI that MUST be used by implementations of this specification is:

<http://docs.oasis-open.org/ws-rx/wsrn/200604>

111 Dereferencing the above URI will produce the Resource Directory Description Language [RDDL 2.0]
112 document that describes this namespace.

113 Table 1 lists the XML namespaces that are used in this specification. The choice of any namespace prefix
114 is arbitrary and not semantically significant.

115 The following namespaces are used in this document:

116 *Table 1*

Prefix	Namespace
S	(Either SOAP 1.1 or 1.2)
S11	http://schemas.xmlsoap.org/soap/envelope/
S12	http://www.w3.org/2003/05/soap-envelope
wsm	http://docs.oasis-open.org/ws-rx/wsm/200604
wsa	http://www.w3.org/2005/08/addressing
xs	http://www.w3.org/2001/XMLSchema

117 The normative schema for WS-ReliableMessaging can be found at:

118 <http://docs.oasis-open.org/ws-rx/wsm/200604/wsm-1.1-schema-200604.xsd>

119 All sections explicitly noted as examples are informational and are not to be considered normative.

120 If an action IRI is used by a system that uses the elements defined within this specification, and one is not
121 already defined per the rules of the WS-Addressing specification [WS-Addressing], then said system
122 MUST use an the-action IRI that MUST consist of the WS-RM namespace URI concatenated with a '/',
123 followed by the message element name. For example:

124 `http://docs.oasis-open.org/ws-rx/wsm/200604/SequenceAcknowledgement`

125 1.4 Compliance

126 An implementation is not compliant with this specification if it fails to satisfy one or more of the MUST or
127 REQUIRED level requirements defined herein. A SOAP Node MUST NOT use the XML namespace
128 identifier for this specification (listed in Section [Namespace](#)) within SOAP Envelopes unless it is compliant
129 with this specification.

130 Normative text within this specification takes precedence over normative outlines, which in turn take
131 precedence over the XML Schema [XML Schema Part 1, Part 2] descriptions.

2 Reliable Messaging Model

Many errors may interrupt a conversation. Messages may be lost, duplicated or reordered. Further the host systems may experience failures and lose volatile state.

The WS-ReliableMessaging specification defines an interoperable protocol that requires a Reliable Messaging (RM) Source and Reliable Messaging (RM) Destination to ensure that each message transmitted by the RM Source is successfully received by an RM Destination, or barring successful receipt, that an RM Source can, except in the most extreme circumstances, accurately determine the disposition of each message transmitted as perceived by the RM Destination, so as to resolve any in-doubt status. Note that this specification makes no restriction on the scope of the RM Source or RM Destination entities. For example, either may span multiple WSDL Ports or endpoints.

The protocol supports reliability features that enable ordered delivery, duplicate elimination, and guaranteed receipt for the RMD. It is expected that the AD and RMD will implement as many of these or as few of these characteristics as necessary to implement the AD. Regardless of which of the reliability features are employed, the wire protocol does not change.

Figure 1 below illustrates the entities and events in a simple reliable exchange of messages. First, the Application Source Sends a message for reliable delivery. The Reliable Messaging (RM) Source accepts the message and Transmits it one or more times. After receiving the message, the RM Destination Acknowledges it. Finally, the RM Destination delivers the message to the Application Destination. The exact roles the entities play and the complete meaning of the events will be defined throughout this specification.




Figure 1: Reliable Messaging Model

2.1 Glossary

The following definitions are used throughout this specification:

Acknowledgement: The communication from the RM Destination to the RM Source indicating the successful receipt of a message.

Application Destination: The endpoint to which a message is Delivered.

Application Source: The endpoint that Sends a message.

Deliver: The act of transferring a message from the RM Destination to the Application Destination. The reliability guarantee is fulfilled at this point.

162 **Endpoint:** As defined in the WS-Addressing specification [WS-Addressing]; a Web service endpoint is a
163 (referenceable) entity, processor, or resource to which Web service messages can be addressed.
164 Endpoint references convey the information needed to address a Web service endpoint.

165 **Receive:** The act of reading a message from a network connection and qualifying it as relevant to RM
166 Destination functions.

167 **RM Destination:** For any one reliably sent message the endpoint that receives the message.

168 **RM Source:** The endpoint that transmits the message.

169 **Send:** The act of submitting a message to the RM Source for reliable delivery. The reliability guarantee
170 begins at this point.

171 **Transmit:** The act of writing a message to a network connection.

172 2.2 Protocol Preconditions

173 The correct operation of the protocol requires that a number of preconditions **MUST** be established prior
174 to the processing of the initial sequenced message:

- 175 • For any single message exchange the RM Source **MUST** have an endpoint reference that uniquely
176 identifies the RM Destination endpoint.
- 177 • The RM Source **MUST** have knowledge of the destination's policies, if any, and the RM Source
178 **MUST** be capable of formulating messages that adhere to this policy.

179 If a secure exchange of messages is required, then the RM Source and RM Destination **MUST** have a
180 security context.


181 2.3 Protocol Invariants

182 During the lifetime of a Sequence, two invariants are **REQUIRED** for correctness:

- 183 • The RM Source **MUST** assign each message within a Sequence a message number (defined
184 below) beginning at 1 and increasing by exactly 1 for each subsequent message. These numbers
185 **MUST** be assigned in the same order in which messages are sent by the Application Source.
- 186 • Every acknowledgement issued by the RM Destination **MUST** include within an acknowledgement
187 range or ranges the Sequence number of every message successfully received by the RM
188 Destination and **MUST** exclude Sequence numbers of any messages not yet received.

189 2.4 Example Message Exchange

190 Figure 2 illustrates a possible message exchange between two reliable messaging endpoints A and B.



191 Figure 2: The WS-ReliableMessaging Protocol

- 192 1. The protocol preconditions are established. These include policy exchange, endpoint resolution,
193 establishing trust.
- 194 2. The RM Source requests creation of a new Sequence.
- 195 3. The RM Destination creates a Sequence by returning a globally unique identifier.
- 196 4. The RM Source begins sending messages beginning with MessageNumber 1. In the figure above,
197 the RM Source sends 3 messages.
- 198 5. Since the 3rd message is the last in this exchange, the RM Source includes a
199 `<wsrm:AckRequested>` Header.
- 200 6. The 2nd message is lost in transit.
- 201 7. The RM Destination acknowledges receipt of message numbers 1 and 3 as a result of receiving the
202 RM Source's `<wsrm:AckRequested>` Header.
- 203 8. The RM Source retransmits the 2nd message. This is a new message on the underlying transport,
204 but it has the same Sequence identifier and message number so the RM Destination can recognize
205 it as equivalent to the earlier message, in case both are received.
- 206 9. The RM Source includes an `<wsrm:AckRequested>` element so the RM Destination will expedite
207 an acknowledgement.
- 208 10. The RM Destination receives the second transmission of the message with MessageNumber 2 and
209 acknowledges receipt of message numbers 1, 2, and 3.
- 210 11. The RM Source receives this acknowledgement and sends a `TerminateSequence` message to the
211 RM Destination indicating that the Sequence is completed and reclaims any resources associated
212 with the Sequence.
- 213 12. The RM Destination receives the `TerminateSequence` message indicating that the RM Source will
214 not be sending any more messages. The RM Destination sends a `TerminateSequenceResponse`
215 message to the RM Source and reclaims any resources associated with the Sequence.

216 The RM Source will expect to receive acknowledgements from the RM Destination during the course of a
217 message exchange at occasions described in Section 3 below. Should an acknowledgement not be
218 received in a timely fashion, the RM Source MUST re-transmit the request since either the request or the
219 associated acknowledgement might have been lost. Since the nature and dynamic characteristics of the
220 underlying transport and potential intermediaries are unknown in the general case, the timing of re-
221 transmissions cannot be specified. Additionally, over-aggressive re-transmissions have been
222 demonstrated to cause transport or intermediary flooding which are counterproductive to the intention of
223 providing a reliable exchange of messages. Consequently, implementers are encouraged to utilize
224 adaptive mechanisms that dynamically adjust re-transmission time and the back-off intervals that are
225 appropriate to the nature of the transports and intermediaries envisioned. For the case of TCP/IP
226 transports, a mechanism similar to that described as RTTM in RFC 1323 [RTTM] should be considered.

227 Now that the basic model has been outlined, the details of the elements used in this protocol are now
228 provided in Section 3.

3 RM Protocol Elements

The following protocol elements define extensibility points at various places. Implementations MAY add Additional children elements and/or attributes MAY be added at the indicated extension points but MUST NOT contradict the semantics of the parent and/or owner, respectively. If a receiver does not recognize an extension, the receiver SHOULD ignore the extension.

3.1 Sequence Creation

The RM Source MUST request creation of an outbound Sequence by sending a `<wsrm:CreateSequence>` element in the body of a message to the RM Destination which in turn responds either with a message containing `<wsrm:CreateSequenceResponse>` or a `CreateSequenceRefused` fault. The RM Source MAY include an offer to create an inbound Sequence within the `<wsrm:CreateSequence>` message. This offer MAY carry an offer to create an inbound Sequence which is either accepted or rejected by the RM Destination in the `<wsrm:CreateSequenceResponse>` message.-

The SOAP version used for the `CreateSequence` message SHOULD be used for all subsequent messages in or for that Sequence, sent by either the RMS or the RMD.-

The following exemplar defines the `<wsrm:CreateSequence>` syntax:

```
<wsrm:CreateSequence ...>
  <wsrm:AcksTo ...> wsa:EndpointReferenceType </wsrm:AcksTo>
  <wsrm:Expires ...> xs:duration </wsrm:Expires> ?
  <wsrm:Offer ...>
    <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>
    <wsrm:Endpoint> wsa:EndpointReferenceType </wsrm:Endpoint>
    <wsrm:Expires ...> xs:duration </wsrm:Expires> ?
    ...
  </wsrm:Offer> ?
  ...
</wsrm:CreateSequence>
```

`/wsrm:CreateSequence`

This element requests creation of a new Sequence between the RM Source that sends it, and the RM Destination to which it is sent. The RM Source is element MUST NOT send this element as a header block. The RM Destination MUST respond either with a `<wsrm:CreateSequenceResponse>` response message or a `CreateSequenceRefused` fault.

`/wsrm:CreateSequence/wsrm:AcksTo`

This REQUIRED element, of type `wsa:EndpointReferenceType` as specified by WS-Addressing [WS-Addressing] specifies the endpoint reference to which all `<wsrm:SequenceAcknowledgement>` messages and faults related to the created Sequence are to be sent, unless otherwise noted in this specification (for example, see Section 3.2).

Implementations MUST NOT use an endpoint reference in the `AcksTo` element that would prevent the sending of Sequence Acknowledgements back to the RM Source. For example, using the WS-Addressing "none" IRI would make it impossible for the RM Destination to ever send Sequence Acknowledgements.-

`/wsrm:CreateSequence/wsrm:Expires`

This element, if present, of type `xs:duration` specifies the RM Source's requested duration for the Sequence. The RM Destination MAY either accept the requested duration or assign a lesser value of its

272 choosing. A value of 'PT0S' indicates that the Sequence will never expire. Absence of the element
273 indicates an implied value of 'PT0S'.

274 /wsrm:CreateSequence/wsrm:Expires/@{any}

275 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
276 element.

277 /wsrm:CreateSequence/wsrm:Offer

278 This element, if present, enables an RM Source to offer a corresponding Sequence for the reliable
279 exchange of messages transmitted from RM Destination to RM Source.

280 /wsrm:CreateSequence/wsrm:Offer/wsrm:Identifier

281 This REQUIRED element MUST contain an absolute URI conformant with RFC3986 [\[URI\]](#) that uniquely
282 identifies the offered Sequence.

283 /wsrm:CreateSequence/wsrm:Offer/wsrm:Identifier/@{any}

284 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
285 element.

286 /wsrm:CreateSequence/wsrm:Offer/wsrm:Endpoint

287 This REQUIRED element, of type `wsa:EndpointReferenceType` as specified by WS-Addressing
288 [\[WSAddressing\]](#) specifies the endpoint reference to which WS-RM protocol messages related to the
289 offered Sequence are to be sent.

290 /wsrm:CreateSequence/wsrm:Offer/wsrm:Expires

291 This element, if present, of type `xs:duration` specifies the duration for the Sequence. A value of 'PT0S'
292 indicates that the Sequence will never expire. Absence of the element indicates an implied value of
293 'PT0S'.

294 /wsrm:CreateSequence/wsrm:Offer/wsrm:Expires/@{any}

295 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
296 element.

297 /wsrm:CreateSequence/wsrm:Offer/{any}

298 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
299 to be passed.

300 /wsrm:CreateSequence/wsrm:Offer/@{any}

301 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
302 to be passed.

303 /wsrm:CreateSequence/{any}

304 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
305 to be passed.

306 /wsrm:CreateSequence/@{any}

307 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
308 element.

309 A `<wsrm:CreateSequenceResponse>` is sent in the body of a response message by an RM
310 Destination in response to receipt of a `<wsrm:CreateSequence>` request message. It carries the
311 `<wsrm:Identifier>` of the created Sequence and indicates that the RM Source may begin sending
312 messages in the context of the identified Sequence.

313 The following exemplar defines the `<wsrm:CreateSequenceResponse>` syntax:

```
314 <wsrm:CreateSequenceResponse ...>
315   <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>
316   <wsrm:Expires> xs:duration </wsrm:Expires> ?
317   <wsrm:AcknowledgementInterval Milliseconds="xs:unsignedLong" ... /> ?
318   <wsrm:Accept ...>
319     <wsrm:AcksTo ...> wsa:EndpointReferenceType </wsrm:AcksTo>
320     ...
321   </wsrm:Accept> ?
322   ...
323 </wsrm:CreateSequenceResponse>
```

324 `/wsrm:CreateSequenceResponse`

325 This element is sent in the body of the response message in response to a `<wsrm:CreateSequence>`
326 request message. It indicates that the RM Destination has created a new Sequence at the request of the
327 RM Source. This element MUST NOT be sent as a header block.

328 `/wsrm:CreateSequenceResponse/wsrm:Identifier`

329 This REQUIRED element MUST contain an absolute URI conformant with RFC3986 of the Sequence that
330 has been created by the RM Destination.

331 `/wsrm:CreateSequenceResponse/wsrm:Identifier/@{any}`

332 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
333 element.

334 `/wsrm:CreateSequenceResponse/wsrm:Expires`

335 This element, if present, of type `xs:duration` accepts or refines the RM Source's requested duration for
336 the Sequence. A value of 'PT0S' indicates that the Sequence will never expire. Absence of the element
337 indicates an implied value of 'PT0S'. This value MUST be equal to or less than the value requested by the
338 RM Source in the corresponding `<wsrm:CreateSequence>` message.

339 `/wsrm:CreateSequenceResponse/wsrm:Expires/@{any}`

340 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
341 element.

342 `/wsrm:CreateSequenceResponse/wsrm:AcknowledgementInterval`

343 This element, if present, specifies the duration after which the RM Destination will transmit an
344 acknowledgement. If omitted, there is no implied value.

345 `/wsrm:CreateSequenceResponse/wsrm:AcknowledgementInterval/@Milliseconds`

346 The acknowledgement interval, specified in milliseconds.

347 `/wsrm:CreateSequenceResponse/wsrm:AcknowledgementInterval/@{any}`

348 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
349 element.

350 `/wsrm:CreateSequenceResponse/wsrm:Accept`

351 This element, if present, enables an RM Destination to accept the offer of a corresponding Sequence for
352 the reliable exchange of messages transmitted from RM Destination to RM Source.

353 **Note:** If a `<wsrm:CreateSequenceResponse>` is returned without a child `<wsrm:Accept>` in response
354 to a `<wsrm:CreateSequence>` that did contain a child `<wsrm:Offer>`, then the RM Source MAY
355 immediately reclaim any resources associated with the unused offered Sequence.

356 `/wsrm:CreateSequenceResponse/wsrm:Accept/wsrm:AcksTo`

357 This REQUIRED element, of type `wsa:EndpointReferenceType` as specified by WS-Addressing [WS-
358 Addressing], specifies the endpoint reference to which `<wsrm:SequenceAcknowledgement>`
359 messages related to the accepted Sequence are to be sent.

360 `/wsrm:CreateSequenceResponse/wsrm:Accept/{any}`

361 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
362 to be passed.

363 `/wsrm:CreateSequenceResponse/wsrm:Accept/@{any}`

364 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
365 to be passed.

366 `/wsrm:CreateSequenceResponse/{any}`

367 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
368 to be passed.

369 `/wsrm:CreateSequenceResponse/@{any}`

370 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
371 element.

372 **3.2 Closing A Sequence**

373 There may be times during the use of an RM Sequence that the RM Source or RM Destination will wish to
374 discontinue using a Sequence. Simply terminating the Sequence discards the state managed by the RM
375 Destination, leaving the RM Source unaware of the final ranges of messages that were successfully
376 delivered to the RM Destination. To ensure that the Sequence ends with a known final state both the RM
377 Source and RM Destination may choose to close the Sequence before terminating it.

378 If the RM Source wishes to close the Sequence, then it sends a `<wsrm:CloseSequence>` element, in
379 the body of a message, to the RM Destination. This message indicates that the RM Destination MUST
380 NOT receive any new messages for the specified Sequence, other than those already received at the time
381 the `<wsrm:CloseSequence>` element is interpreted by the RMD. Upon receipt of this message, or
382 subsequent to the RM Destination closing the Sequence of its own volition, the RM Destination MUST
383 include a final `SequenceAcknowledgement` (that MUST include the `<wsrm:Final>` element) header block
384 on any messages associated with the Sequence destined to the RM Source, including the
385 `CloseSequenceResponse` message or on any `Sequence Fault` transmitted to the RMS.

386 While the RM Destination MUST NOT receive any new messages for the specified Sequence it MUST still
387 process RM protocol messages. For example, it MUST respond to `AckRequested`, `TerminateSequence`
388 as well as `CloseSequence` messages. Note, subsequent `CloseSequence` messages have no effect on the
389 state of the Sequence.

390 In the case where the RM Destination wishes to discontinue use of a Sequence it is RECOMMENDED
391 that it close the Sequence. Please see `<wsrm:Final>` and the `SequenceClosed` fault. Whenever

392 possible the SequenceClosed Fault SHOULD be used in place of the SequenceTerminated Fault,
393 whenever possible, to allow the RM Source to still receive Acknowledgements.

394 The following exemplar defines the CloseSequence syntax:

```
395 <wsrm:CloseSequence ...>  
396   <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>  
397   ...  
398 </wsrm:CloseSequence>
```

399 /wsrm:CloseSequence

400 This element is sent by an RM Source to indicate that the RM Destination MUST NOT receive any new
401 messages for this Sequence. A SequenceClosed fault MUST be generated by the RM Destination when it
402 receives a message for a Sequence that is closed.

403 /wsrm:CloseSequence/wsrm:Identifier

404 This REQUIRED element MUST contain an absolute URI conformant with RFC3986 of the Sequence that
405 is being closed.

406 /wsrm:CloseSequence/wsrm:Identifier/@{any}

407 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
408 element.

409 /wsrm:CloseSequence/{any}

410 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
411 to be passed.

412 /wsrm:CloseSequence@{any}

413 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
414 element.

415 A <wsrm:CloseSequenceResponse> is sent in the body of a response message by an RM Destination
416 in response to receipt of a <wsrm:CloseSequence> request message. It indicates that the RM
417 Destination has closed the Sequence.

418 The following exemplar defines the <wsrm:CloseSequenceResponse> syntax:

```
419 <wsrm:CloseSequenceResponse ...>  
420   <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>  
421   ...  
422 </wsrm:CloseSequenceResponse>
```

423 /wsrm:CloseSequenceResponse

424 This element is sent in the body of a response message by an RM Destination in response to receipt of a
425 <wsrm:CloseSequence> request message. It indicates that the RM Destination has closed the
426 Sequence.

427 /wsrm:CloseSequenceResponse/wsrm:Identifier

428 This REQUIRED element MUST contain an absolute URI conformant with RFC3986 of the Sequence that
429 is being terminated.

430 /wsrm:CloseSequenceResponse/wsrm:Identifier/@{any}

431 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
432 element.

433 /wsrm:CloseSequenceResponse/{any}

434 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
435 to be passed.

436 /wsrm:CloseSequenceResponse@{any}

437 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
438 element.

439 3.3 Sequence Termination

440 When the RM Source has completed its use of the Sequence it sends a `<wsrm:TerminateSequence>`
441 element, in the body of a message, to the RM Destination to indicate that the Sequence is complete and
442 that it will not be sending any further messages related to the Sequence. The RM Destination can safely
443 reclaim any resources associated with the Sequence upon receipt of the `<wsrm:TerminateSequence>`
444 message. Under normal usage the RM Source will complete its use of the Sequence when all of the
445 messages in the Sequence have been acknowledged. However, the RM Source is free to Terminate or
446 Close a Sequence at any time regardless of the acknowledgement state of the messages.

447 The following exemplar defines the TerminateSequence syntax:

```
448 <wsrm:TerminateSequence ...>  
449   <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>  
450   ...  
451 </wsrm:TerminateSequence>
```

452 /wsrm:TerminateSequence

453 This element is sent by an RM Source to indicate it has completed its use of the Sequence. It indicates
454 that the RM Destination can safely reclaim any resources related to the identified Sequence. This element
455 MUST NOT be sent as a header block. The RM Source MAY retransmit this element. Once this element
456 is sent, other than this element, the RM Source MUST NOT send any additional message to the RM
457 Destination referencing this Sequence.

458 /wsrm:TerminateSequence/wsrm:Identifier

459 This REQUIRED element MUST contain an absolute URI conformant with RFC3986 of the Sequence that
460 is being terminated.

461 /wsrm:TerminateSequence/wsrm:Identifier/@{any}

462 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
463 element.

464 /wsrm:TerminateSequence/{any}

465 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
466 to be passed.

467 /wsrm:TerminateSequence/@{any}

468 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
469 element.

470 A `<wsrm:TerminateSequenceResponse>` is sent in the body of a response message by an RM
471 Destination in response to receipt of a `<wsrm:TerminateSequence>` request message. It indicates that
472 the RM Destination has terminated the Sequence.

473 The following exemplar defines the `<wsrm:TerminateSequenceResponse>` syntax:

```
474 <wsrm:TerminateSequenceResponse ...>  
475   <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>  
476   ...  
477 </wsrm:TerminateSequenceResponse>
```

478 `/wsrm:TerminateSequenceResponse`

479 This element is sent in the body of a response message by an RM Destination in response to receipt of a
480 `<wsrm:TerminateSequence>` request message. It indicates that the RM Destination has terminated
481 the sequence. This element MUST NOT be sent as a header block.

482 `/wsrm:TerminateSequenceResponse/wsrm:Identifier`

483 This REQUIRED element MUST contain an absolute URI conformant with RFC3986 of the Sequence that
484 is being terminated.

485 `/wsrm:TerminateSequenceResponse/wsrm:Identifier/@{any}`

486 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
487 element.

488 `/wsrm:TerminateSequenceResponse/{any}`

489 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
490 to be passed.

491 `/wsrm:TerminateSequenceResponse/@{any}`

492 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
493 element.

494 On receipt of a `<wsrm:TerminateSequence>` message an RM Destination MUST respond with a
495 corresponding `<wsrm:TerminateSequenceResponse>` message or generate a fault.

496 3.4 Sequences

497 The RM protocol uses a `<wsrm:Sequence>` header block to track and manage the reliable delivery of
498 messages. Messages for which a reliable delivery is required MUST contain a `<wsrm:Sequence>`
499 header block. Each Sequence MUST have a unique `<wsrm:Identifier>` element and each message
500 within a Sequence MUST have a `<wsrm:MessageNumber>` element that increments by 1 from an initial
501 value of 1. These values are contained within a `<wsrm:Sequence>` header block accompanying each
502 message being delivered in the context of a Sequence.

503 There MUST be no more than one `<wsrm:Sequence>` header block in any message.

504 A following exemplar defines its syntax:

```
505 <wsrm:Sequence ...>  
506   <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>  
507   <wsrm:MessageNumber> wsrm:MessageNumberType </wsrm:MessageNumber>  
508   ...  
509 </wsrm:Sequence>
```

510 The following describes the content model of the Sequence header block.

511 /wsrm:Sequence

512 This protocol element associates the message in which it is contained with a previously established RM
513 Sequence. It contains the Sequence's unique identifier and the containing message's ordinal position
514 within that Sequence. The <wsrm:Sequence> element MUST be understood by the RM Destination. The
515 <wsrm:Sequence> element MUST have a `mustUnderstand` attribute with a value 1/true from the
516 namespace corresponding to the version of SOAP to which the <wsrm:Sequence> SOAP header block
517 is bound.

518 /wsrm:Sequence/wsrm:Identifier

519 This REQUIRED element MUST contain an absolute URI conformant with RFC3986 that uniquely
520 identifies the Sequence.

521 /wsrm:Sequence/wsrm:Identifier/@{any}

522 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
523 element.

524 /wsrm:Sequence/wsrm:MessageNumber

525 This REQUIRED element MUST contain a `wsrm:MessageNumberType` representing the ordinal position
526 of the message within a Sequence. Sequence MessageNumbers start at 1 and monotonically increase
527 throughout the Sequence. If the message number exceeds the internal limitations of an RM Source or RM
528 Destination or reaches the maximum value of 9,223,372,036,854,775,807 the RM Source or Destination
529 MUST generate a MessageNumberRollover fault.

530 /wsrm:Sequence/{any}

531 This is an extensibility mechanism to allow different types of information, based on a schema, to be
532 passed.

533 /wsrm:Sequence/@{any}

534 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
535 element.

536 The following example illustrates a Sequence header block.

```
537 <wsrm:Sequence>  
538   <wsrm:Identifier>http://example.com/abc</wsrm:Identifier>  
539   <wsrm:MessageNumber>10</wsrm:MessageNumber>  
540 </wsrm:Sequence>
```

541 3.5 Request Acknowledgement

542 The purpose of the <wsrm:AckRequested> header block is to signal to the RM Destination that the RM
543 Source is requesting that a <wsrm:SequenceAcknowledgement> be sent.

544 The RM Source MAY request an acknowledgement message from the RM Destination at any time by
545 including an <wsrm:AckRequested> header block in any message targeted to the RM Destination. An
546 RM Destination that receives a message that contains an <wsrm:AckRequested> header block MUST
547 send a message containing a <wsrm:SequenceAcknowledgement> header block to the `wsrm:AcksTo`
548 endpoint reference (see Section 3.1). If a non-mustUnderstand fault occurs when processing an RM
549 Header that was piggy-backed on another message, a fault MUST be generated, but the processing of
550 the original message MUST NOT be affected. It is RECOMMENDED that the RMD return a
551 <wsrm:AcknowledgementRange> or <wsrm:None> element instead of a <wsrm:Nack> element (see
552 below).

553 The following exemplar defines its syntax:

```
554 <wsrm:AckRequested ...>
555   <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>
556   ...
557 </wsrm:AckRequested>
```

558 /wsrm:AckRequested

559 This element requests an acknowledgement for the identified Sequence.

560 /wsrm:AckRequested/wsrm:Identifier

561 This REQUIRED element MUST contain an absolute URI, conformant with RFC3986, that uniquely
562 identifies the Sequence to which the request applies.

563 /wsrm:AckRequested/wsrm:Identifier/@{any}

564 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
565 element.

566 /wsrm:AckRequested/{any}

567 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
568 to be passed.

569 /wsrm:AckRequested/@{any}

570 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
571 element.

572 3.6 Sequence Acknowledgement

573 The RM Destination informs the RM Source of successful message receipt using a
574 <wsrm:SequenceAcknowledgement> header block. The <wsrm:SequenceAcknowledgement>
575 header block MAY be transmitted independently or included on any message targeted to the AcksTo EPR.
576 The RM Destination MAY send a <wsrm:SequenceAcknowledgement> header block at any point
577 during which the Sequence is valid. Acknowledgements can be explicitly requested using the
578 <wsrm:AckRequested> directive (see Section [Request Acknowledgement](#)). If a non-mustUnderstand
579 fault occurs when processing an RM Header that was piggy-backed on another message, a fault MUST
580 be generated, but the processing of the original message MUST NOT be affected.

581 A RMD MAY include a wsrm:SequenceAcknowledgement header block on any SOAP envelope targetted
582 to the endpoint referenced by the wsrm:AcksTo EPR. This concept is often referred to as "piggy-backing"
583 Sequence acknowledgements.

584 A wsrm:AcksTo EPR MAY specify the WS-Addressing anonymous IRI as its address. When the
585 wsrm:AcksTo EPR specifies the WS-Addressing anonymous IRI as its address, the RM Destination
586 MUST transmit any wsrm:SequenceAcknowledgement headers for the created Sequence in a SOAP
587 envelope to be transmitted on the protocol binding-specific channel. Such a channel is provided by the
588 context of a received message containing a SOAP envelope that contains a wsrm:Sequence header block
589 and/or a wsrm:AckRequested header block for that same Sequence identifier.

590 The following exemplar defines its syntax:

```
591 <wsrm:SequenceAcknowledgement ...>
592   <wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>
593   [ [ [ <wsrm:AcknowledgementRange ...
```

```

594         Upper="wsrm:MessageType"
595         Lower="wsrm:MessageType"/> +
596     | <wsrm:None/> ]
597     <wsrm:Final/> ? ]
598     | <wsrm:Nack> wsrm:MessageType </wsrm:Nack> + ]
599
600     ...
601 </wsrm:SequenceAcknowledgement>

```

602 The following describes the content model of the <wsrm:SequenceAcknowledgement> header block.

603 /wsrm:SequenceAcknowledgement

604 This element contains the Sequence acknowledgement information.

605 /wsrm:SequenceAcknowledgement/wsrm:Identifier

606 An RM Destination that includes a <wsrm:SequenceAcknowledgement> header block in a SOAP
607 envelope MUST include this REQUIRED element. The RM Destination MUST set the value of this
608 element to contain an absolute URI conformant with RFC3986 that uniquely identifies the Sequence. The
609 RM Destination A message MUST NOT include contain multiple <wsrm:SequenceAcknowledgement>
610 header blocks that share the same value for <wsrm:Identifier> within the same SOAP envelope.-

611 /wsrm:SequenceAcknowledgement/wsrm:Identifier/@{any}

612 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
613 element.

614 /wsrm:SequenceAcknowledgement/wsrm:AcknowledgementRange

615 The RM Destination MAY include one or more instances of this element within a
616 <wsrm:SequenceAcknowledgement> header block. This OPTIONAL element, if present, can occur 1-
617 or more times. It contains a range of Sequence MessageNumbers successfully received by the RM
618 Destination. The ranges SHOULD NOT overlap. The RM Destination MUST NOT include tThis element
619 MUST NOT be present if a sibling <wsrm:Nack> or <wsrm:None> element is also present as a child of
620 <wsrm:SequenceAcknowledgement>.

621 /wsrm:SequenceAcknowledgement/wsrm:AcknowledgementRange/@Upper

622 An RM Destination that includes a <wsrm:SequenceAcknowledgement> header block containing one
623 or more <wsrm:AcknowledgementRange> elements MUST include this This REQUIRED attribute as a
624 child of the <wsrm:AcknowledgementRange>. The RM Destination MUST set the value of this attribute
625 to contain a wsrm:MessageType representing the <wsrm:MessageNumber> of the highest
626 contiguous message in a Sequence range received by the RM Destination.

627 /wsrm:SequenceAcknowledgement/wsrm:AcknowledgementRange/@Lower

628 An RM Destination that includes a <wsrm:SequenceAcknowledgement> header block containing one
629 or more <wsrm:AcknowledgementRange> elements MUST include tThis REQUIRED attribute as a
630 child of the <wsrm:AcknowledgementRange>. The RM Destination MUST set the value of this attribute
631 to contains a wsrm:MessageType representing the <wsrm:MessageNumber> of the lowest
632 contiguous message in a Sequence range received by the RM Destination.

633 /wsrm:SequenceAcknowledgement/wsrm:AcknowledgementRange/@{any}

634 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
635 element.

636 /wsrm:SequenceAcknowledgement/wsrm:Final

637 ~~The RM Destination MAY include this element within a <wsrm:SequenceAcknowledgement> header~~
638 ~~block.~~ This ~~OPTIONAL~~ element, ~~if present~~, indicates that the RM Destination is not receiving new
639 messages for the specified Sequence. The RM Source can be assured that the ranges of messages
640 acknowledged by this SequenceAcknowledgement header block will not change in the future. ~~The RM~~
641 ~~Destination~~ ~~This element~~ MUST ~~include this element~~ ~~be present~~ when the Sequence is closed. Note: ~~the~~
642 ~~RM Destination~~ ~~this element~~ MUST NOT ~~include this element~~ ~~be used~~ when sending a Nack; it can only be
643 used when sending ~~<wsrm:AcknowledgementRange>~~ ~~AcknowledgementRange~~s or <wsrm:None>.

644 /wsrm:SequenceAcknowledgement/wsrm:Nack

645 ~~The RM Destination MAY include this element within a <wsrm:SequenceAcknowledgement> header~~
646 ~~block.~~ If used, the RM Destination MUST set the value of ~~this~~ ~~OPTIONAL~~ element, ~~if present~~, MUST
647 ~~contain to~~ a wsrm:MessageType representing the <wsrm:MessageNumber> of an unreceived
648 message in a Sequence. ~~The RM Destination MUST NOT include a~~ ~~The~~ <wsrm:Nack> element ~~MUST-~~
649 ~~NOT be present~~ if a sibling <wsrm:AcknowledgementRange> or <wsrm:None> element is also
650 present as a child of <wsrm:SequenceAcknowledgement>. Upon the receipt of a Nack, an RM Source
651 SHOULD retransmit the message identified by the Nack. The RM Destination MUST NOT issue a
652 <wsrm:SequenceAcknowledgement> containing a <wsrm:Nack> for a message that it has previously
653 acknowledged within a <wsrm:AcknowledgementRange>. The RM Source SHOULD ignore a
654 <wsrm:SequenceAcknowledgement> containing a <wsrm:Nack> for a message that has previously
655 been acknowledged within a <wsrm:AcknowledgementRange>.

656 /wsrm:SequenceAcknowledgement/wsrm:None

657 ~~The RM Destination MUST include this element within a <wsrm:SequenceAcknowledgement> header~~
658 ~~block if~~ ~~This OPTIONAL~~ element, ~~if present~~, ~~MUST be used when~~ the RM Destination has not received
659 any messages for the specified Sequence. The ~~RM Destination~~ ~~<wsrm:None> element~~ MUST NOT
660 ~~include this element~~ ~~be present~~ if a sibling <wsrm:AcknowledgementRange> or <wsrm:Nack> element
661 is also present as a child of the <wsrm:SequenceAcknowledgement>.

662 /wsrm:SequenceAcknowledgement/{any}

663 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,
664 to be passed.

665 /wsrm:SequenceAcknowledgement/@{any}

666 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the
667 element.

668 The following examples illustrate <wsrm:SequenceAcknowledgement> elements:

- 669 • Message numbers 1...10 inclusive in a Sequence have been received by the RM Destination.

```
670 <wsrm:SequenceAcknowledgement>  
671   <wsrm:Identifier>http://example.com/abc</wsrm:Identifier>  
672   <wsrm:AcknowledgementRange Upper="10" Lower="1"/>  
673 </wsrm:SequenceAcknowledgement>
```

- 674 • Message numbers 1..2, 4..6, and 8..10 inclusive in a Sequence have been received by the RM
675 Destination, messages 3 and 7 have not been received.

```
676 <wsrm:SequenceAcknowledgement>  
677   <wsrm:Identifier>http://example.com/abc</wsrm:Identifier>  
678   <wsrm:AcknowledgementRange Upper="2" Lower="1"/>  
679   <wsrm:AcknowledgementRange Upper="6" Lower="4"/>
```

```
680      <wsrm:AcknowledgementRange Upper="10" Lower="8"/>
681    </wsrm:SequenceAcknowledgement>
```

- 682 • Message number 3 in a Sequence has not been received by the RM Destination.

```
683    <wsrm:SequenceAcknowledgement>
684      <wsrm:Identifier>http://example.com/abc</wsrm:Identifier>
685      <wsrm:Nack>3</wsrm:Nack>
686    </wsrm:SequenceAcknowledgement>
```

4 Faults

The faults defined in this section fall into one of two categories; those faults that are the result of messages or operations within a specific Sequence and those faults that are not. By their nature the CreateSequenceRefused, UnknownSequence, and WSRMRequired faults cannot be correlated with a Sequence. All other faults defined in this section relate to the processing of WS-RM protocol messages or messages containing WS-RM header blocks targeted at a specific Sequence and are collectively referred to as "Sequence faults".

Faults for the CreateSequence message exchange are treated as defined in WS-Addressing. CreateSequenceRefused is a possible fault reply for this operation. UnknownSequence is a fault generated by endpoints when messages carrying RM header blocks targeted at unrecognized or terminated Sequences are detected, these faults are also treated as defined in WS-Addressing. All other faults in this section relate to the processing of RM header blocks targeted at known Sequences and are collectively referred to as Sequence faults. Sequence faults SHOULD be sent to the same [destination] as <wsrm:SequenceAcknowledgement> messages. These faults are correlated using the Sequence identifier carried in the detail.

WS-ReliableMessaging faults MUST include as the [action] property the default fault action IRI defined in the version of WS-Addressing used in the message. The value from the current version is below for informational purposes:

```
http://schemas.xmlsoap.org/ws/2004/08/addressing/fault
```

The faults defined in this section are generated if the condition stated in the preamble is met. Fault handling rules are defined in section 4 of WS-Addressing.

The definitions of faults use the following properties:

[Code] The fault code.

[Subcode] The fault subcode.

[Reason] The English language reason element.

[Detail] The detail element. If absent, no detail element is defined for the fault.

The [Code] property MUST be either "Sender" or "Receiver". These properties are serialized into text XML as follows:

SOAP Version	Sender	Receiver
SOAP 1.1	S11:Client	S11:Server
SOAP 1.2	S:Sender	S:Receiver

The properties above bind to a SOAP 1.2 fault as follows:

```
<S:Envelope>
  <S:Header>
    <wsa:Action>
      http://schemas.xmlsoap.org/ws/2004/08/addressing/fault
    </wsa:Action>
    <!-- Headers elided for clarity. -->
  </S:Header>
  <S:Body>
    <S:Fault>
      <S:Code>
        <S:Value> [Code] </S:Value>
      <S:Subcode>
```

```

687     <S:Value> [Subcode] </S:Value>
687     </S:Subcode>
687   </S:Code>
687   <S:Reason>
687     <S:Text xml:lang="en"> [Reason] </S:Text>
687   </S:Reason>
687   <S:Detail>
687     [Detail]
687     ...
687   </S:Detail>
687 </S:Fault>
687 </S:Body>
687 </S:Envelope>

```

687 The properties above bind to a SOAP 1.1 fault as follows when the fault is triggered by processing an RM
688 header block:

```

687 <S11:Envelope>
687   <S11:Header>
687     <wsrm:SequenceFault>
687       <wsrm:FaultCode> wsrm:FaultCodes </wsrm:FaultCode>
687       <wsrm:Detail> [Detail] </wsrm:Detail>
687       ...
687     </wsrm:SequenceFault>
687     <!-- Headers elided for clarity. -->
687   </S11:Header>
687   <S11:Body>
687     <S11:Fault>
687       <faultcode> [Code] </faultcode>
687       <faultstring> [Reason] </faultstring>
687     </S11:Fault>
687   </S11:Body>
687 </S11:Envelope>

```

687 The properties bind to a SOAP 1.1 fault as follows when the fault is generated as a result of processing a
688 <wsrm:CreateSequence> request message:

```

687 <S11:Envelope>
687   <S11:Body>
687     <S11:Fault>
687       <faultcode> [Subcode] </faultcode>
687       <faultstring> [Reason] </faultstring>
687     </S11:Fault>
687   </S11:Body>
687 </S11:Envelope>

```

687 4.1 SequenceFault Element

687 The purpose of the <wsrm:SequenceFault> element is to carry the specific details of a fault generated
688 during the reliable messaging specific processing of a message belonging to a Sequence. The
689 <wsrm:SequenceFault> container MUST only be used in conjunction with the SOAP 1.1 fault
690 mechanism. It MUST NOT be used in conjunction with the SOAP 1.2 binding.

687 The following exemplar defines its syntax:

```

687 <wsrm:SequenceFault ...>
687   <wsrm:FaultCode> wsrm:FaultCodes </wsrm:FaultCode>
687   <wsrm:Detail> ... </wsrm:Detail> ?
687   ...
687 </wsrm:SequenceFault>

```

687 The following describes the content model of the `SequenceFault` element.

687 `/wsrm:SequenceFault`

687 This is the element containing Sequence information for WS-ReliableMessaging

687 `/wsrm:SequenceFault/wsrm:FaultCode`

687 This element, if present, MUST contain a qualified name from the set of fault [Subcodes] defined below.

687 `/wsrm:SequenceFault/wsrm:Detail`

687 This optional element is intended for carrying application specific error information related to the fault

688 being described.

687 `/wsrm:SequenceFault/wsrm:Detail/{any}`

687 The application specific error information related to the fault being described.

687 `/wsrm:SequenceFault/wsrm:Detail/@{any}`

687 The application specific error information related to the fault being described.

687 `/wsrm:SequenceFault/{any}`

687 This is an extensibility mechanism to allow different (extensible) types of information, based on a schema,

688 to be passed.

687 `/wsrm:SequenceFault/@{any}`

687 This is an extensibility mechanism to allow additional attributes, based on schemas, to be added to the

688 element.

687 4.2 Sequence Terminated

687 This fault is generated by either the RM Source or the RM Destination to indicate that it has either

688 encountered an unrecoverable condition, or has detected a violation of the protocol and as a

689 consequence, has chosen to terminate the Sequence. The endpoint that generates this fault should make

690 every reasonable effort to notify the corresponding endpoint of this decision.

687 Receipt of `SequenceTerminated` by either the RMD or the RMS shall terminate the Sequence if it is not

688 otherwise terminated.

687 Properties:

687 [Code] Sender or Receiver

687 [Subcode] `wsrm:SequenceTerminated`

687 [Reason] The Sequence has been terminated due to an unrecoverable error.

687 [Detail]

687 `<wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>`

687 4.3 Unknown Sequence

687 This fault is generated by either the RM Source or the RM Destination in response to a message

688 containing an unknown or terminated Sequence identifier. Receipt of `UnknownSequence` by either the

689 RMD or the RMS shall terminate the Sequence if it is not otherwise terminated.

687 Properties:

687 [Code] Sender

687 [Subcode] wsrn:UnknownSequence

687 [Reason] The value of wsrn:Identifier is not a known Sequence identifier.

687 [Detail]

687 `<wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>`

687 4.4 Invalid Acknowledgement

687 This fault is generated by the RM Source in response to a `<wsrm:SequenceAcknowledgement>` that
688 violates the cumulative acknowledgement invariant. An example of such a violation would be a
689 SequenceAcknowledgement covering messages that have not been sent.

687 [Code] Sender

687 [Subcode] wsrn:InvalidAcknowledgement

687 [Reason] The SequenceAcknowledgement violates the cumulative acknowledgement invariant.

687 [Detail]

687 `<wsrm:SequenceAcknowledgement ...> ... </wsrm:SequenceAcknowledgement>`

687 4.5 Message Number Rollover

687 This fault is generated to indicate that message numbers for a Sequence have been exhausted.

687 Properties:

687 [Code] Sender

687 [Subcode] wsrn:MessageNumberRollover

687 [Reason] The maximum value for wsrn:MessageNumber has been exceeded.

687 [Detail]

687 `<wsrm:Identifier ...> xs:anyURI </wsrm:Identifier>`

687 4.6 Create Sequence Refused

687 This fault is generated in response to a create Sequence request that cannot be satisfied.

687 Properties:

687 [Code] Sender

687 [Subcode] wsrn:CreateSequenceRefused

687 [Reason] The create Sequence request has been refused by the RM Destination.

687 [Detail]

687 `xs:any`

687 **4.7 Sequence Closed**

687 This fault is generated by an RM Destination to indicate that the specified Sequence has been closed.
688 This fault MUST be generated when an RM Destination is asked to receive a message for a Sequence
689 that is closed.

687 Properties:

687 [Code] Sender

687 [Subcode] wsrn:SequenceClosed

687 [Reason] The Sequence is closed and can not receive new messages.

687 [Detail]

687 `<wsrm:Identifier...> xs:anyURI </wsrm:Identifier>`

687 **4.8 WSRM Required**

687 If an RM Destination requires the use of WS-RM, this fault is generated when it receives an incoming
688 message that did not use this protocol.

687 Properties:

687 [Code] Sender

687 [Subcode] wsrn:WSRMRequired

687 [Reason] The RM Destination requires the use of WSRM.

687 [Detail]

687 `xs:any`

5 Security Considerations

It is strongly recommended that the communication between services be secured using the mechanisms described in WS-Security. In order to properly secure messages, the body and all relevant headers need to be included in the signature. Specifically, the `<wsrm:Sequence>` header needs to be signed with the body in order to "bind" the two together. The `<wsrm:SequenceAcknowledgement>` header may be signed independently because a reply independent of the message is not a security concern.

Because Sequences are expected to exchange a number of messages, it is recommended that a security context be established using the mechanisms described in WS-Trust[Trust] and WS-SecureConversation[SecureConversation]. If a Sequence is bound to a specific destination, then the security context needs to be established or shared with the destination servicing the Sequence. While the context can be established at any time, it is critical that the messages establishing the Sequence be secured even if they precede security context establishment. However, it is recommended that the security context be established first. Security contexts are independent of reliable messaging Sequences. Consequently, security contexts can come and go independent of the lifetime of the Sequence. In fact, it is recommended that the lifetime of a security context be less than the lifetime of the Sequence unless the Sequence is very short-lived.

It is common for message Sequences to exchange a number of messages (or a large amount of data). As a result, the usage profile of a Sequence is such that it is susceptible to key attacks. For this reason it is strongly recommended that the keys be changed frequently. This "re-keying" can be effected a number of ways. The following list outlines four common techniques:

- Closing and re-establishing a security context
- Exchanging new secrets between the parties
- Using a derived key sequence and switch "generations"
- Attaching a nonce to each message and using it in a derived key function with the shared secret

The security context may be re-established using the mechanisms described in WS-Trust and WS-SecureConversation. Similarly, secrets can be exchanged using the mechanisms described in WS-Trust. Note, however, that the current shared secret should not be used to encrypt the new shared secret. Derived keys, the preferred solution from this list, can be specified using the mechanisms described in WS-SecureConversation.

There is a core tension between security and reliable messaging that can be problematic if not considered in implementations. That is, one aspect of security is to prevent message replay and the core tenet of reliable messaging is to replay messages until they are acknowledged. Consequently, if the security sub-system processes a message but a failure occurs before the reliable messaging sub-system records the message (or the message is considered "processed"), then it is possible (and likely) that the security sub-system will treat subsequent copies as replays and discard them. At the same time, the reliable messaging sub-system will likely continue to expect and even solicit the missing message(s). Care should be taken to avoid and prevent this rare condition.

The following list summarizes common classes of attacks that apply to this protocol and identifies the mechanism to prevent/mitigate the attacks:

- **Message alteration** – Alteration is prevented by including signatures of the message information using WS-Security.
- **Message disclosure** – Confidentiality is preserved by encrypting sensitive data using WS-Security.

- 687 • **Key integrity** – Key integrity is maintained by using the strongest algorithms possible (by comparing
688 secured policies – see WS-Policy and WS-SecurityPolicy).
- 687 • **Authentication** – Authentication is established using the mechanisms described in WS-Security
688 and WS-Trust. Each message is authenticated using the mechanisms described in WS-Security.
- 687 • **Accountability** – Accountability is a function of the type of and string of the key and algorithms
688 being used. In many cases, a strong symmetric key provides sufficient accountability. However, in
689 some environments, strong PKI signatures are required.
- 687 • **Availability** – All reliable messaging services are subject to a variety of availability attacks. Replay
688 detection is a common attack and it is recommended that this be addressed by the mechanisms
689 described in WS-Security. (Note that because of legitimate message replays, detection should
690 include a differentiator besides message id such as a timestamp). Other attacks, such as network-
691 level denial of service attacks are harder to avoid and are outside the scope of this specification.
692 That said, care should be taken to ensure that minimal state is saved prior to any authenticating
693 Sequences.

6 References

6.1 Normative

[KEYWORDS]

S. Bradner, "[Key words for use in RFCs to Indicate Requirement Levels](#)," RFC 2119, Harvard University, March 1997

[SOAP 1.1]

W3C Note, "[SOAP: Simple Object Access Protocol 1.1](#)," 08 May 2000.

[SOAP 1.2]

W3C Recommendation, "[SOAP Version 1.2 Part 1: Messaging Framework](#)" June 2003.

[URI]

T. Berners-Lee, R. Fielding, L. Masinter, "[Uniform Resource Identifiers \(URI\): Generic Syntax](#)," RFC 3986, MIT/LCS, U.C. Irvine, Xerox Corporation, January 2005.

[XML]

W3C Recommendation, "[Extensible Markup Language \(XML\) 1.0 \(Second Edition\)](#)", October 2000.

[XML-ns]

W3C Recommendation, "[Namespaces in XML](#)," 14 January 1999.

[XML-Schema Part1]

W3C Recommendation, "[XML Schema Part 1: Structures](#)," 2 May 2001.

[XML-Schema Part2]

W3C Recommendation, "[XML Schema Part 2: Datatypes](#)," 2 May 2001.

[WSDL 1.1]

W3C Note, "[Web Services Description Language \(WSDL 1.1\)](#)," 15 March 2001.

[WS-Addressing]

W3C Proposed Recommendation, "[Web Services Addressing 1.0 - Core](#)", March 2006.

W3C Proposed Recommendation, "[Web Services Addressing 1.0 – SOAP Binding](#)", March 2006.

6.2 Non-Normative

[RDDL 2.0]

Johnathan Borden, Tim Bray, eds. "[Resource Directory Description Language \(RDDL\) 2.0](#)," January 2004

[WS-Policy]

D. Box, et al, "[Web Services Policy Framework \(WS-Policy\)](#)," September 2004.

[WS-PolicyAttachment]

D. Box, et al, "[Web Services Policy Attachment \(WS-PolicyAttachment\)](#)," September 2004.

[WS-Security]

687 Anthony Nadalin, Chris Kaler, Phillip Hallam-Baker, Ronald Monzillo, eds. "[OASIS Web Services Security:
688 SOAP Message Security 1.0 \(WS-Security 2004\)](#)", OASIS Standard 200401, March 2004.

687 Anthony Nadalin, Chris Kaler, Phillip Hallam-Baker, Ronald Monzillo, eds. "[OASIS Web Services Security:
688 SOAP Message Security 1.1 \(WS-Security 2004\)](#)", OASIS Standard 200602, February 2006.

687 **[RTTM]**

687 V. Jacobson, R. Braden, D. Borman, "[TCP Extensions for High Performance](#)", RFC 1323, May
688 1992.

687 **[SecurityPolicy]**

687 G. Della-Libra, et. al. "[Web Services Security Policy Language \(WS-SecurityPolicy\)](#)", July 2005

687 **[SecureConversation]**

687 S. Anderson, et al, "[Web Services Secure Conversation Language \(WS-SecureConversation\)](#)," February
688 2005.

687 **[Trust]**

687 S. Anderson, et al, "Web Services Trust Language (WS-Trust)," February 2005.

687 **A. Schema**

687 The normative schema that is defined for WS-ReliableMessaging using [XML-Schema Part1] and [XML-
688 Schema Part2] is located at:

687 <http://docs.oasis-open.org/ws-rx/wsrn/200604/wsrn-1.1-schema-200604.xsd>

687 The following copy is provided for reference.

```

687 <?xml version="1.0" encoding="UTF-8"?>
688 <!--
689 OASIS takes no position regarding the validity or scope of any intellectual
690 property or other rights that might be claimed to pertain to the
691 implementation or use of the technology described in this document or the
692 extent to which any license under such rights might or might not be available;
693 neither does it represent that it has made any effort to identify any such
694 rights. Information on OASIS's procedures with respect to rights in OASIS
695 specifications can be found at the OASIS website. Copies of claims of rights
696 made available for publication and any assurances of licenses to be made
697 available, or the result of an attempt made to obtain a general license or
698 permission for the use of such proprietary rights by implementors or users of
699 this specification, can be obtained from the OASIS Executive Director.
700 OASIS invites any interested party to bring to its attention any copyrights,
701 patents or patent applications, or other proprietary rights which may cover
702 technology that may be required to implement this specification. Please
703 address the information to the OASIS Executive Director.
704 Copyright © OASIS Open 2002-2006. All Rights Reserved.
705 This document and translations of it may be copied and furnished to others,
706 and derivative works that comment on or otherwise explain it or assist in its
707 implementation may be prepared, copied, published and distributed, in whole or
708 in part, without restriction of any kind, provided that the above copyright
709 notice and this paragraph are included on all such copies and derivative
710 works. However, this document itself does not be modified in any way, such as
711 by removing the copyright notice or references to OASIS, except as needed for
712 the purpose of developing OASIS specifications, in which case the procedures
713 for copyrights defined in the OASIS Intellectual Property Rights document must
714 be followed, or as required to translate it into languages other than English.
715 The limited permissions granted above are perpetual and will not be revoked by
716 OASIS or its successors or assigns.
717 This document and the information contained herein is provided on an "AS
718 IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING
719 BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL
720 NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR
721 FITNESS FOR A PARTICULAR PURPOSE.
722 -->
723 <xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
724 xmlns:wsa="http://www.w3.org/2005/08/addressing"
725 xmlns:wsm="http://docs.oasis-open.org/ws-rx/wsm/200604"
726 targetNamespace="http://docs.oasis-open.org/ws-rx/wsm/200604"
727 elementFormDefault="qualified" attributeFormDefault="unqualified">
728   <xs:import namespace="http://www.w3.org/2005/08/addressing"
729   schemaLocation="http://www.w3.org/2006/03/addressing/ws-addr.xsd"/>
730   <!-- Protocol Elements -->
731   <xs:complexType name="SequenceType">
732     <xs:sequence>
733       <xs:element ref="wsm:Identifier"/>
734       <xs:element name="MessageNumber" type="wsm:MessageNumberType"/>
735       <xs:any namespace="##other" processContents="lax" minOccurs="0"
736 maxOccurs="unbounded"/>
737     </xs:sequence>
738     <xs:anyAttribute namespace="##other" processContents="lax"/>
739   </xs:complexType>
740   <xs:element name="Sequence" type="wsm:SequenceType"/>
741   <xs:element name="SequenceAcknowledgement">
742     <xs:complexType>
743       <xs:sequence>
744         <xs:element ref="wsm:Identifier"/>
745         <xs:choice>
746           <xs:sequence>
747             <xs:choice>
748               <xs:element name="AcknowledgementRange" maxOccurs="unbounded">
749               <xs:complexType>

```

```

687         <xs:sequence/>
688         <xs:attribute name="Upper" type="xs:unsignedLong"
689 use="required"/>
690         <xs:attribute name="Lower" type="xs:unsignedLong"
691 use="required"/>
692         <xs:anyAttribute namespace="##other" processContents="lax"/>
693     </xs:complexType>
694 </xs:element>
695     <xs:element name="None" minOccurs="0">
696         <xs:complexType>
697             <xs:sequence/>
698         </xs:complexType>
699     </xs:element>
700 </xs:choice>
701     <xs:element name="Final" minOccurs="0">
702         <xs:complexType>
703             <xs:sequence/>
704         </xs:complexType>
705     </xs:element>
706 </xs:sequence>
707     <xs:element name="Nack" type="xs:unsignedLong"
708 maxOccurs="unbounded"/>
709 </xs:choice>
710     <xs:any namespace="##other" processContents="lax" minOccurs="0"
711 maxOccurs="unbounded"/>
712 </xs:sequence>
713     <xs:anyAttribute namespace="##other" processContents="lax"/>
714 </xs:complexType>
715 </xs:element>
716 <xs:complexType name="AckRequestedType">
717     <xs:sequence>
718         <xs:element ref="wsrm:Identifier"/>
719         <xs:any namespace="##other" processContents="lax" minOccurs="0"
720 maxOccurs="unbounded"/>
721     </xs:sequence>
722     <xs:anyAttribute namespace="##other" processContents="lax"/>
723 </xs:complexType>
724 <xs:element name="AckRequested" type="wsrm:AckRequestedType"/>
725 <xs:element name="Identifier">
726     <xs:complexType>
727         <xs:annotation>
728             <xs:documentation>
729 This type is for elements whose [children] is an anyURI and can have
730 arbitrary attributes.
731             </xs:documentation>
732         </xs:annotation>
733         <xs:simpleContent>
734             <xs:extension base="xs:anyURI">
735                 <xs:anyAttribute namespace="##other" processContents="lax"/>
736             </xs:extension>
737         </xs:simpleContent>
738     </xs:complexType>
739 </xs:element>
740 <xs:simpleType name="MessageNumberType">
741     <xs:restriction base="xs:unsignedLong">
742         <xs:minInclusive value="1"/>
743         <xs:maxInclusive value="9223372036854775807"/>
744     </xs:restriction>
745 </xs:simpleType>
746 <!-- Fault Container and Codes -->
747 <xs:simpleType name="FaultCodes">
748     <xs:restriction base="xs:QName">
749         <xs:enumeration value="wsrm:SequenceTerminated"/>

```

```

687     <xs:enumeration value="wsrm:UnknownSequence"/>
688     <xs:enumeration value="wsrm:InvalidAcknowledgement"/>
689     <xs:enumeration value="wsrm:MessageNumberRollover"/>
690     <xs:enumeration value="wsrm:CreateSequenceRefused"/>
691     <xs:enumeration value="wsrm:SequenceClosed"/>
692     <xs:enumeration value="wsrm:WSRMRequired"/>
693   </xs:restriction>
694 </xs:simpleType>
695 <xs:complexType name="SequenceFaultType">
696   <xs:sequence>
697     <xs:element name="FaultCode" type="wsrm:FaultCodes"/>
698     <xs:element name="Detail" type="wsrm:DetailType" minOccurs="0"/>
699     <xs:any namespace="##other" processContents="lax" minOccurs="0"
700 maxOccurs="unbounded"/>
701   </xs:sequence>
702   <xs:anyAttribute namespace="##other" processContents="lax"/>
703 </xs:complexType>
704 <xs:complexType name="DetailType">
705   <xs:sequence>
706     <xs:any namespace="##other" processContents="lax" minOccurs="0"
707 maxOccurs="unbounded"/>
708   </xs:sequence>
709   <xs:anyAttribute namespace="##other" processContents="lax"/>
710 </xs:complexType>
711 <xs:element name="SequenceFault" type="wsrm:SequenceFaultType"/>
712 <xs:element name="CreateSequence" type="wsrm:CreateSequenceType"/>
713 <xs:element name="CreateSequenceResponse"
714 type="wsrm:CreateSequenceResponseType"/>
715 <xs:element name="CloseSequence" type="wsrm:CloseSequenceType"/>
716 <xs:element name="CloseSequenceResponse"
717 type="wsrm:CloseSequenceResponseType"/>
718 <xs:element name="TerminateSequence" type="wsrm:TerminateSequenceType"/>
719 <xs:element name="TerminateSequenceResponse"
720 type="wsrm:TerminateSequenceResponseType"/>
721 <xs:complexType name="CreateSequenceType">
722   <xs:sequence>
723     <xs:element ref="wsrm:AcksTo"/>
724     <xs:element ref="wsrm:Expires" minOccurs="0"/>
725     <xs:element name="Offer" type="wsrm:OfferType" minOccurs="0"/>
726     <xs:any namespace="##other" processContents="lax" minOccurs="0"
727 maxOccurs="unbounded">
728       <xs:annotation>
729         <xs:documentation>
730           It is the authors intent that this extensibility be used to
731 transfer a Security Token Reference as defined in WS-Security.
732         </xs:documentation>
733       </xs:annotation>
734     </xs:any>
735   </xs:sequence>
736   <xs:anyAttribute namespace="##other" processContents="lax"/>
737 </xs:complexType>
738 <xs:complexType name="CreateSequenceResponseType">
739   <xs:sequence>
740     <xs:element ref="wsrm:Identifier"/>
741     <xs:element ref="wsrm:Expires" minOccurs="0"/>
742     <xs:element ref="wsrm:AcknowledgementInterval" minOccurs="0"/>
743     <xs:element name="Accept" type="wsrm:AcceptType" minOccurs="0"/>
744     <xs:any namespace="##other" processContents="lax" minOccurs="0"
745 maxOccurs="unbounded"/>
746   </xs:sequence>
747   <xs:anyAttribute namespace="##other" processContents="lax"/>
748 </xs:complexType>
749 <xs:complexType name="CloseSequenceType">

```

```

687     <xs:sequence>
688         <xs:element ref="wsrm:Identifier"/>
689         <xs:any namespace="##other" processContents="lax" minOccurs="0"
690 maxOccurs="unbounded"/>
691     </xs:sequence>
692     <xs:anyAttribute namespace="##other" processContents="lax"/>
693 </xs:complexType>
694 <xs:complexType name="CloseSequenceResponseType">
695     <xs:sequence>
696         <xs:element ref="wsrm:Identifier"/>
697         <xs:any namespace="##other" processContents="lax" minOccurs="0"
698 maxOccurs="unbounded"/>
699     </xs:sequence>
700     <xs:anyAttribute namespace="##other" processContents="lax"/>
701 </xs:complexType>
702 <xs:complexType name="TerminateSequenceType">
703     <xs:sequence>
704         <xs:element ref="wsrm:Identifier"/>
705         <xs:any namespace="##other" processContents="lax" minOccurs="0"
706 maxOccurs="unbounded"/>
707     </xs:sequence>
708     <xs:anyAttribute namespace="##other" processContents="lax"/>
709 </xs:complexType>
710 <xs:complexType name="TerminateSequenceResponseType">
711     <xs:sequence>
712         <xs:element ref="wsrm:Identifier"/>
713         <xs:any namespace="##other" processContents="lax" minOccurs="0"
714 maxOccurs="unbounded"/>
715     </xs:sequence>
716     <xs:anyAttribute namespace="##other" processContents="lax"/>
717 </xs:complexType>
718 <xs:element name="AcksTo"

```

```

687     type="wsa:EndpointReferenceType"/>
688     <xs:complexType name="OfferType">
689         <xs:sequence>
690             <xs:element ref="wsrm:Identifier"/>
691             <xs:element ref="wsrm:Expires" minOccurs="0"/>
692             <xs:element name="EndpointReference" type="wsa:EndpointReferenceType"/>
693             <xs:any namespace="##other" processContents="lax" minOccurs="0"
694 maxOccurs="unbounded"/>
695         </xs:sequence>
696         <xs:anyAttribute namespace="##other" processContents="lax"/>
697     </xs:complexType>
698     <xs:complexType name="AcceptType">
699         <xs:sequence>
700             <xs:element ref="wsrm:AcksTo"/>
701             <xs:any namespace="##other" processContents="lax" minOccurs="0"
702 maxOccurs="unbounded"/>
703         </xs:sequence>
704         <xs:anyAttribute namespace="##other" processContents="lax"/>
705     </xs:complexType>
706     <xs:element name="Expires">
707         <xs:complexType>
708             <xs:simpleContent>
709                 <xs:extension base="xs:duration">
710                     <xs:anyAttribute namespace="##other" processContents="lax"/>
711                 </xs:extension>
712             </xs:simpleContent>
713         </xs:complexType>
714     </xs:element>
715     <xs:element name="AcknowledgementInterval">
716         <xs:complexType>
717             <xs:sequence/>
718             <xs:attribute name="Milliseconds" type="xs:unsignedLong"
719 use="required"/>
720             <xs:anyAttribute namespace="##other" processContents="lax"/>
721         </xs:complexType>
722     </xs:element>
723 </xs:schema>

```

B. Message Examples

B.1 Create Sequence

Create Sequence

```
<?xml version="1.0" encoding="UTF-8"?>
<S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
  xmlns:wsmr="http://docs.oasis-open.org/ws-rx/wsmr/200604"
  xmlns:wsa="http://www.w3.org/2005/08/addressing">
  <S:Header>
    <wsa:MessageID>
      http://Business456.com/guid/0baaf88d-483b-4ecf-a6d8-a7c2eb546817
    </wsa:MessageID>
    <wsa:To>http://example.com/serviceB/123</wsa:To>
    <wsa:Action>http://docs.oasis-open.org/ws-
rx/wsmr/200604/CreateSequence</wsa:Action>
    <wsa:ReplyTo>
      <wsa:Address>http://Business456.com/serviceA/789</wsa:Address>
    </wsa:ReplyTo>
  </S:Header>
  <S:Body>
    <wsmr:CreateSequence>
      <wsmr:AcksTo>
        <wsa:Address>http://Business456.com/serviceA/789</wsa:Address>
      </wsmr:AcksTo>
    </wsmr:CreateSequence>
  </S:Body>
</S:Envelope>
```

Create Sequence Response

```
<?xml version="1.0" encoding="UTF-8"?>
<S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
  xmlns:wsmr="http://docs.oasis-open.org/ws-rx/wsmr/200604"
  xmlns:wsa="http://www.w3.org/2005/08/addressing">
  <S:Header>
    <wsa:To>http://Business456.com/serviceA/789</wsa:To>
    <wsa:RelatesTo>
      http://Business456.com/guid/0baaf88d-483b-4ecf-a6d8a7c2eb546817
    </wsa:RelatesTo>
    <wsa:Action>
      http://docs.oasis-open.org/ws-rx/wsmr/200604/CreateSequenceResponse
    </wsa:Action>
  </S:Header>
  <S:Body>
    <wsmr:CreateSequenceResponse>
      <wsmr:Identifier>http://Business456.com/RM/ABC</wsmr:Identifier>
    </wsmr:CreateSequenceResponse>
  </S:Body>
</S:Envelope>
```

B.2 Initial Transmission

The following example WS-ReliableMessaging headers illustrate the message exchange in the above figure. The three messages have the following headers; the third message is identified as the last message in the Sequence:

687 Message 1

```
687 <?xml version="1.0" encoding="UTF-8"?>
687 <S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
687 xmlns:wsmr="http://docs.oasis-open.org/ws-rx/wsmr/200604"
687 xmlns:wsa="http://www.w3.org/2005/08/addressing">
687   <S:Header>
687     <wsa:MessageID>
687       http://Business456.com/guid/71e0654e-5ce8-477b-bb9d-34f05cfc9e
687     </wsa:MessageID>
687     <wsa:To>http://example.com/serviceB/123</wsa:To>
687     <wsa:From>
687       <wsa:Address>http://Business456.com/serviceA/789</wsa:Address>
687     </wsa:From>
687     <wsa:Action>http://example.com/serviceB/123/request</wsa:Action>
687     <wsmr:Sequence>
687       <wsmr:Identifier>http://Business456.com/RM/ABC</wsmr:Identifier>
687       <wsmr:MessageNumber>1</wsmr:MessageNumber>
687     </wsmr:Sequence>
687   </S:Header>
687   <S:Body>
687     <!-- Some Application Data -->
687   </S:Body>
687 </S:Envelope>
```

687 Message 2

```
687 <?xml version="1.0" encoding="UTF-8"?>
687 <S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
687 xmlns:wsmr="http://docs.oasis-open.org/ws-rx/wsmr/200604"
687 xmlns:wsa="http://www.w3.org/2005/08/addressing">
687   <S:Header>
687     <wsa:MessageID>
687       http://Business456.com/guid/daa7d0b2-c8e0-476e-a9a4-d164154e38de
687     </wsa:MessageID>
687     <wsa:To>http://example.com/serviceB/123</wsa:To>
687     <wsa:From>
687       <wsa:Address>http://Business456.com/serviceA/789</wsa:Address>
687     </wsa:From>
687     <wsa:Action>http://example.com/serviceB/123/request</wsa:Action>
687     <wsmr:Sequence>
687       <wsmr:Identifier>http://Business456.com/RM/ABC</wsmr:Identifier>
687       <wsmr:MessageNumber>2</wsmr:MessageNumber>
687     </wsmr:Sequence>
687   </S:Header>
687   <S:Body>
687     <!-- Some Application Data -->
687   </S:Body>
687 </S:Envelope>
```

687 Message 3

```
687 <?xml version="1.0" encoding="UTF-8"?>
687 <S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
687 xmlns:wsmr="http://docs.oasis-open.org/ws-rx/wsmr/200604"
687 xmlns:wsa="http://www.w3.org/2005/08/addressing">
687   <S:Header>
687     <wsa:MessageID>
687       http://Business456.com/guid/0baaf88d-483b-4ecf-a6d8-a7c2eb546819
687     </wsa:MessageID>
687     <wsa:To>http://example.com/serviceB/123</wsa:To>
687     <wsa:From>
687       <wsa:Address>http://Business456.com/serviceA/789</wsa:Address>
```

```

687 </wsa:From>
687 <wsa:Action>http://example.com/serviceB/123/request</wsa:Action>
687 <wsrm:Sequence>
687 <wsrm:Identifier>http://Business456.com/RM/ABC</wsrm:Identifier>
687 <wsrm:MessageNumber>3</wsrm:MessageNumber>
687 </wsrm:Sequence>
687 <wsrm:AckRequested>
687 <wsrm:Identifier>http://Business456.com/RM/ABC</wsrm:Identifier>
687 </wsrm:AckRequested>
687 </S:Header>
687 <S:Body>
687 <!-- Some Application Data -->
687 </S:Body>
687 </S:Envelope>

```

687 B.3 First Acknowledgement

687 Message number 2 has not been received by the RM Destination due to some transmission error so it
688 responds with an acknowledgement for messages 1 and 3:

```

687 <?xml version="1.0" encoding="UTF-8"?>
687 <S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
687 xmlns:wsrm="http://docs.oasis-open.org/ws-rx/wsrn/200604"
687 xmlns:wsa="http://www.w3.org/2005/08/addressing">
687 <S:Header>
687 <wsa:MessageID>
687 http://example.com/guid/0baaf88d-483b-4ecf-a6d8-a7c2eb546810
687 </wsa:MessageID>
687 <wsa:To>http://Business456.com/serviceA/789</wsa:To>
687 <wsa:From>
687 <wsa:Address>http://example.com/serviceB/123</wsa:Address>
687 </wsa:From>
687 <wsa:Action>
687 http://docs.oasis-open.org/ws-rx/wsrn/200604/SequenceAcknowledgement
687 </wsa:Action>
687 <wsrm:SequenceAcknowledgement>
687 <wsrm:Identifier>http://Business456.com/RM/ABC</wsrm:Identifier>
687 <wsrm:AcknowledgementRange Upper="1" Lower="1"/>
687 <wsrm:AcknowledgementRange Upper="3" Lower="3"/>
687 </wsrm:SequenceAcknowledgement>
687 </S:Header>
687 <S:Body/>
687 </S:Envelope>

```

687 B.4 Retransmission

687 The RM Sourcediscovers that message number 2 was not received so it resends the message and
688 requests an acknowledgement:

```

687 <?xml version="1.0" encoding="UTF-8"?>
687 <S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
687 xmlns:wsrm="http://docs.oasis-open.org/ws-rx/wsrn/200604"
687 xmlns:wsa="http://www.w3.org/2005/08/addressing">
687 <S:Header>
687 <wsa:MessageID>
687 http://Business456.com/guid/daa7d0b2-c8e0-476e-a9a4-d164154e38de
687 </wsa:MessageID>
687 <wsa:To>http://example.com/serviceB/123</wsa:To>
687 <wsa:From>
687 <wsa:Address>http://Business456.com/serviceA/789</wsa:Address>
687 </wsa:From>

```

```

687 <wsa:Action>http://example.com/serviceB/123/request</wsa:Action>
687 <wsrm:Sequence>
687 <wsrm:Identifier>http://Business456.com/RM/ABC</wsrm:Identifier>
687 <wsrm:MessageNumber>2</wsrm:MessageNumber>
687 </wsrm:Sequence>
687 <wsrm:AckRequested>
687 <wsrm:Identifier>http://Business456.com/RM/ABC</wsrm:Identifier>
687 </wsrm:AckRequested>
687 </S:Header>
687 <S:Body>
687 <!-- Some Application Data -->
687 </S:Body>
687 </S:Envelope>

```

687 B.5 Termination

687 The RM Destination now responds with an acknowledgement for the complete Sequence which can then
688 be terminated:

```

687 <?xml version="1.0" encoding="UTF-8"?>
687 <S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
687 xmlns:wsrm="http://docs.oasis-open.org/ws-rx/wsrn/200604"
687 xmlns:wsa="http://www.w3.org/2005/08/addressing">
687 <S:Header>
687 <wsa:MessageID>
687 http://example.com/guid/0baaf88d-483b-4ecf-a6d8-a7c2eb546811
687 </wsa:MessageID>
687 <wsa:To>http://Business456.com/serviceA/789</wsa:To>
687 <wsa:From>
687 <wsa:Address>http://example.com/serviceB/123</wsa:Address>
687 </wsa:From>
687 <wsa:Action>
687 http://docs.oasis-open.org/ws-rx/wsrn/200604/SequenceAcknowledgement
687 </wsa:Action>
687 <wsrm:SequenceAcknowledgement>
687 <wsrm:Identifier>http://Business456.com/RM/ABC</wsrm:Identifier>
687 <wsrm:AcknowledgementRange Upper="3" Lower="1"/>
687 </wsrm:SequenceAcknowledgement>
687 </S:Header>
687 <S:Body/>
687 </S:Envelope>

```

687 Terminate Sequence

```

687 <?xml version="1.0" encoding="UTF-8"?>
687 <S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
687 xmlns:wsrm="http://docs.oasis-open.org/ws-rx/wsrn/200604"
687 xmlns:wsa="http://www.w3.org/2005/08/addressing">
687 <S:Header>
687 <wsa:MessageID>
687 http://Business456.com/guid/0baaf88d-483b-4ecf-a6d8-a7c2eb546812
687 </wsa:MessageID>
687 <wsa:To>http://example.com/serviceB/123</wsa:To>
687 <wsa:Action>
687 http://docs.oasis-open.org/ws-rx/wsrn/200604/TerminateSequence
687 </wsa:Action>
687 <wsa:From>
687 <wsa:Address>http://Business456.com/serviceA/789</wsa:Address>
687 </wsa:From>
687 </S:Header>
687 <S:Body>
687 <wsrm:TerminateSequence>

```

```
687     <wsrm:Identifier>http://Business456.com/RM/ABC</wsrm:Identifier>
687   </wsrm:TerminateSequence>
687 </S:Body>
687 </S:Envelope>
```

687 Terminate Sequence Response

```
687 <?xml version="1.0" encoding="UTF-8"?>
687 <S:Envelope xmlns:S="http://www.w3.org/2003/05/soap-envelope"
687   xmlns:wsrm="http://docs.oasis-open.org/ws-rx/wsr/200604"
687   xmlns:wsa="http://www.w3.org/2005/08/addressing">
687   <S:Header>
687     <wsa:MessageID>
687       http://Business456.com/guid/0baaf88d-483b-4ecf-a6d8-a7c2eb546813
687     </wsa:MessageID>
687     <wsa:To>http://example.com/serviceA/789</wsa:To>
687     <wsa:Action>
687       http://docs.oasis-open.org/ws-rx/wsr/200604/TerminateSequenceResponse
687     </wsa:Action>
687     <wsa:RelatesTo>
687       http://Business456.com/guid/0baaf88d-483b-4ecf-a6d8-a7c2eb546812
687     </wsa:RelatesTo>
687     <wsa:From>
687       <wsa:Address>http://Business456.com/serviceA/789</wsa:Address>
687     </wsa:From>
687   </S:Header>
687   <S:Body>
687     <wsrm:TerminateSequenceResponse>
687       <wsrm:Identifier>http://Business456.com/RM/ABC</wsrm:Identifier>
687     </wsrm:TerminateSequenceResponse>
687   </S:Body>
687 </S:Envelope>
```

687 C. WSDL

687 The non-normative WSDL 1.1 definition for WS-ReliableMessaging is located at:

687 <http://docs.oasis-open.org/ws-rx/wsrn/200604/wsd/wsrn-1.1-wsd-200604.wsd>

687 The following non-normative copy is provided for reference.

```

687 <?xml version="1.0" encoding="utf-8"?>
688 <!--
689 OASIS takes no position regarding the validity or scope of any intellectual
690 property or other rights that might be claimed to pertain to the
691 implementation or use of the technology described in this document or the
692 extent to which any license under such rights might or might not be available;
693 neither does it represent that it has made any effort to identify any such
694 rights. Information on OASIS's procedures with respect to rights in OASIS
695 specifications can be found at the OASIS website. Copies of claims of rights
696 made available for publication and any assurances of licenses to be made
697 available, or the result of an attempt made to obtain a general license or
698 permission for the use of such proprietary rights by implementors or users of
699 this specification, can be obtained from the OASIS Executive Director.
700 OASIS invites any interested party to bring to its attention any copyrights,
701 patents or patent applications, or other proprietary rights which may cover
702 technology that may be required to implement this specification. Please
703 address the information to the OASIS Executive Director.
704 Copyright (c) OASIS Open 2002-2006. All Rights Reserved.
705 This document and translations of it may be copied and furnished to others,
706 and derivative works that comment on or otherwise explain it or assist in its
707 implementation may be prepared, copied, published and distributed, in whole or
708 in part, without restriction of any kind, provided that the above copyright
709 notice and this paragraph are included on all such copies and derivative
710 works. However, this document itself does not be modified in any way, such as
711 by removing the copyright notice or references to OASIS, except as needed for
712 the purpose of developing OASIS specifications, in which case the procedures
713 for copyrights defined in the OASIS Intellectual Property Rights document must
714 be followed, or as required to translate it into languages other than English.
715 The limited permissions granted above are perpetual and will not be revoked by
716 OASIS or its successors or assigns.
717 This document and the information contained herein is provided on an "AS
718 IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING
719 BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL
720 NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR
721 FITNESS FOR A PARTICULAR PURPOSE.
722 -->
723 <wsdl:definitions xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
724 xmlns:xs="http://www.w3.org/2001/XMLSchema"
725 xmlns:wsa="http://www.w3.org/2005/08/addressing" xmlns:rm="http://docs.oasis-
726 open.org/ws-rx/wsr/200604" xmlns:tns="http://docs.oasis-open.org/ws-
727 rx/wsr/200604/wsdl" targetNamespace="http://docs.oasis-open.org/ws-
728 rx/wsr/200604/wsdl">
729
730   <wsdl:types>
731     <xs:schema
732       <xs:import namespace="http://docs.oasis-open.org/ws-rx/wsr/200604"
733       schemaLocation="http://docs.oasis-open.org/ws-rx/wsr/200604/wsr-1.1-schema-
734       200604.xsd"/>
735     </xs:schema>
736   </wsdl:types>
737
738   <wsdl:message name="CreateSequence">
739     <wsdl:part name="create" element="rm:CreateSequence"/>
740   </wsdl:message>
741   <wsdl:message name="CreateSequenceResponse">
742     <wsdl:part name="createResponse" element="rm:CreateSequenceResponse"/>
743   </wsdl:message>
744   <wsdl:message name="CloseSequence">
745     <wsdl:part name="close" element="rm:CloseSequence"/>
746   </wsdl:message>
747   <wsdl:message name="CloseSequenceResponse">
748     <wsdl:part name="closeResponse" element="rm:CloseSequenceResponse"/>
749   </wsdl:message>

```

```

687     <wsdl:message name="TerminateSequence">
688         <wsdl:part name="terminate" element="rm:TerminateSequence"/>
689     </wsdl:message>
690     <wsdl:message name="TerminateSequenceResponse">
691         <wsdl:part name="terminateResponse"
692 element="rm:TerminateSequenceResponse"/>
693     </wsdl:message>

694     <wsdl:portType name="SequenceAbstractPortType">
695         <wsdl:operation name="CreateSequence">
696             <wsdl:input message="tns:CreateSequence" wsa:Action="http://docs.oasis-
697 open.org/ws-rx/wsrn/200604/CreateSequence"/>
698             <wsdl:output message="tns:CreateSequenceResponse"
699 wsa:Action="http://docs.oasis-open.org/ws-
700 rx/wsrn/200604/CreateSequenceResponse"/>
701         </wsdl:operation>
702         <wsdl:operation name="CloseSequence">
703             <wsdl:input message="tns:CloseSequence" wsa:Action="http://docs.oasis-
704 open.org/ws-rx/wsrn/200604/CloseSequence"/>
705             <wsdl:output message="tns:CloseSequenceResponse"
706 wsa:Action="http://docs.oasis-open.org/ws-
707 rx/wsrn/200604/CloseSequenceResponse"/>
708         </wsdl:operation>
709         <wsdl:operation name="TerminateSequence">
710             <wsdl:input message="tns:TerminateSequence"
711 wsa:Action="http://docs.oasis-open.org/ws-rx/wsrn/200604/TerminateSequence"/>
712             <wsdl:output message="tns:TerminateSequenceResponse"
713 wsa:Action="http://docs.oasis-open.org/ws-
714 rx/wsrn/200604/TerminateSequenceResponse"/>
715         </wsdl:operation>
716     </wsdl:portType>

717 </wsdl:definitions>

```

D. State Tables

This appendix specifies the non-normative state transition tables for RM Source and RM Destination.

Each cell in the tables in this appendix uses the following convention:

Legend
<i>action to take next state</i>

Table 2 RM Source State Transition Table

Events	States							
	None	Connecting	Connected	Rollover	Closing	Closed	Terminating	Terminated
Create Sequence	Transmit Create Sequence Connecting	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Create Sequence Response	N/A	No action Connected	N/A	N/A	N/A	N/A	N/A	N/A
Create Sequence Refused Fault	N/A	No action Terminated	N/A	N/A	N/A	N/A	N/A	N/A
New Message	N/A	N/A	Transmit message Connected	No action Inhibited? Rollover	No action Inhibited? Closing	N/A	N/A	N/A
Retransmit of unack message	N/A	N/A	Transmit message Connected	Transmit message Rollover	Transmit message? Closing	No action Transmit message? Closed	N/A	N/A
SeqAck (non-final)	N/A	N/A	Process Ack ranges Connected	Process Ack ranges Rollover	Process Ack ranges Closing	Process Ack ranges Closed	Process Ack ranges Ignore? Terminating	Transmit Unknown Sequence Fault Terminated
Nack	N/A	N/A	Transmit message(s) Connected	Transmit message(s) Rollover	Transmit message(s) Closing	No action Transmit message? Closed	No action Ignore? Terminating	Transmit Unknown Sequence fault Terminated
Reached max msg	N/A	N/A	No action	No action	N/A	N/A	N/A	N/A

Events	States							
	None	Connecting	Connected	Rollover	Closing	Closed	Terminating	Terminated
number			Rollover	Rollover				
Message Number Rollover Fault	N/A	N/A	No action Rollover	No action Rollover	No action N/A Closing	No action Closed?	No action Ignore Terminating	Transmit Unknown Sequence Fault Terminated
Close Sequence	N/A	N/A	Transmit Close Sequence Closing	Transmit Close Sequence Closing	Transmit Close Sequence Closing	No action Transmit Close Sequence Closed	No action N/A? Terminating	N/A
Close Sequence Response	N/A	N/A	N/A	N/A	No action Closed	No action Closed	No action Ignore Terminating	Transmit Unknown Sequence Fault Terminated
SeqAck (final)	N/A	N/A	Process Ack/Nack ranges Closed?	Process Ack/Nack ranges Closed?	Process Ack/Nack ranges Closed?	Process Ack/Nack ranges Closed?	Process Ack/Nack ranges Ignore Terminating	Transmit Unknown Sequence fault Terminated
Sequence Closed Fault	N/A	N/A	No action? Closed	No action? Closed	No action? Closed	No action Closed	No action Ignore Terminating	Transmit Unknown Sequence Fault Terminated
Unknown Sequence Fault	N/A	N/A	No action Terminated	No action Terminated	No action Terminated	No action Terminated	No action Terminated	No action Ignore Terminated
Sequence Terminated Fault	N/A	N/A Terminated	No action Terminated	No action Terminated	No action Terminated	No action Terminated	No action Terminated	No action Ignore Terminated
Terminate Sequence	N/A	N/A	Transmit Terminate Sequence Terminating	Transmit Terminate Sequence Terminating	Transmit Terminate Sequence Terminating	Transmit Terminate Sequence Terminating	Transmit Terminate Sequence Terminating	N/A
Terminate Sequence Response	N/A	N/A	N/A	N/A	N/A	N/A	No action Terminated	No action Terminated
Elapse Expires duration	N/A	N/A	Send SequenceTerminated Fault Terminated	Send SequenceTerminated Fault Terminated	Send SequenceTerminated Fault Terminated	Send SequenceTerminated Fault Terminated	Send SequenceTerminated Fault Terminated?	N/A

688 In Table 2 above, the rows consists of events that occur at the RM Source throughout the lifetime of an
689 RM Sequence and the columns consists of various RM Source states. Each cell in the table above lists
690 the action that the RM Source takes on occurrence of a particular event and the next state that it
691 transitions.

688 Table 3 RM Destination State Transition Table

Events	States						
	None	Connecting	Connected	Rollover	Rollover-Closed	Closed	Terminated
Creation request not satisfied	N/A	Send Create Sequence Refused Fault Terminated	N/A	N/A	N/A	N/A	
Unrecoverable error on creation	N/A	Send-Sequence-Terminated-Fault? Terminated	N/A	N/A	N/A	N/A	
New-Message (with message number within range)	N/A	N/A	No-actionSend-SequenceAck Connected	Send-Message-Number-Rollover-Fault Rollover	Send-Message-Number-Rollover-or-Sequence-Closed-Fault?(with-SeqAck+Final) Rollover-Closed	Send Sequence Closed Fault (with SeqAck+Final) Closed	Send Unknown Seq Fault? Terminated
Retransmitted message	N/A	N/A	Send-SequenceAck Connected	Send-SequenceAck Rollover	Send-SeqAck+Final Rollover-Closed	Send-SeqAck+Final Closed	Send-Unknown-Seq-Fault Terminated
Ack requested	N/A	N/A	Send SequenceAck Connected	Send-SequenceAck Rollover	Send-SeqAck+Final Rollover-Closed	Send SeqAck+Final Closed	Send Unknown Seq Fault Terminated
Message (with Reach-max-message number outside of range)	N/A	N/A	Send-Message-Number-Rollover-Fault ConnectedRollover	Rollover	Rollover-Closed	N/A	N/A
Message-Number-Rollover-Fault	N/A	N/A	Rollover	Rollover	Rollover-Closed	Closed?	Send-Unknown-Sequence-Fault Terminated

Events	States						
	None	Connecting	Connected	Rollover	Rollover-Closed	Closed	Terminated
Close Sequence	N/A	N/A	Send CloseSequenceResponse with SequenceAck (Final) Closed	Send-CloseSequenceResponse-with-SequenceAck-Final Rollover-Closed	Send-Close-Sequence-Response-with-SeqAck+Final Rollover-Closed	Send Close Sequence Response with SeqAck+Final Closed	Send Unknown Sequence Fault Terminated
Close Sequence itself	N/A	N/A	Closed	Rollover-Closed	Rollover-Closed	Send Sequence Closed Fault Closed	N/A
Terminate Sequence	N/A	N/A	Send Terminate Sequence Response Terminated	Terminated	Terminated	Send Terminate Sequence Response Terminated	Send Unknown Sequence Fault Terminated
Unknown Sequence Fault	N/A	N/A	No action Terminated	Terminated	Terminated	No action Terminated	No action/ignore Terminated
Sequence Terminated Fault	N/A	N/A	No action Terminated	Terminated	Terminated	No action Terminated	No action/ignore Terminated
Terminate-Sequence	N/A	N/A	Terminated	Terminated	Terminated	Terminated	N/A
Elapse Expires duration	N/A	N/A	Send Sequence Terminated Fault Terminated	Terminated	Terminated	Send Sequence Terminated Fault Terminated	N/A

689 In Table 3 above, the rows consists of events that occur at the RM Destination throughout the lifetime of
690 an RM Sequence and the columns consists of various RM Destination states. Each cell in the table above
691 lists the action that the RM Destination takes on occurrence of a particular event and the next state that it
692 transitions.

E. Acknowledgments

This document is based on initial contribution to OASIS WS-RX Technical Committee by the following authors:

Ruslan Bilorusets, BEA, Don Box, Microsoft, Luis Felipe Cabrera, Microsoft, Doug Davis, IBM, Donald Ferguson, IBM, Christopher Ferris, IBM (Editor), Tom Freund, IBM, Mary Ann Hondo, IBM, John Ibbotson, IBM, Lei Jin, BEA, Chris Kaler, Microsoft, David Langworthy, Microsoft (Editor), Amelia Lewis, TIBCO Software, Rodney Limprecht, Microsoft, Steve Lucco, Microsoft, Don Mullen, TIBCO Software, Anthony Nadalin, IBM, Mark Nottingham, BEA, David Orchard, BEA, Jamie Roots, IBM, Shivajee Samdarshi, TIBCO Software, John Shewchuk, Microsoft, Tony Storey, IBM.

The following individuals have provided invaluable input into the initial contribution:

Keith Ballinger, Microsoft, Stefan Batres, Microsoft, Allen Brown, Microsoft, Michael Conner, IBM, George Copeland, Microsoft, Francisco Curbera, IBM, Paul Fremantle, IBM, Steve Graham, IBM, Pat Helland, Microsoft, Rick Hill, Microsoft, Scott Hinkelman, IBM, Tim Holloway, IBM, Efim Hudis, Microsoft, Gopal Kakivaya, Microsoft, Johannes Klein, Microsoft, Frank Leymann, IBM, Martin Nally, IBM, Peter Niblett, IBM, Jeffrey Schlimmer, Microsoft, James Snell, IBM, Keith Stobie, Microsoft, Satish Thatte, Microsoft, Stephen Todd, IBM, Sanjiva Weerawarana, IBM, Roger Wolter, Microsoft.

The following individuals were members of the committee during the development of this specification:

TBD

F. Revision History

Rev	Date	By Whom	What
wd-01	2005-07-07	Christopher Ferris	Initial version created based on submission by the authors.
ws-02	2005-07-21	Doug Davis	I011 (PT0S) added
wd-02	2005-08-16	Anish Karmarkar	Trivial editorial changes
ws-03	2005-09-15	Doug Davis	I019 and i028 (CloseSeq) added
wd-05	2005-09-26	Gilbert Pilz	i005 (Source resend of nacks messages when ack already received) added.
wd-05	2005-09-27	Doug Davis	i027 (InOrder delivery assurance spanning multiple sequences) added
wd-05	2005-09-27	Doug Davis	i020 (Semantics of "At most once" Delivery Assurance) added
wd-05	2005-09-27	Doug Davis	i034 (Fault while processing a piggy-backed RM header) added
wd-05	2005-09-27	Doug Davis	i033 (Processing model of NACKs) added
wd-05	2005-09-27	Doug Davis	i031 (AckRequested schema inconsistency) added
wd-05	2005-09-27	Doug Davis	i025 (SeqAck/None) added
wd-05	2005-09-27	Doug Davis	i029 (Remove dependency on WS-Security) added
wd-05	2005-09-27	Doug Davis	i039 (What does 'have a mU attribute' mean) added
wd-05	2005-09-27	Doug Davis	i040 (Change 'optiona'/'required' to 'OPTIONAL'/'REQUIRED') added
wd-05	2005-09-30	Anish Karmarkar	i017 (Change NS to http://docs.oasis-open.org/wsrn/200510/)
wd-05	2005-09-30	Anish Karmarkar	i045 (Include SecureConversation as a reference and move it to non-normative citation)
wd-05	2005-09-30	Anish Karmarkar	i046 (change the type of wsrn:FaultCode element)
wd-06	2005-11-02	Gilbert Pilz	Start wd-06 by changing title page from cd-01.
wd-06	2005-11-03	Gilbert Pilz	i047 (Reorder spec sections)
wd-07	2005-11-17	Gilbert Pilz	Start wd-07
wd-07	2005-11-28	Doug Davis	i071 – except for period in Appendix headings
wd-07	2005-11-28	Doug Davis	i10
wd-07	2005-11-28	Doug Davis	i030
wd-07	2005-11-28	Doug Davis	i037
wd-07	2005-11-28	Doug Davis	i038
wd-07	2005-11-28	Doug Davis	i041
wd-07	2005-11-28	Doug Davis	i043
wd-07	2005-11-28	Doug Davis	i044

Rev	Date	By Whom	What
wd-07	2005-11-28	Doug Davis	i048
wd-07	2005-11-28	Doug Davis	i051
wd-07	2005-11-28	Doug Davis	i053
wd-07	2005-11-28	Doug Davis	i059
wd-07	2005-11-28	Doug Davis	i062
wd-07	2005-11-28	Doug Davis	i063
wd-07	2005-11-28	Doug Davis	i065
wd-07	2005-11-28	Doug Davis	i067
wd-07	2005-11-28	Doug Davis	i068
wd-07	2005-11-28	Doug Davis	i069
wd-07	2005-11-28	Doug Davis	Fix bulleted list (#2) in section 2.3
wd-07	2005-11-29	Gilbert Pilz	i074 (Use of [tcShortName] in artifact locations namespaces, etc)
wd-07	2005-11-29	Gilbert Pilz	i071 – Fixed styles and formatting for TOC. Fixed styles of the appendix headings.
wd-07	2005-11-30	Doug Davis	Removed dup definition of "Receive"
wd-07	2005-11-30	Gilbert Pilz	Fixed lost formatting from heading for Namespace section. Fixed style of text body elements to match OASIS example documents. Fixed tables to match OASIS example documents.
wd-07	2005-12-01	Gilbert Pilz	Updated fix for i074 to eliminate trailing '/'. Added corresponding text around action IRI composition.
wd-07	2005-12-01	Gilbert Pilz	Use non-fixed fields for date values on both title page and body footers.
wd-07	2005-12-01	Doug Davis	Alphabetize the glossary
wd-07	2005-12-02	Doug Davis	i064
wd-07	2005-12-02	Doug Davis	i066
wd-08	2005-12-15	Doug Davis	Add back in RM Source to glossary
wd-08	2005-12-15	Steve Winkler	Doug added Steve's editorial nits
wd-08	2005-12-21	Doug Davis	i050
wd-08	2005-12-21	Doug Davis	i081
wd-08	2005-12-21	Doug Davis	i080 – but i050 negates the need for any changes
wd-08	2005-12-21	Doug Davis	i079
wd-08	2005-12-21	Doug Davis	i076 – didn't add text about "replies" since the RMD to RMS sequence could be used for any message not just replies
wd-08	2005-12-21	Umit Yalcinalp	Action Su03: removed wsse from Table 1
wd-08	2005-12-21	Umit Yalcinalp	i057 per Sunnyvale F2F 2005, Cleaned up some formatting errors in contributors
wd-08	2005-12-27	Doug Davis	i060
wd-08	2005-12-27	Gilbert Pilz	Moved schema and WSDL files to their own artifacts. Converted source document to

Rev	Date	By Whom	What
			OpenDocument Text format. Changed line numbers to be a single style.
wd-08	2005-12-28	Anish Karmarkar	Included a section link to c:\temp\wsrm-1.1-schema-200510.xsd and to c:\temp\wsrm-1.1-wsdl-200510.wsdl
wd-08	2006-01-04	Gilbert Pilz	Fixed formatting for included sections.
wd-08	2006-01-05	Gilbert Pilz	Created links for unused references. Fixed exemplars for CloseSequence and CloseSequenceResponse.
wd-09	2006-01-11	Doug Davis	Minor tweaks to text/typos.
wd-10	2006-01-23	Doug Davis	Accept all changes from wd-09 Make some minor editorial tweaks from Marc's comments.
wd-10	2006-02-14	Doug Davis	Issue 082 resolution
wd-10	2006-02-14	Doug Davis	Issue 083 resolution
wd-10	2006-02-14	Doug Davis	Issue 085 resolution
wd-10	2006-02-14	Doug Davis	Issues 086, 087 resolutions Defined MessageNumberType
wd-10	2006-02-15	Doug Davis	Issue 078 resolution
wd-10	2006-02-15	Doug Davis	Issue 094 resolution
wd-10	2006-02-15	Doug Davis	Issue 095 resolution
wd-10	2006-02-15	Gilbert Pilz	Issue 088 – added namespace URI link to namespace URI; added text explaining that this URI could be dereferenced to produce the RDDDL doc; added non-normative reference to RDDDL 2.0
wd-10	2006-02-17	Anish Karmarkar	Namespace changed to 200602 for both WSDL and XSD docs.
wd-10	2006-02-17	Anish Karmarkar	Issue i087 as it applies to WSRM spec.
wd-10	2006-02-17	Anish Karmarkar	Added titles and minor text for state table (issue i058).
wd-11	2006-02-22	Doug Davis	Accept all changes for new WD Minor typos fixed
wd-11	2006-02-23	Doug Davis	s"/close'/close/g – per Marc Goodner Added first ref to [URI] – per Marc G again
wd-11	2006-02-27	Doug Davis	Issue i061 applied
wd-11	2006-02-28	Doug Davis	Fixed typo around the use of "above" and "below"
wd-11	2006-03-01	Doug Davis	Minor typos found by Marc Goodner
wd-11	2006-03-02	Doug Davis	Minor typos found by Matt Lovett
wd-11	2006-03-08	Doug Davis	Issue 091 applied
wd-11	2006-03-08	Doug Davis	Issue 092 applied
wd-11	2006-03-08	Doug Davis	Issue 100 applied

Rev	Date	By Whom	What
wd-12	2006-03-20	Doug Davis	Added space in "SOAP1.x" – PaulCotton
wd-12	2006-04-11	Doug Davis	Issue 007 applied
wd-12	2006-04-11	Doug Davis	Issue 090 applied
wd-12	2006-04-11	Doug Davis	Issue 098 applied
wd-12	2006-04-11	Doug Davis	Issue 099 applied
wd-12	2006-04-11	Doug Davis	Issue 101 applied
wd-12	2006-04-11	Doug Davis	Issue 103 applied
wd-12	2006-04-11	Doug Davis	Issue 104 applied
wd-12	2006-04-11	Doug Davis	Issue 105 applied
wd-12	2006-04-11	Doug Davis	Issue 107 applied
wd-12	2006-04-11	Doug Davis	Issue 109 applied
wd-12	2006-04-11	Doug Davis	Issue 110 applied
wd-12	2006-04-12	Doug Davis	Used "generated" instead of "issue" or "send" when talking about faults.
wd-12	2006-04-24	Gilbert Pilz	Update references to WS-Addressing to the Proposed Recommendations; update WS-RM namespace to "200604".
wd-13	2006-05-08	Gilbert Pilz	i093 part 1; more work needed
wd-13	2006-05-10	Doug Davis	Issue 096 applied

689 G. Notices

689 OASIS takes no position regarding the validity or scope of any intellectual property or other rights that
690 might be claimed to pertain to the implementation or use of the technology described in this document or
691 the extent to which any license under such rights might or might not be available; neither does it represent
692 that it has made any effort to identify any such rights. Information on OASIS's procedures with respect to
693 rights in OASIS specifications can be found at the OASIS website. Copies of claims of rights made
694 available for publication and any assurances of licenses to be made available, or the result of an attempt
695 made to obtain a general license or permission for the use of such proprietary rights by implementors or
696 users of this specification, can be obtained from the OASIS Executive Director.

697 OASIS invites any interested party to bring to its attention any copyrights, patents or patent applications, or
698 other proprietary rights which may cover technology that may be required to implement this specification.
699 Please address the information to the OASIS Executive Director.

700 Copyright (C) OASIS Open (2006). All Rights Reserved.

701 This document and translations of it may be copied and furnished to others, and derivative works that
702 comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and
703 distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and
704 this paragraph are included on all such copies and derivative works. However, this document itself may
705 not be modified in any way, such as by removing the copyright notice or references to OASIS, except as
706 needed for the purpose of developing OASIS specifications, in which case the procedures for copyrights
707 defined in the OASIS Intellectual Property Rights document must be followed, or as required to translate it
708 into languages other than English.

701 The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors
702 or assigns.

701 This document and the information contained herein is provided on an "AS IS" basis and OASIS
702 DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY
703 WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR
704 ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.