

This diagram is an attempt to map the semantics of the "Contract Proposal" on http://wiki.openid.net/Trusted_Data_Exchange to an XDI link contract template. Equivalent sections of the two documents are marked with colors.

Trusted Data Exchange Contract Proposal

```
<xml xmlns="xri://$xrcp*($v*1.0)">
  <ContractProposals issuer="@RP">
    <ContractProposal type="@RP/EnduserInformationDiscrodure">
      <IssuedDate>
        2007-12-25T12:34:56+09:00
      </IssuedDate>
      <PolicyDescription>
        Human readable policy statement is here.
      </PolicyDescription>
      <CompactPolicy>
        MACHINE_READABLE_POLICY
      </CompactPolicy>
      <RequerstingAttributes>
        <Attribute type="@RP/(+firstname)($v*1.0)" required="true">
          <DisplayName lang="ja_JP">
            First Name
          </DisplayName>
        </Attribute>
        <Attribute type="@RP/(+email)($v*1.0)" required="true">
          <DisplayName lang="ja_JP">
            e-mail Address
          </DisplayName>
        </Attribute>
      </RequerstingAttributes>
      <AutoUpdate request="true" />
      <Signature xmlns="http://www.w3.org/2000/09/xmldsig#" >
        [XML Signature for ContractProposal]
      </Signature>
    </ContractProposal>
  </ContractProposals>
</xml>
```

XDI Link Contract Template

```
@OP$contract
  $is$a
    $contract
    $contract*trusted.data.exchange
    $contract@RP*enduser.information.disclosure
  $has
    $has
  $d
    $d!2007-12-25T12:34:56Z
  $a$xsd$string
    "Human readable policy statement is here."
  $autoupdate
    $true
  $sig
    "[XDI Signature for XDI Link Contract Template]"
  $get
    /
      $$
      @RP+firstname$v!1
      @RP+email$v!1
  $get$opt
    /
      $$
      [optional attributes here]
@OP$contract$has
  $is$a
    $contract$has
  $has
    @RP
@RP+firstname$v!1
  $a$xsd$string$1*ja_JP
  "名前"
@RP+email$v!1
  $a$xsd$string$1*ja_JP
  "メールアドレス"
```

This diagram is an attempt to map the semantics of the "Contract" on http://wiki.openid.net/Trusted_Data_Exchange to an instantiated XDI link contract. Equivalent sections of the two documents are marked with colors.

Trusted Data Exchange Contract

```
<xml xmlns="xri://$xrcp*($v*1.0)">
<Contract Id="@OP/(+contract)*($v*1.0)/0123456789">
  <ContractProposal type="@RP/EnduserInformationDiscrodure">
    [Here goes a copy of the accepted contract proposal from
     page 1. It is omitted here for compactness.]
  </ContractProposal>
  <TimeStamp>
    2007-12-25T12:34:56+09:00
  </TimeStamp>
  <ContractConclusion type="@RP/EnduserInformationDiscrodure">
    <Attributes>
      <Attribute type="@RP/(+firstname)($v*1.0)" />
      <Attribute type="@RP/(+email)($v*1.0)" />
    </Attributes>
    <AutoUpdate Permit="true" />
    <ExpireDay>
      2007-12-25T12:34:56+09:00
    </ExpireDay>
  </ContractConclusion>
  <Signature xmlns="http://www.w3.org/2000/09/xmlsig#" >
    [XML Signature for ContractProposal and ContractConclusion]
  </Signature>
</Contract>
</xml>
```

Instantiated XDI Link Contract

```
@OP$contract!0123456789
  $is$a
    $contract
    $contract*trusted.data.exchange
    $contract@RP*enduser.information.disclosure
  $has
    $has
  $d
    $d!2007-12-25T12:34:56Z
  $d$expires
    $d!2007-12-25T12:34:56Z
  $a$xsd$string
    "Human readable policy statement is here."
  $autoupdate
    $true
  $sig
    "[XDI Signature for XDI Link Contract]"
  $get
    /
      {user-identifier}
      @RP+firstname$v!1
      @RP+email$v!1
@OP$contract!0123456789$has
  $is$a
    $contract$has
  $has
    @RP
```

- {user-identifier} is the OpenID of the user that was authenticated by the OP.

Changelog

Version 1: Initial Version

markus.sabadello@xdi.org 05-23-2008

Version 2: New link contract pattern

markus.sabadello@xdi.org 07-17-2008

Version 3: New link contract pattern

markus.sabadello@xdi.org 10-02-2008